



2016 MOUNTAIN LAKES GUIDE



Lake Mary

**ABSAROKA – BEARTOOTH
&
CRAZY MOUNTAINS**

Fellow Angler:

This booklet is intended to pass on information collected over many years about the fishery of the Absaroka-Beartooth high country lakes. Since Pat Marcuson began surveying these lakes in 1967, many individuals have hefted a heavy pack and worked the high country for Fish, Wildlife and Parks. They have brought back the raw data and personal observations necessary to formulate management schemes for the 300+ lakes in this area containing fish. While the information presented here is not intended as a guide for hiking/camping or fishing techniques, it should help wilderness users to better plan their trips according to individual preferences and abilities.

Fish species present in the Absaroka-Beartooth lakes include Yellowstone cutthroat trout, brook trout, rainbow trout, golden trout, arctic grayling, and variations of cutthroat/rainbow/golden trout hybrids. These lake fisheries generally fall into two categories: self-sustaining and stocked. Self-sustaining lakes have enough spawning habitat to allow fish to restock themselves year after year. These often contain so many fish that while fishing can be fast, the average fish size will be small. The average size and number of fish present change very little from year to year in most of these lakes.

Lakes without spawning potential must be planted regularly to sustain a fishery. Standard stocking in the Beartooths is 50-100 Yellowstone cutthroat trout fingerlings per acre every eight years. Special situations may call for different species, numbers, or frequency of plants. For instance, lakes with heavy fishing pressure tend to be stocked more often and at higher densities. Grayling and golden trout are stocked to provide unique fishing opportunities and to help conserve populations of these rare fish. In the first few years after planting, many small fish will be found in a lake. With each passing year, fewer but larger fish will remain until all the fish age out and are gone, generally in 7-9 years. An angler can thus use the stocking history in this guide to predict what sizes and numbers of fish a given lake might currently contain.

Every year, Fish, Wildlife and Parks survey crews sample 30+ lakes out of the 300+ lakes containing fish. Results of past sampling efforts found in this report can be informative if looked at in the context of the stocking cycle for each lake. While this data will not provide up-to-the-minute information for anglers, it is sufficient to allow a good guess about what may be present at any given time. Still, these wilderness waters can hold surprises. I would appreciate any information you gather while on your trip (such as species, numbers, and accurate lengths). Please reply to me at:

Jason Rhoten
Montana Fish, Wildlife and Parks
Columbus, MT
406-698-1905
jrhoden@mt.gov

ATTENTION MOUNTAIN LAKES GUIDE USERS

This guide has changed. You can now search by drainage (alphabetically) and by lake (alphabetically) within each drainage. There is also a helpful preface section that will help find the species that you want to angle and the lake and drainage they are found in.

Drainage in the Beartooth Mountains:

Boulder.....	8 - 17
Clarks Fork.....	18 - 49
East Rosebud.....	50 - 57
Rock Creek.....	58 - 69
Slough Creek.....	70
Stillwater.....	71 - 83
West Rosebud	84 - 90

Drainage in the Crazy Mountains:

Big Timber Creek.....	92 - 93
Cottonwood Creek.....	94
Rock Creek	95
Swamp Creek.....	96
Sweetgrass Creek.....	97 - 98

Tips For Using This Guide

Latitude/Longitude: These are taken at the middle of the lakes and are used for stocking purposes.

Miles = total number of miles to the lake from the trailhead

Trail () = numbers of miles on an established trail

Marcusons Code = Code number of lake by drainage e.g., Rock Creek #60, East Rosebud #5, etc.

Crazy Mountain lake information can be found at the very end of this booklet.

As this guide will be updated yearly, the typeface has been much reduced and it is available online at (fwp.mt.gov/r5/mountainlakes) to keep costs down. I trust the information contained here will be worth the extra eye strain or price of a magnifying glass to the user.

While this guide deals with mountain lakes, an angler would be wise not to overlook the many streams of the Beartooths.

Special thanks go to all Montana Fish, Wildlife & Parks Mountain Lake crews that have worked on the Mountain Lakes surveys, as well as those dedicated FWP employees who worked to keep the Mountain Lakes Guide updated throughout the years.

Enjoy and respect the high country.

Good Fishing!

Fish Species Opportunities By Drainage

Note: The list of fish species opportunity by drainage is not an all inclusive list and does not include hybrid species, non-game fish species and does not include rare species found in a lake. The list was generated to help an angler narrow their search for a specific species.

Boulder Drainage (Beartooth Range)

Golden Trout: Lake Mcknight, Upper Mcknight Lake

Rainbow Trout: Icicle Lake, Mirror Lake, Rainbow Lake #2, Rainbow Lake #3, Rainbow Lake #4, Rainbow Lake #5, Rainbow Lake #6, Rainbow Lake #7

Yellowstone Cutthroat: Alpine Lake, Beaver Pond, Blacktail Lake, Blue Lake, Bramble Lake #41, Bridge Lake, Burnt Gulch Lake, Camp Lake, Chickadee Lake, Davis Lake, Elk Lake, Fish Lake, Great Falls Creek Lake (Lower), Horseshoe Lake, Kaufman Lake, Mirror Lake, Narrow Escape Lake, Prospect Lake, Rainbow Lake #2, Rainbow Lake #3, Rainbow Lake #4, Rainbow Lake #5, Rainbow Lake #6, Rainbow Lake #7, Silver Lake, Speculator Lake, Squeeze Lake, Trout Lake, Weasel Lake #48, Weasel Lake #51, West Boulder Lake

Clarks Fork Drainage (Beartooth Range)

Arctic Grayling: Diamond Lake, Little Washtub Lake

Brook Trout: Abandoned Lake, Alp Lake, Astral Lake, Bald Knob Lake, Big Moose Lake, Bob Lake, Broadwater Lake, Broadwater Meadow, Castle Lake, Cliff Lake, Companion Lake, Copeland Lake, Curl Lake, Dick Lake, Estelle Lake, Farley Lake, Finger Lake, Fizzle Lake, Fox Lake, Granite Lake, Green Lake, Green Lake, Gus Lake, Heidi Lake, Indian Knife Lake, Kersey Lake, Kidney Lake, Lady Of The Lake, Lake Elaine, Lennon Lake, Lillis Lake, Little Green Lake, Lone Elk Lake, Lonesome Lake, Long Lake, Lower Aero Lake, Mariane Lake, Martin Lake, Midnight Lake, Moccasin Lake, North Hidden Lake, Otter Lake, Ouzel Lake, Ovis Lake, Production Lake, Rachel Lake, Recruitment Lake, Robin Lake, Rock Island Lake, Rough Lake, Round Lake, Russell Lake, Shelter Lake, Skull Lake, Sodalite Lake, Splinter Lake, Spogen Lake, Summerville Lake, Thiel Lake, Vernon Lake, Wand Lake, Widewater Lake, Wright Lake

Golden Trout: Anchor Lake, Basin Lake, Desolation Lake, Pablo Lake, Rock Tree Lake

Rainbow Trout: Big Moose Lake, Cradle Lake, Fox Lake, Granite Lake, Widewater Lake

Yellowstone Cutthroat: Albino Lake, Alp Lake, Aquarius Lake, Cloverleaf Lake #215, Cloverleaf Lake #216, Cloverleaf Lake #217, Cloverleaf Lake #223, Corner Lake, Crystal Lake, Dollar Lake, Flat Rock Lake, Fritter Lake, Fulcrum Lake, Golden Lake, Hidden Lake, Jasper Lake, Jorden Lake, Kersey Lake, Lake Of The Clouds, Lake Of The Winds, Leaky Raft Lake, Line Lake, Looking Glass Lake, Lower Aero Lake, Margaret Lake, Marsh Lake, Maryott Lake, Melody Lake, Nymph Lake, Rock Island Lake, Sedge Lake, Star Lake, Stash Lake, Surprise Lake, Swamp Lake, Throop Lake, Trail Lake, Triangle Lake, Triskele Lake, Two Bits Lake, Unnamed Cf089a, Upper Aero Lake, Upper Mud Lake, Varve Lake, Vernon Lake, Weasel Lake, Wiedy Lake, Zimmer Lake

East Rosebud Drainage (Beartooth Range)

Brook Trout: Billy Lake, Cairn Lake, Crow Lake, Elk Lake, Shadow Lake, Slough Lake

Brown Trout: East Rosebud Lake

Golden Trout: Little Scat Lake, Martin Lake, Scat Lake, Sylvan Lake

Rainbow Trout: East Rosebud Lake, Lower Snow Lake

Yellowstone Cutthroat: Arch Lake (Little), Big Park Lake, Brent Lake, Dewey Lake, Duggan Lake, Echo Lake, Fossil Lake, Froze To Death Lake, Lower Arch Creek Lake, Medicine Lake, Phantom Lake, Turgulse Lake, Twin Outlets Lake, Upper Arch Creek Lake

Rock Creek Drainage (Beartooth Range)

Arctic Grayling: Lost Lake

Brook Trout: Basin Creek Lake, Broadwater, Crescent Lake, Daly Lake, Elk Horn Lake, First Rock Lake, Glacier Lake, Hellroaring Lake #9, Keyser Brown, Lake Gertrude, Lake Mary, Second Rock Lake, Senal Lake, September Morn Lake, Shelf Lake, Ship Lake, Silver Run Lake #47, Sliderock Lake, Smethurst Lake, Snowbank Lake, Timberline Lake

Rainbow Trout: Greenough Lake, Wild Bill Lake

Yellowstone Cutthroat: Black Canyon Lake, Bowback Lake, Daly Lake, Dude Lake, Elk Horn Lake, Emerald Lake, First Rock Lake, Glacier Lake, Hairpin Lake, Hellroaring Lake #4, Hellroaring Lake #9, Keyser Brown, Kookoo Lake, Lost Lake, Marker Lake, Moon Lake, Mountain Goat Lake, Ryeborg Lake, Senal Lake, Shadow Lake, Sheep Lake, Silt Lake (Lower), Silt Lake (Upper), Smethurst Lake, Sundance Lake, Triangle Lake, Triangle Lake

Slough Creek Drainage (Beartooth Range)

Yellowstone Cutthroat: Heather Lake, Lake Abundance, Peace Lake

Stillwater Drainage (Beartooth Range)

Arctic Grayling: Chrome Lake

Brook Trout: Fly Lake, Glacier Green Lake, Imelda Lake, Lake Aries, Sioux Charley Lake, Sourdough Lake, Spider Lake

Golden Trout: Asteroid Lake, Dryad Lake, Incisor Lake, Lightning Lake, Little Lightning Lake, Sunken Rock Lake

Rainbow Trout: Cimmerian Lake, Wounded Man Lake

Yellowstone Cutthroat: Anvil Lake, Aufwuchs Lake, Beauty Lake, Chrome Lake, Cimmerian Lake, Courthouse Lake, Favonius Lake, Goose Lake, Huckleberry Lake, Jasper Lake, Jay Lake, Jeff Lake, Jordan Lake, Lake Of The Woods, Lake Wilderness, Little Goose Lake, Martes Lake, Mouse Lake, Mutt Lake, North Picket Pin Lake, Pentad Lake, South Picket Pin Lake, Sundown Lake, Wood Lake, Wrong Lake

West Rosebud Drainage (Beartooth Range)

Brook Trout: Emerald Lake, Lily Pad Lake, Twin Lakes, West Rosebud Lake

Brown Trout: Emerald Lake, Island Lake, West Rosebud Lake

Golden Trout: W Fishtail Cr Lk #40, W Fishtail Cr Lk #41, W Fishtail Cr Lk #43

Rainbow Trout: Crater Lake, Emerald Lake, Huckleberry Lake, Island Lake, Mystic Lake, Silver Lake, West Rosebud Lake

Yellowstone Cutthroat: Arrapooash Lake, Avalanche Lake, Beckwourth Lake, Eedica Lake, Frenco Lake, Island Lake, Lower Storm Lake, Nemidji Lake, Nugget Lake, Princess Lake, Ram Lake, Weeluna Lake

Big Timber Creek Drainage (Crazy Range)

Rainbow Trout: Blue Lake, Druckmiller Lake, Granite Lake, Lower Twin Lake, Thunder Lake, Upper Twin Lake

Yellowstone Cutthroat: Crazy Lake, Pear Lake

Cottonwood Creek Drainage (Crazy Range)

Yellowstone Cutthroat: Cottonwood Lake, Forest Lake

Rock Creek Drainage (Crazy Range)

Yellowstone Cutthroat: Rock Lake, Smeller Lake

Swamp Creek Drainage (Crazy Range)

Brook Trout: Swamp Lake

Sweet Grass Creek Drainage (Crazy Range)

Golden Trout: Cave Lake

Rainbow Trout: Moose Lake

Yellowstone Cutthroat: Campfire Lake, Cascade Lake, North Fork Lake, Sunlight Lake

Alpine Lake

DRAINAGE: Boulder ELEV: 8680
Location: 45.46252, -110.41806 ACREAGE: 10.5
Section: 4511E30 DEPTH: 20 FT
Marcuson's Code: 83
Access: Stay on north side of '3 Creeks' & go straight up mountain then follow contour around to the west. Some Game Trails are a mild help. Tough access!!

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Boulder #41	9.5	(7.75)	+2,800	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stock, with some natural repr

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	39	11.5	6.5-13.4
2004	Yellowstone Cutthroat	8	11.7	10.5-12.

Stocking History

2013: Yellowstone Cutthroat (525 fish)
2005: Yellowstone Cutthroat (525 fish)
1997: Yellowstone Cutthroat (525 fish)

Stocking Plan

2021: Yellowstone Cutthroat (525 fish)

Comments: Lake sits up on a nice little bench.

Camp sites: Some campsites, plenty of firewood available. Good bear country!

Survey Notes:

1995 - some fish were spent, thus skinny. Others seemed in ok shape. 2004 fish were angled. Fish were average to thin.

Beaver Pond

DRAINAGE: Boulder ELEV: 8000
Location: 45.20165, -110.23954 ACREAGE: 0.2
Section: 7512E21 DEPTH: 3 FT
Marcuson's Code: 97
Access: At end of 4x4 road near independence. See survey notes below.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Independence 4x4	0	(0)	0	0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained
Yellowstone Cutthroat Trout X R	Common	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	3	10.6	7.5-13.1
2008	Yellowstone Cutthroat Trout X Rainbow	2	14.9	14.4-15.

Stocking History

1974: Yellowstone Cutthroat (350 fish)

Stocking Plan

Comments: 1990 visual survey (poore) showed many 5-6" and 10-12" trout cruising and rising.

Camp sites: Good campsites and wood available.

Survey Notes:

Acceptable reproduction taking place. No need to restock. Monitor periodically. Probably have to use hook and line to sample as it is shallow. Mud bottom. Located on the main fork of the boulder river. A Jeep Trail travels within 1/4 mile, then it is a short hike south along a trail. Surveyed 08 netted & angled plenty of fish seen. Difficult to catch. Fat & healthy, genetic testing confirm hybridization.

Blacktail Lake

DRAINAGE: Boulder ELEV: 8700
Location: 45.53466, -110.42816 ACREAGE: 4.2
Section: 3510E36 DEPTH: 20 FT
Marcuson's Code: 91
Access: Secondary tributary of the west boulder via Davis Creek. Hike up Usfs Trail #37 from the burnt leather ranch, then trail 38 & 105.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Davis Creek	8	(8)	+3,300	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	5	13.4	12.4-13.
1996	Yellowstone Cutthroat	4	14.1	13-15.2

Stocking History

2008: Yellowstone Cutthroat (525 fish)
2000: Yellowstone Cutthroat (525 fish)
1992: Yellowstone Cutthroat (525 fish)

Stocking Plan

Comments: Growth is good. The lake is planted every 8 years. Natural reproduction may occur but recruitment would be sporadic. Inlet is silted. Outlet has one tiny patch of gravel. Heavy use. Several fire rings.

Camp sites: Some campsites, plenty of firewood. Heavy use by horses.

Survey Notes:

Only lake in the area with a trail to it.

Blue Lake

DRAINAGE: Boulder ELEV: 9460
Location: 45.19935, -110.21221 ACREAGE: 10.2
Section: 7512E27 DEPTH: 27 FT
Marcuson's Code: 31
Access: Jeep Trail up the main boulder near independence. The lake is about 200 yards from the end of the road.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Independence 4x4	2.5	(1)	+800	-800
Cross-country	1.5	(0)	+150	-150

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	10	10.6	8.2-12.1
2001	Yellowstone Cutthroat	12	10.3	7.2-12.3

Stocking History

2013: Yellowstone Cutthroat (1020 fish)
2009: Yellowstone Cutthroat (1020 fish)
2005: Yellowstone Cutthroat (1020 fish)

Stocking Plan

2017: Yellowstone Cutthroat (1020 fish)

Comments: CT's planted '65, '68, '71, '77, '81, '85, '89, '93. Stocking density a little heavy. Growth seems poor. Lowered to 1020 in '93. 4-year stocking schedule is about right for this very Accessible Lake.

Camp sites: Campsites are available.

Survey Notes:

Stocked every 4 years. Stocked since 1965. '89 creel cards - 6 CT 8-12" range. Located in the headwaters of the east fork of the boulder river near haystack peak. 18 hr. Net set '90, 01 redds seen in outlet 200 yards downstream. Surveyed '08 at ice off 15 hr. Set, fish in average cond.

Bramble Lake #38

DRAINAGE: Boulder ELEV: 8350
Location: 45.36946, -110.24464 ACREAGE: 1.2
Section: 5512E28,29 DEPTH: 3 FT
Marcuson's Code: 38

Access: Headwaters of Bramble Creek. It is a 3 mile hike up Bramble Creek. No Trail exists.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
None	3	(0)	+3,500	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Rare	Unknown

Last sample:

<u>Stocking History</u>	<u>Stocking Plan</u>
-------------------------	----------------------

Comments: There are 4 Bramble Lakes <#38,39,40,41>. Bramble Lake #39 & #41 have fish. #38 gets planted in #39. #38 is too shallow to set net (angle). #39 gets planted '09 some fish may come down to #38 with this plant.

Camp sites: Nice campsites, firewood present.

Survey Notes:

Too shallow to set a net. Ralph Saunders says #38 was dry - 8/27/89.

Bramble Lake #39 (aka. Bramble #1)

DRAINAGE: Boulder ELEV: 8775
Location: 45.36614, -110.2484 ACREAGE: 3.3
Section: 5512E28DC DEPTH: 26 FT
Marcuson's Code: 39

Access: ~3 miles up Bramble Creek. No Trail exists. Try staying just north of the creek drainage first 1/2 to avoid deadfalls.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
None	3	(0)	+3,500	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Unknown	Stocked

Last sample: 2008

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2008	Yellowstone Cutthroat	0		-
2001	Yellowstone Cutthroat	0		-

<u>Stocking History</u>	<u>Stocking Plan</u>
-------------------------	----------------------

2009: Yellowstone Cutthroat (330 fish) 2017: Yellowstone Cutthroat (330 fish)

2001: Yellowstone Cutthroat (330 fish)

1993: Yellowstone Cutthroat (330 fish)

Comments: 3,000 CT's planted in '65. 7/88 bill jarret says the lake has been barren for a few years. 8/27/89 - r. Saunders confirms. Tough hike, -hard to find.

Camp sites: Beautiful place to camp. Plenty of firewood. Survey before plt

Survey Notes:

Stagger plants every 8 yrs with #41, 100/acre. Other species might be introduced - gr, gt? No inlet for spawning. Outlet has some gravel, but is mostly rock and may not be suitable for spawning. Surveyed '08, zero fish caught. 15 hr. Set Plenty of feed, caddisfly larvae, tiny clams, fairy shrimp, aquatic beetles. Water was turbid, visibilty limited to ~4 ft

Bramble Lake #41 (aka. Bramble #3)

DRAINAGE: Boulder ELEV: 9525
Location: 45.36376, -110.25983 ACREAGE: 4.1
Section: 5512E28,29 DEPTH: 70 FT
Marcuson's Code: 41

Access: ~3 miles up Bramble Creek. No Trail exists. Try staying just north of the creek drainage first 1/2 to avoid deadfalls.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
None	3	(0)	+3,500	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Stocked

Last sample: 2008

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2008	Yellowstone Cutthroat			-
2001	Yellowstone Cutthroat	24	10.1	9.9-11.8

<u>Stocking History</u>	<u>Stocking Plan</u>
2013: Yellowstone Cutthroat (410 fish)	2021: Yellowstone Cutthroat (410 fish)
2005: Yellowstone Cutthroat (410 fish)	
1997: Rainbow Trout (410 fish)	

Comments: These Lakes are moderately hard to find. Tough climb with a pack. Water code # 22-7317 Bramble Creek lake #3.

Camp sites: Firewood is present. Nice campsites (a few good flat spots).

Survey Notes:

8/27/89 - r saunders - 13.5" 1# 10 yr old ct-big head, small body. Many up to 10", most 6-8". '91 - fish thin to emaciated. Strike every cast. Allow rb's to age out then restock with ct. 8 year frequency staggered with #39. Angled by MFWP crew in 08, no fish caught but one fish seen and others rising.

Bridge Lake

DRAINAGE: Boulder ELEV: 9585
Location: 45.26605, -110.34592 ACREAGE: 14.2
Section: 6S11E34 DEPTH: 42 FT
Marcuson's Code: 36

Access: NE of Crow Mountain. Trail #25 climbs 10 miles to this lake from the Boulder River. Excellent trail first 9.5 miles.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Bridge Creek	10	(9.5)	+3,500	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Yellowstone Cutthroat	21	13.5	8.2-16.8
2006	Yellowstone Cutthroat	34	9.43	6.8-15.8

<u>Stocking History</u>	<u>Stocking Plan</u>
2013: Yellowstone Cutthroat (2130 fish)	2019: Yellowstone Cutthroat (2130 fish)
2007: Yellowstone Cutthroat (2130 fish)	
2001: Yellowstone Cutthroat (2130 fish)	

Comments: Good food resource produces exceptional fish. CT planted in '70, '77, '83. Lake is on a six year stocking schedule at 150/acre. Beautiful cirque with volcanic rock all around.

Camp sites: Nice campsites, especially 1/2 mile below. Scarce firewood.

Survey Notes:

This is a popular place. Lake shows heavy use. Current mgmt should continue to provide a good fishery. Some repro may be occurring - check scales. Outlet spawning marginal, inlet is seasonal but has good gravel. '91 fish were fairly plump. 8/90 - 18+", very fat 3-4 lbs. Angler 8/8/94 reports 5" & mostly 13" CT's, nice and plump. 8/06 fish fat easily caught (baily MFWP). 14 hr. netting survey 2012.

Burnt Gulch Lake

DRAINAGE: Boulder ELEV: 9040
Location: 45.244, -110.14817 ACREAGE: 9.1
Section: 7513E5,6,7 DEPTH: 43 FT
Marcuson's Code: 26

Access: 14 miles up Upsidedown Creek or 10 miles up rainbow creek from the main boulder road. See survey notes below.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Trail	14	(13)	+3,770	-1,170
Box Canyon	10.5	(9.5)	+2,364	-0
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Common	Self-Sustained		

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	15	13.5	8.7-17.8
1996	Yellowstone Cutthroat	10	10.2	8.6-12.8

Stocking History

Stocking Plan

1985: Yellowstone Cutthroat (3978 fish)
1970: Yellowstone Cutthroat (4074 fish)

Comments: Fish still thin. Some spawning has occurred. McBride cutthroat were planted in '85 in hopes they might grow better than the old yellowstone stock. 2 obvious varieties of CT's in '90. Fry seen '90

Camp sites: Plenty of good campsites and lots of firewood available.

Survey Notes:

Appears to be self sustaining. Monitor periodically. 4 hour gill net set in '90. Located 1/2 mi. N. Of Columbine Creek mouth up rainbow creek. (cross country, 600 ft easy climb). Can also be reached from Upsidedown Trail - Horseshoe Lake rainbow crk. Trail - columbine crk. - then cross country.

Camp Lake

DRAINAGE: Boulder ELEV: 8995
Location: 45.47183, -110.11519 ACREAGE: 7.8
Section: 4513E21,22 DEPTH: 58 FT
Marcuson's Code: 3

Access: Head of Canyon Creek. Take picket pin-iron mountain road to chrome mountain then 2.5 miles x-country from chrome mountain.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Chrome Mtn	2.5	(0)	+200	-500

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	35	10	4.7-12.7
2008	Yellowstone Cutthroat	26	9.2	5.9-11.8

Stocking History

Stocking Plan

Comments: Outside a-b. No stocking record exists. '92 some cans etc. Found around and in the lake, but pretty anyway. Good day hike material.

Camp sites: One excellent campsite. Plenty of firewood available.

Survey Notes:

Fish were thin in 2016 sample. Outlet is all big rocks & inlet has very little gravel but the fish obviously reproduce well. For the 2016 survey, 25 of the 35 fish sample were obtained with 3.5 hrs of angling.

Chickadee Lake

DRAINAGE: Boulder ELEV: 9690
Location: 45.27678, -110.15855 ACREAGE: 4.0
Section: 6S13E30CA DEPTH: 8 FT
Marcuson's Code: 15

Access: Trail up Upsidedown Creek or from the wounded man creek area, a tributary of the Stillwater.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Trail	9.5	(8.5)	+3,470	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	11	11.4	6.9-16
2003	Yellowstone Cutthroat	5	14.6	13-15.7

Stocking History

Stocking Plan

1978: Yellowstone Cutthroat (600 fish)

Comments: Spring fed spawning area in the inlet. Fish were observed in the outlet one mile downstream. Dave Fischer '86 - decent population of 13-16" ct.

Camp sites: Camping ok but excellent just below. Some firewood below.

Survey Notes:

Summer '88 barb kelly caught 5 CT's 7.6-12.5" ave. 10.3". Fish looked healthy. Several small fish seen. '93 fish were healthy but didn't have big bodies. These fish seem to be doing fine as they are. Angler reports small cutts in 1999. '03 fish were angled. Fish were in avarage shape. 2012 FWP survey angled 2 hrs.

Davis Lake

DRAINAGE: Boulder ELEV: 8790
Location: 45.48042, -110.42784 ACREAGE: 5.1
Section: 4510E24A DEPTH: 15 FT
Marcuson's Code: 87

Access: Headwaters of Davis Creek on the west boulder. Follow Trail #37 up Davis Creek 3 miles past Trail #38 then cross country to the lake. Last 3 miles are tough 1 mile / hr.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Davis Creek	10	(8)	+3,400	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 1996

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1996	Yellowstone Cutthroat	15	12.1	7.6-14.6
1988	Yellowstone Cutthroat	4	13.1	8.4-16.3

Stocking History

Stocking Plan

1979: Yellowstone Cutthroat (510 fish)
1934: Yellowstone Cutthroat (4650 fish)

Comments: Planted with m'ct to establish self-sustaining fishery. Fish are now reproducing well. Fish are also present in the pond above the lake.

Camp sites: Plenty of firewood and many campsites are available. Be Bear Aware!

Survey Notes:

Beautiful place - goats, elk, deer. Tough access. Little use. Inlet allows migration to the pothole above and has some gravel spots. Outlet is cobble/boulder. In 2012 2 aglers angled 2 hrs caught 4 YCT 13-14.5" saw 2- 8" fish in outlet

Elk Lake

DRAINAGE: Boulder ELEV: 9580
Location: 45.22749, -110.31427 ACREAGE: 9.2
Section: 7511E14A DEPTH: 22 FT
Marcuson's Code: 35
Access: 6 miles up Copper Creek Trail #15 to west boulder divide. Then 2 miles north along the divide and drop into the lake. Tough upinside elk creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Copper Creek	8	(6)	+2,800	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	9	15.1	12.8-18.
2008	Yellowstone Cutthroat	5	16.8	15.2-18.

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (920 fish)
2002: Yellowstone Cutthroat (920 fish)
1996: Yellowstone Cutthroat (920 fish)

Comments: Good growth. Planted every 6 years. Elk Lake was on the planting program for 1984 but is not to be found on the final planting summary. CT's first planted in 1977. 6,000 RB planted in 1936.

Camp sites: Some camping spots and firewood available.

Survey Notes:

'95 fish were in good shape. R. Saunders 8/19/89 - caught 16 - smallest 15" 1 5/8 lb, largest 17" 2+ lb. J. Bradford 7/15/94 - caught 30 - 15 to 18", up to 20". Some evidence of horse use. K. Schaal 7/95 caught 15 & 18.5" and saw -15 others. Glenn Rickett 6/03 - only one good campsite by the outlet - scant firewood. 10-11 hours to get up north side of Elk Creek - tuff. Very healthy 16.5-17" cutts. Surveyed 08 nice fish!!!
2012 FWP survey 9 YCT caught in 4.5 hr net set.

Fish Lake

DRAINAGE: Boulder ELEV: 9472
Location: 45.25258, -110.11083 ACREAGE: 18.0
Section: 7513E4 DEPTH: 45 FT
Marcuson's Code: 25
Access: Trails up Rainbow Creek, upsidedown creek or from the lake plateau. Lake is in the headwaters of the south fork of Rainbow Creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	10.5	(10.5)	+2,600	-100
Upsidedown Creek	11.5	(11.5)	+4,200	-1,500

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2004

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2004	Yellowstone Cutthroat	8	10.5	9.3-11.8
1988	Yellowstone Cutthroat	43	7.4	5.8-10.1

Stocking History

Stocking Plan

1944: Brook Trout (1200 fish)

Comments: ct origin unknown. Fish Lake is a very scenic spot - fish appear healthy but reproduction may be too successful.

Camp sites: Firewood limited.

Survey Notes:

Sizes of fish similar to 1969 netting. Are these fish rbxct crosses? Ron carlson reports good fishing for 8-12"ers. Dave Fischer 1999 - good for 10-12" CT's. '04 fish were angled in 30 minutes and were thin. Angler report summer of 2013--fished for approx 1 hr caught 9 YCT between 6-13". Fish were in good health.

Great Falls Creek Lake, Lower (aka. Great Falls Creek Lake)

DRAINAGE: Boulder ELEV: 9452
Location: 45.43373, -110.28463 ACREAGE: 6.6
Section: 5512E6A DEPTH: 23 FT
Marcuson's Code: 55
Access: Trail #18 up great Falls Creek. It's the First Lake you come to -7 miles from the trailhead. It's slightly off the trail to the NW 6.5 miles up.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Great Falls Creek	7	(6.5)	+3,800	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Rare	Self-Sustained
Yellowstone Cutthroat	Abundant	Stock, with some natural repr

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Rainbow Trout	1	11.5	11.5-11.
2014	Yellowstone Cutthroat	51	10.7	5.7-16.3

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (660 fish)
2011: Yellowstone Cutthroat (660 fish)
2010: Yellowstone Cutthroat (660 fish)

Comments: This is a nice secluded location that does not receive very many visitors. Starting in 2007 Yellowstone cutthroat were stocked annually with intent to swamp out rainbow trout genetics. Legal harvest of rainbow trout is encouraged.

Camp sites: Camping places aren't easy to find but lots of firewood.

Survey Notes:

Fish are plentiful and a few of the sampled fish were skinny likely due to the high abundance of fish in the lake. In 2014, 31 of the 51 fish sample was obtained by angling for 6 hours.

Horseshoe Lake

DRAINAGE: Boulder ELEV: 9490
Location: 45.26968, -110.18131 ACREAGE: 15.9
Section: 6512E36 DEPTH: 10 FT
Marcuson's Code: 11
Access: This is the first lake encountered on the Upsidedown Creek Trail and receives heavy use. The Upsidedown Trail is steep but very well maintained.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Trail	7.5	(7.5)	+3,130	-80

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	12	11.4	8.6-13.9
2007	Yellowstone Cutthroat	21	8.83	5.5-14

Stocking History

Stocking Plan

1970: Yellowstone Cutthroat (291 fish)

Comments: Lake is shallow and has potential to winterkill.

Camp sites: Camping is good with picked over firewood.

Survey Notes:

The lake is a wide spot in the creek.
The July 2015 gill net sample was collected during cold conditions with 4 inches of fresh snow that may have influenced sampling efficiency.

Icicle Lake

DRAINAGE: Boulder ELEV: 9465
Location: 45.45118, -110.33593 ACREAGE: 6.7
Section: 4511E26 DEPTH: 13 FT
Marcuson's Code: 74
Access: Leave west Boulder Trail #41 between Trapper Creek and Three Creeks. Hike up a steep, untrailed, very difficult 2.5 miles through large boulder fields to the lake. OR consider hiking across West Boulder Plateau from Great Falls Creek

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
West Boulder	10.5	(7.5)	+3915	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout	Abundant	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Rainbow Trout	15	13.5	11.7-15.
2004	Rainbow Trout	18	10.8	9-13

Stocking History

Stocking Plan

Comments: Icicle Lake is a beautiful lake at timberline that shows little sign of human use.

Camp sites: Many campsites. Plenty of firewood.

Survey Notes:

Most fish were in good condition during 2014 survey. 7 of the 15 fish for the 2014 survey were obtained by angling for 5.5 hours.

Kaufman Lake (aka. Falls Creek Lake)

DRAINAGE: Boulder ELEV: 8942
Location: 45.38682, -110.36544 ACREAGE: 39.7
Section: 5511E21 DEPTH: 70 FT
Marcuson's Code: 76
Access: Best route is up four Mile Creek past silver patient and west Boulder Lakes or up speculator creek leaving the trail at the switchbacks.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Fourmile	12.0	(8.0)	+4,785	-2,095
Speculator Creek	12.0	(8.0)	+5,340	-2,110

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Yellowstone Cutthroat	22	14.7	9.8-16
2005	Yellowstone Cutthroat	27	13	8-16

Stocking History

Stocking Plan

1985: Arctic Grayling (800 fish)

1979: Yellowstone Cutthroat (20000 fish)

1979: Yellowstone Cutthroat (20000 fish)

Comments: 5-6" CT observed in '85 & '92. Reproduction is occurring. Grayling were planted one week after the '85 survey & 2 weeks before the '92 survey.

Camp sites: Some campsites. Firewood available. Horse camp at lake.

Survey Notes:

What will become of the grayling plant? No grayling taken or observed in '92 or '99. Excellent spawning gravel in the inlet. '92 - many fish seen cruising & rising. Fish were somewhat thin but did not seem unhealthy. Planted with golden trout in 1958, cutthroat in 1970 and 1977. '85 - 20 CT 8.0-11.6" ave 9.3". '04 fish were angled. Fish >17" seen in inlet. '92 14 CT 13.1-18.3" ave. 15.3".

Lake Columbine

DRAINAGE: Boulder ELEV: 9132
Location: 45.21784, -110.14445 ACREAGE: 5.3
Section: 7513E17 DEPTH: 10 FT
Marcuson's Code: 30
Access: Usfs Trail #27 up the east fork of the boulder river.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Upsidedown Trail	15.0	(15.0)	+3,800	-1,200
Box Canyon	11.5	(11.5)	+2,400	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
No Fish Captured	Unknown	Unknown

Last sample: 2007

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2007	No Fish Captured	0		-

Stocking History

Stocking Plan

Comments: Grayling should become self-sustaining. Grayling were scheduled to be planted in 1984 but no record of an actual plant can be found. (plant cancelled at request of USFS)

Camp sites: Firewood limited.

Survey Notes:

Plant with grayling when available. Clear with USFS. Gil longmire reports no fish 8/89, looks dead. Jack robertson reports barren in 1990. Fwp sampled 07 overnight set 13 hours, no fish. Survey only if planted, 4 years after plant.

Lake Mcknight

DRAINAGE: Boulder ELEV: 9120
Location: 45.4902, -110.44445 ACREAGE: 10.8
Section: 4510E13,14 DEPTH: 60 FT
Marcuson's Code: 90
Access: Trail #37 up Davis Creek on the west boulder. Follow trail up a tributary north of the lakes then south. Tough cross country. Pine creek near praymt. 6.25

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Davis Creek	9.5	(8.5)	+3,700	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Golden Trout	Common	Stocked

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Golden Trout	71	12.5	10.6-14.
2002	Golden Trout	0		-

Stocking History

Stocking Plan

2005: Golden Trout (1100 fish)

1992: Golden Trout (927 fish)

Comments: Management is keyed with upper Mcknight Lake. No goldens found in '88 or '89 surveys. '90 gill net set for 17 hours. Dead 8" fish seen in '96. Strange algae seen.

Camp sites: No good camp spot - limited fuel.

Survey Notes:

1920 goldens planted in 1982 did not take well. Replanted. Good food base - shrimp, caddis nymphs, aquatic beetles. Spawning may occur in short stream connecting Lake Mcknight with Upper Mcknight Lake but would be difficult in the Lake Mcknight outlet.

These Lakes are beautiful, isolated, hard to get to. '02 net set for 4 hours. Future GT plants cancelled; sample after current stock has aged out.

Mirror Lake

DRAINAGE: Boulder ELEV: 9740
Location: 45.27704, -110.1494 ACREAGE: 16.4
Section: 6S13E30 DEPTH: 80 FT
Marcuson's Code: 16

Access: On lake plateau in the headwaters of Rainbow Creek. Access via
Usfs Trail #26.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Trail	9.5	(8.5)	+3,550	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Rainbow Trout	5	10	8.4-12.5
2003	Rainbow Trout	8	10.4	8-12

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (11750 fish)

2012: Yellowstone Cutthroat (11750 fish)

2011: Yellowstone Cutthroat (11750 fish)

Comments: Planting history unknown. Spawning occurring in inlet streams. Could
use more harvest. Plan to remove RB and establish YCT population
here. YCT stocking began 2011.

Camp sites: Campsites best near the outlet. Some firewood nearby.

Survey Notes:

Rb'69 - 8 fish 6.5-13.3" ave. 11.0". Fish sizes similar to last netting - 1988. '88 - fish
were in good shape. '93 - fish were small but healthy. Angler reports seeing lots of
fish in 1999. Fish from 3 -12" seen in '03.

If proposed YCT project goes through, need to monitor RB removal and YCT
establishment. Planting YCT 2011-2017

Narrow Escape Lake

DRAINAGE: Boulder ELEV: 9340
Location: 45.29958, -110.14991 ACREAGE: 11.6
Section: 6S13E19 DEPTH: 20 FT
Marcuson's Code: 4

Access: Headwaters of Hawley Creek. Access best from rainbow and/or
Mirror Lake. No Trail from either lake. Take the west edge of
squeeze lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Creek	14.5	(11.5)	+4,000	-1,000
Box Canyon	14.5	(11.5)	+3,200	-500

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2001

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2001	Yellowstone Cutthroat	9	12.4	8.4-14.8
1997	Yellowstone Cutthroat	9	12	10.2-14.

Stocking History

Stocking Plan

1989: Yellowstone Cutthroat (1100 fish)

1977: Yellowstone Cutthroat (1100 fish)

Comments: The fishery is self-sustaining. Verify in future. Netted in 1988 for 2
hours - no fish caught or seen. '97 fish were very fat

Camp sites: Nice campsites at inlet and outlet. Plenty of firewood.

Survey Notes:

To get to narrow escape travel around the south side of Squeeze Lake. Sample
with squeeze. Some use seen in '97, a path and fire ring 8/92 bill byrnes - good
cutthroat fishing - 14" 1.5 lbs, 18" 2.5 to 3 lbs. D Fischer reported 15-17" CT in '86.
Lots of fat fish seen cruising in '96 from 7-17". '01 - great macroinvertebrate
diversity. Fish very healthy. Angler report summer 2013-- observed fish between 6-
19" caught 15" and 19". Fish were in good condition.

Prospect Lake

DRAINAGE: Boulder ELEV: 9640
Location: 45.36644, -110.35965 ACREAGE: 6.8
Section: 5S11E27C DEPTH: 30 FT
Marcuson's Code: 43

Access: Hike Up Trail #22 along Fourmile Creek from the USFS station.
From Silver Lake follow the left fork of the inlet stream -1 mile
to prospect.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Fourmile Ranger St.	11.5	(10.5)	+3,800	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	35	10.1	7.9-13
2012	Yellowstone Cutthroat	9	8.5	5-12

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (680 fish)

2011: Yellowstone Cutthroat (680 fish)

2010: Yellowstone Cutthroat (680 fish)

Comments: The chance of encountering other hikers is pretty good.

Camp sites: Fairly rocky, with little firewood. The camping is better at Silver Lake.

Survey Notes:

Prospect Lake was part of the Upper Boulder Yellowstone Cutthroat Trout
restoration effort and from 2007 to 2009 gill nets were used to remove rainbow
trout. Yellowstone Cutthroat Trout were stocked until 2012 when they became self-
sustaining.

In 2015, 11 of the 36 fish sample was obtained by angling for 4 hours.

Rainbow Lake #2

DRAINAGE: Boulder ELEV: 9432
Location: 45.27283, -110.12747 ACREAGE: 17.5
Section: 6S13E29,32 DEPTH: 30 FT
Marcuson's Code: 18

Access: From the box Canyon Trailhead take trails #27/28/211 to the
Rainbow Lakes. Access also by using the upsidedown trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	11.25	(11.25)	+2,650	-100
Upside Down Creek	11.25	(11.25)	+3,750	-1,000

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Rainbow Trout	31	8.85	6-13
1997	Rainbow Trout	19	10.2	6.4-13.5

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (13000 fish)

2016: Yellowstone Cutthroat (13000 fish)

2012: Yellowstone Cutthroat (13000 fish)

1949: Rainbow Trout

Comments: This is the largest of the Seven Lakes. Heavily fished - good
reproduction - sizes of fish very similar to those at '69 and '88
samplings.

Camp sites: There are good places to camp but firewood is picked over.

Survey Notes:

'88 netted fish had been eating terrestrials - beetles, aphids, diptera. '97 fish were
in average shape. The Rainbow Lakes were planted with 8,000 cutthroat in 1932
and 3,500 rainbows in 1949. Fwp sampled 07,14 hour set many fish, average health.
Netting all Rainbow lakes to remove Rb 2011-2012

Rainbow Lake #3

DRAINAGE: Boulder ELEV: 9395
Location: 45.26758, -110.12504 ACREAGE: 6.8
Section: 6S13E32,33 DEPTH: 25 FT
Marcuson's Code: 19

Access: From the box Canyon Trailhead take trails #27/28/211 to the Rainbow Lakes. Access also from the upsidedown trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	11	(11)	+2,600	-100
Upside Down Creek	11	(11)	+3,700	-1,000
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Rainbow Trout	Common	Self-Sustained		
Yellowstone Cutthroat	Common	Stock, with some natural repr		

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Rainbow Trout	16	10.5	6-13.5
1997	Rainbow Trout	8	11.3	9.1-14.5

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (4150 fish) 2016: Yellowstone Cutthroat (4150 fish)
2012: Yellowstone Cutthroat (4100 fish)
1949: Rainbow Trout

Comments: No change in management. Heavily fished - good reproduction - sizes of fish similar to those at '69 and '88 samplings.

Camp sites: There are good places to camp but firewood is picked over.

Survey Notes:

Netted fish were healthy and fat. '88 stomachs: most with terrestrials - some with planaria type inverts. '97 fish were in average shape. The Rainbow Lakes were planted with 8,000 cutthroat in 1932 and 3,500 rb's in 1949. Fwp sampled 07,14 hour set.

Netting Rianbow lakes to remove Rb 2011-12

Rainbow Lake #4

DRAINAGE: Boulder ELEV: 9425
Location: 45.26182, -110.12943 ACREAGE: 7.9
Section: 6S13E32 DEPTH: 35 FT
Marcuson's Code: 20

Access: From the box Canyon Trailhead take trails #27/28/211 to the Rainbow Lakes. Access also from the upsidedown trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	10	(10)	+2,600	-100
Upside Down Creek	10	(10)	+3,700	-1,000
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Rainbow Trout	Common	Self-Sustained		
Yellowstone Cutthroat	Common	Stock, with some natural repr		

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Rainbow Trout	15	8.1	6-11
1997	Rainbow Trout	14	9.4	6.2-12.1

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (5250 fish) 2016: Yellowstone Cutthroat (5250 fish)
2012: Yellowstone Cutthroat (5250 fish)
1949: Rainbow Trout

Comments: No change in management. Heavily fished - good reproduction - sizes of fish similar to those at '69 and '88 samplings.

Camp sites: There are good places to camp but firewood is picked over.

Survey Notes:

10 cctxb in '69 averaged 8.7", 6.2-11.5". '97 fish were not exceptionally healthy but in average condition. The Rainbow Lakes were planted with 8,000 cutthroat in 1932 and 3,500 rainbows in 1949. Fwp sampled 07,12 hour set,average health. Netting Rainbow lakes to remove Rb 2011-12

Rainbow Lake #5

DRAINAGE: Boulder ELEV: 9635
Location: 45.2737, -110.12123 ACREAGE: 5.1
Section: 6S13E28,33 DEPTH: 12 FT
Marcuson's Code: 21

Access: From the box Canyon Trailhead take trails #27/28/211 to the Rainbow Lakes. Access also from the upsidedown trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	11.75	(11.75)	+2,650	-150
Upsidedown Trail	11.75	(11.75)	+3,750	-1,150
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Rainbow Trout	Common	Self-Sustained		
Yellowstone Cutthroat	Common	Stock, with some natural repr		

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Rainbow Trout	7	8.5	5.8-11.8
2001	Rainbow Trout	6	12.9	11.2-15.

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (2900 fish) 2016: Yellowstone Cutthroat (2900 fish)
2012: Yellowstone Cutthroat (2900 fish)
2011: Yellowstone Cutthroat (2900 fish)

Comments: Good spawning areas. Fish were in good shape in '88. Heavily fished. Good reproduction. Outlet rocks covered with a precipitate in 2001. YCT restoration project began in 2011.

Camp sites: Many well used campsites. Firewood is picked over.

Survey Notes:

The Rainbow Lakes were planted with 8,000 cutthroat in 1932 and 3,500 rainbows in 1949. Fwp sampled 07,8 hour set,average health. Netting Rainbow lakes to remove Rb 2011-12

Rainbow Lake #6

DRAINAGE: Boulder ELEV: 9652
Location: 45.27602, -110.11734 ACREAGE: 2.4
Section: 6S13E28CD DEPTH: 10 FT
Marcuson's Code: 22

Access: From the box Canyon Trailhead take trails #27/28/211 to the Rainbow Lakes. Access also from the upsidedown trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	11.75	(11.75)	+2,650	-150
Upsidedown Trail	11.75	(11.75)	+3,750	-1,150
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Rainbow Trout	Common	Self-Sustained		
Yellowstone Cutthroat	Common	Stock, with some natural repr		

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Rainbow Trout	5	7.65	5.75-8.5
2001	Rainbow Trout	3	8.7	6.5-10.5

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (900 fish) 2016: Yellowstone Cutthroat (900 fish)
2012: Yellowstone Cutthroat (900 fish)
2011: Yellowstone Cutthroat (900 fish)

Comments: Lake is a wide spot in the creek. No change in management. Sizes of fish similar to those at last sampling in 1969. Outlet rocks covered with a precipitate in 2001. YCT restoration project began in 2011.

Camp sites: Many well used campsites. Firewood is limited.

Survey Notes:

The Rainbow Lakes were planted with 8,000 cutthroat in 1932 and 3,500 rainbows in 1949. Fwp sampled 07,4 hour set and angled. Netting Rainbow lakes to remove Rb 2011-12

Rainbow Lake #7

DRAINAGE: Boulder ELEV: 9658
Location: 45.27576, -110.11152 ACREAGE: 9.5
Section: 6S13E28D DEPTH: 24 FT
Marcuson's Code: 23

Access: From the box Canyon Trailhead take trails #27/28/211 to the Rainbow Lakes. Access also from the upsidedown trail. Headwater lake on e Rainbow Creek

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	12	(12)	+2,650	-150
Upsidedown Trail	12	(12)	+3,750	-1,150
SPECIES PRESENT	ABUNDANCE	STATUS		
Rainbow Trout	Common	Self-Sustained		
Yellowstone Cutthroat	Common	Stock, with some natural repr		

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Rainbow Trout	12	11.3	6-13.5
2001	Rainbow Trout	6	11.4	10.3-12.

Stocking History

2013: Yellowstone Cutthroat (4100 fish) 2016: Yellowstone Cutthroat (4100 fish)
2012: Yellowstone Cutthroat (4100 fish)
2011: Yellowstone Cutthroat (4100 fish)

Comments: Fish were in good shape. No change in management. Heavily fished. Good reproduction. Fry seen in 2001.

Camp sites: Many well used campsites. No firewood.

Survey Notes:

The Rainbow Lakes were planted with 8,000 cutthroat in 1932 and 3,500 rainbows in 1949. Fwp sampled 07, 14.5 hour set, average health. Netting Rainbow lakes to remove Rb 2011-12

Silver Lake

DRAINAGE: Boulder ELEV: 9046
Location: 45.36079, -110.35063 ACREAGE: 10.0
Section: 5S11E34 DEPTH: 30 FT
Marcuson's Code: 42

Access: Hike up Fourmile Creek on Trail #22 & #149 from the Forest Service cabin on the Boulder River.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Fourmile Creek	10.5	(10.5)	+3,100	-200
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Common	Self-Sustained		

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	14	9.2	7.1-11.1
2012	Yellowstone Cutthroat		9.6	9-14

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (1000 fish)
2011: Yellowstone Cutthroat (1000 fish)
2010: Yellowstone Cutthroat (1000 fish)

Comments: The lake receives heavy use.

Camp sites: Excellent camping but firewood getting picked over by campers.

Survey Notes:

Silver Lake was part of the Upper Boulder Yellowstone Cutthroat Trout restoration effort and from 2007 to 2009 gill nets were used to remove rainbow trout. Yellowstone Cutthroat Trout were stocked until 2012, when they became self-sustaining.

Many fish were observed rising during the 2015 survey relatively small 14 fish sample size obtained.

The outlet has good spawning habitat and the spawning habitat at the inlet is fair.

Speculator Lake

DRAINAGE: Boulder ELEV: 9449
Location: 45.37639, -110.34446 ACREAGE: 9.7
Section: 5S11E27AC DEPTH: 35 FT
Marcuson's Code: 45

Access: Best to access from Silver Lake. Get to silver on Trail #22 & #149 up Fourmile Creek from the forest service station on the boulder river. Good Trail but deadfall makes the hike difficult.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Fourmile Creek	12	(10.5)	+4,300	-600
Speculator Creek	9.5	(6.5)	+3,900	-0
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Abundant	Stocked		

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	61	12.5	9.2-16.7
2006	Yellowstone Cutthroat	22	13.1	10.3-14.

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (1455 fish) 2016: Yellowstone Cutthroat (1455 fish)
2000: Yellowstone Cutthroat (1455 fish)
1992: Yellowstone Cutthroat (1455 fish)

Comments: Multiple year classes of Yellowstone cutthroat trout present. Fish were easily caught with hook and line for the survey.

Camp sites: Questionable campsites. Scarce firewood. Better below.

Survey Notes:

Fish were in good condition and only a couple skinny fish were sampled. In 2015, 19 of the 61 fish sample was obtained by angling for 2.7 hours.

Squeeze Lake

DRAINAGE: Boulder ELEV: 9535
Location: 45.29171, -110.14547 ACREAGE: 7.0
Section: 6S13E16,20 DEPTH: 22 FT
Marcuson's Code: 5

Access: Easy access from Mirror/rainbow Lakes. Trails lead to rainbow lake. From there it's cross country hiking.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Trail	13.5	(11.5)	+3,770	-670
Box Canyon Trail	15.5	(13.5)	+2,859	-100
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Common	Stocked		

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	11	13	6.7-14.4
2001	Yellowstone Cutthroat	16	13.7	11.1-15.

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (700 fish) 2019: Yellowstone Cutthroat (700 fish)
2003: Yellowstone Cutthroat (700 fish)
1995: Yellowstone Cutthroat (700 fish)

Comments: Stocking schedule and low fish density should produce large fish. D. Fischer reports no fish in 1986. Sample with narrow Escape Lake. First stocked with cutthroats in 1970, '79.

Camp sites: Many campsites. Little use. Lots of firewood.

Survey Notes:

Stocked every 8 years. Yearling fish observed in '88 by barb kelly. Can be reached cross country up hawley cr but is easiest via Upside-down Trail to Rainbow Lakes (~10 mi). From Rainbow Lake #18 it is an easy cross country hike to squeeze lake located south of mt douglas (1-1.5 mi). Angler reports 10-14" cutts in 1999.

Trout Lake

DRAINAGE: Boulder ELEV: 6140
Location: 45.33746, -110.23012 ACREAGE: 0.9
Section: 6S12E3,4 DEPTH: 5 FT
Marcuson's Code: 37
Access: Near the boulder river road north of hillary bridge. Just east of the boulder river.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
None - Vehicle Access	0	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	8	10.3	8-14
1971	Yellowstone Cutthroat Hybrid	2	8.3	7.2-9.3

Stocking History	Stocking Plan
2013: Yellowstone Cutthroat (200 fish)	2016: Yellowstone Cutthroat (200 fish)
2012: Yellowstone Cutthroat (200 fish)	
2011: Yellowstone Cutthroat (200 fish)	

Comments: Planted yearly with ct. Good supply of freshwater shrimp. Crayfish present. Subject to winterkill. Small pond with easy access. Cabin on lake. Camping in nearby campgrounds.

Camp sites: Questionable camping. No firewood.

Survey Notes:

Stocked every year. Planted fish are generally large & small catchables. '93 - 14.6". '95 - 13.9". '96 - 6.1 & 13.9". '97 - 6.7". '98 - 7.5 & 10.6". '99 - 6.5 & 13.8", '00 - 6.3 & 12.0", '01 - 7.3 & 11.6", '02 - 9.8 & 11.3", 03-08 7-11"
No sign of larger fish in '96. Sample before the yearly plant to assess overwinter survival.

Upper Mcknight Lake

DRAINAGE: Boulder ELEV: 9134
Location: 45.48863, -110.44744 ACREAGE: 3.4
Section: 4S10E14 DEPTH: 20 FT
Marcuson's Code: 89
Access: Hike up Davis Creek on Usfs Trail #38 then cross country up to the lake. See lake mcknight also.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Boulder	12.5	(10.5)	+3,584	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Golden Trout	41	12.1	9.2-14.8
2002	Golden Trout	0		-

Stocking History	Stocking Plan
2005: Golden Trout (1100 fish)	
1982: Golden Trout (1920 fish)	

Comments: No golden trout seen or taken in a 3 hour gill net set in '88. Lots of gammarus. Gill net set for 16.5 hours in '90.. Net set for only 1.5 hours in '02. GT will not be planted again, will switch to Yct management to protect davis cr. Population

Camp sites: Some firewood.

Survey Notes:

See comments for lake mcknight. The mcknight lakes may be accessed directly up the outlet stream, but it is very steep, with lots of deadfalls and rock slides to negotiate.
Future plants have been cancelled sample after current stock ages out

Weasel Lake #48

DRAINAGE: Boulder ELEV: 9440
Location: 45.40944, -110.30156 ACREAGE: 8.6
Section: 5S11E12DD DEPTH: 75 FT
Marcuson's Code: 48
Access: Hike Up Trail #18 along great Falls Creek, then south x-country thru saddle. Then side hill up the valley to the lakes.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Great Falls Creek	10	(7.75)	+4,800	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	40	9.3	6.1-10.8
2002	Yellowstone Cutthroat	10	10.6	9.2-11.8

Stocking History	Stocking Plan
------------------	---------------

Comments: There are 7 Lakes in the chain. Two have fish. #48 has a self-sustaining CT population and #51 is planted every 8 years at 50/acre. #48 aka Weasel Creek lake #2. No planting records exist for #48.

Camp sites: Many camping sites. Plenty of firewood.

Survey Notes:

Aka Chippy Lakes. Aka west Chippy Creek. Scenic place but access is not a cake walk! '95 fish were in average condition. '02 fish were angled and very thin.

Weasel Lake #51

DRAINAGE: Boulder ELEV: 9890
Location: 45.41256, -110.31055 ACREAGE: 5.4
Section: 5S11E12DB DEPTH: 35 FT
Marcuson's Code: 51
Access: Hike Up Trail #18 along great Falls Creek, then south x-country thru saddle. Then side hill up the valley to the lakes.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Great Falls Creek	10	(7.75)	+4,800	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	45	13.4	7.7-16.2
2002	Yellowstone Cutthroat	9	14.4	9.2-16.1

Stocking History	Stocking Plan
2011: Yellowstone Cutthroat (270 fish)	2019: Yellowstone Cutthroat (270 fish)
2003: Yellowstone Cutthroat (270 fish)	
1995: Yellowstone Cutthroat (270 fish)	

Comments: CT's planted in '79. There are 7 Lakes in the chain. Two have fish. #48 has a self-sustaining pop. #51 was planted in 1987 at ~100 fish/acre. #51 aka Weasel Creek lake #3. Sample great falls creek lake when sampling weasel lakes. Aka triskele lake

Camp sites: Plenty of flat spots but no fuel or shelter.

Survey Notes:

Aka Chippy Lakes. Aka west Chippy Creek. Scenic place but access is not a cake walk! '95 - fish in average condition. One redd observed in outlet. These 8 year old fish aren't that bad but given ss fish in #48 &
The tuff access we cut the stocking rate to 50/acre to see if we could boost fish size here.

West Boulder Lake

DRAINAGE: Boulder

ELEV: 9628

Location: 45.37679, -110.36101

ACREAGE: 13.0

Section: 5S11E27B

DEPTH: 55 FT

Marcuson's Code: 75

Access: Take Trail #22 from fourmile 7 miles to Silver Lake. Head x-country n Along Creek to next lake. Then climb west thru a saddle and drop into lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Fourmile Creek	9	(7)	+4,500	-500

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Yellowstone Cutthroat	22	15.7	13.2-17.
2004	Yellowstone Cutthroat	8	14.4	13.1-15.

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (1300 fish) 2019: Yellowstone Cutthroat (1300 fish)

2003: Yellowstone Cutthroat (1300 fish)

1995: Yellowstone Cutthroat (1950 fish)

Comments: '85 - all fish were in good condition. Golden trout were planted in 1958. No spawning areas exist. Access is tough and the lake is a long way from Any Trailhead.

Camp sites: There are few good places to camp but there is firewood.

Survey Notes:

Was stocked every 8 years at 150/acre. '95 - fish were in ok condition though not very big for 8 year olds. Stocking rate lowered to 100/acre to boost growth while keeping enough fish here so that anyone making this trek can expect reasonably good

Fishing success. CT's planted in 1979. '04 fish were angled.

Abandoned Lake

DRAINAGE: Clarks Fork ELEV: 10100
Location: 45.00963, -109.60265 ACREAGE: 10.5
Section: 9S17E26CC DEPTH: 25 FT
Marcuson's Code: 243
Access: Trail 614/620 from Island Lake on Hwy 212. The lake is 7 miles north & west of Island Lake. Elevation change 600'.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Island Lake Wyo.	7	(5)	+600	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Brook Trout	67	8.5	5.6-10.4
1992	Brook Trout	52	8.5	5.9-13.3

Stocking History

Stocking Plan

Comments: Fish movement between Lakes in the drainage is easy as the drop between Lakes is small.

Camp sites: Nice campsites but no firewood. Above treeline.

Survey Notes:

All fish netted seemed stunted except one, but didn't have big heads. '96 Beano Sheridan found small brookies. Couldn't get to the west end of Golden Lake from here due to steep loose shale.

While there is No Trail directly to the lake, the area is popular, and there is evidence of fishermen. Stunted fish feeding on mullusks
Recommend harvesting to anglers.

Albino Lake

DRAINAGE: Clarks Fork ELEV: 10000
Location: 45.01484, -109.58103 ACREAGE: 39.2
Section: 9S17E25BC DEPTH: 149FT
Marcuson's Code: 245
Access: Trail #614/620 from Island Lake on Hwy 212 will take you past Flake Lake then north between Mutt and Jeff Lakes and along east side of Becker Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Island Lake #614/620	6	(6)	+500	-50

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	46	10.7	4.8-13.7
2008	Yellowstone Cutthroat	29	12.6	9.9-14

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (7840 fish)

2007: Yellowstone Cutthroat (7840 fish)

2003: Yellowstone Cutthroat (7840 fish)

Comments: A popular, Stocked Lake. No sign of the '88 fire along the trail or at the Lake. Often windy here. Better camping at Becker Lake in Wyoming. Four year stocking frequency at 200/acre.

Camp sites: Some camping by outlet and on SW side - very little firewood.

Survey Notes:

Some reproduction may be occurring. This area has become a 'destination' type area. Heavy use.

90% ice cover at '97 sampling. Hook & line sampling in '03.

Alp Lake

DRAINAGE: Clarks Fork ELEV: 9760
Location: 45.05415, -109.64821 ACREAGE: 2.8
Section: 9S17E8DA DEPTH: 25 FT
Marcuson's Code: 200
Access: Trails from the Beartooth Butte area on Hwy 212 serve the area. The lake is NE of GreenLake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	14	(9)	+1,100	-1,100
Beartooth Lake	16	11		

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2006

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2006	Yellowstone Cutthroat	10	11.8	8.5-14.5
2006	Brook Trout	25	7	6-8

Stocking History

Stocking Plan

1987: Yellowstone Cutthroat (311 fish)

1979: Yellowstone Cutthroat (319 fish)

Comments: The lake is full of brookies. Many fish seen cruising and rising. Easy to catch. CT's were long and thin, EB's were short with large heads. Glen Owens '00 - tiny EB's, 6-8", skinny.

Camp sites: Firewood is scarce. Campsites are nearby.

Survey Notes:

Had been stocked every 8 years. '95 & '03 plants canceled. D. Hagenston 8/25/90 - 9" EB's, 10-13" CT's, larger ones snakey. Same in '92 '92 several CT in the 12-14" range seen, and a couple 6-10" fish caught, but the lake is inundated with brookies. Spawning gravel in both inlet and outlet. Some CT reproduction occurring. There is no short way to Alp Lake. Can also get to this Lake from Ivy Lake Jeep Trail #130 Crazy Crk. Trail #568 hiking past Farley & Elaine

Anchor Lake

DRAINAGE: Clarks Fork ELEV: 10045
Location: 45.05724, -109.70867 ACREAGE: 12.0
Section: 9S16E11,12 DEPTH: 90 FT
Marcuson's Code: 124
Access: Approximately 8 miles NE of Kersey Lake via Canyon Lake or 12 miles from Kersey via Russel & Otter lakes. North of Jorden Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Ivy Lake Jp Trail #130	9.5	(8.25)	+2,700	-700

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Unknown

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Golden Trout	11	11.7	9.5-14.6
2007	Golden Trout	1	7	7-7

Stocking History

Stocking Plan

Comments: GT planted in Desolation Lake upstream in '82 '91 & '92. Downstream movement was the goal. Previously had CT that were not ss. 8/01 water level down -4 ft from full pool. Lots of insects.

Camp sites: No firewood. Questionable camp spots.

Survey Notes:

Inlet is cobble/boulders with no spawning potential. Some gravel in outlet. Looks ok for spawning. Restock gt's when available. One 8.5" fish caught in '84, none in '88 net. '94 gill net fished for 18 hours no fish found. 1 fish in 07 Ivy Lake Jeep Trail #130 to #568/612 from copeland take 568 past farley to jorden. Stay east of jorden & follow the inlet stream up. Fish drift down from Big Butte and other lakes in chain. GT spawning in outlet in '10.

Aquarius Lake

DRAINAGE: Clarks Fork
Location: 45.05762, -109.81182
Section: 9S15E12C
Marcuson's Code: 63

ELEV: 9180
ACREAGE: 11.6
DEPTH: 65 FT

Access: Cross country hike up Sedge Creek or an old Abandoned Trail leaving USFS Trail #567 between Twin-russel Lake. No good trail and the access is fairly tough.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	5.75	(4.0)	+1,280	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Yellowstone Cutthroat	33	10.6	7.2-15.2
2007	Yellowstone Cutthroat	8	9.9	7-12.5

Stocking History

Stocking Plan

1977: Yellowstone Cutthroat (600 fish)
1970: Yellowstone Cutthroat (2000 fish)
1955: Arctic Grayling (20000 fish)

Comments: A pretty lake that receives quite a bit of fishing use.

Camp sites: Good campsites and firewood available. Fires have burned near the lake.

Survey Notes:

Astral Lake

DRAINAGE: Clarks Fork
Location: 45.09311, -109.90191
Section: 8S15E31AD
Marcuson's Code: 24

ELEV: 9320
ACREAGE: 5.2
DEPTH: 4 FT

Access: Either from the Goose Lake jeep road or up Star Creek from the Broadwater Trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	.75	(0)	+50	-300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Brook Trout	43	7.4	6.1-9
2008	Brook Trout	25	7.25	6-9

Stocking History

Stocking Plan

Comments: Astral is a pretty lake with an abundant brook trout population that is easy to catch. The legal harvest of brook trout is encouraged here.

Camp sites: Campsites and firewood limited.

Survey Notes:

The 2014 sampled was obtained by 3 hours of angling.

Bald Knob Lake

DRAINAGE: Clarks Fork
Location: 45.07817, -109.79476
Section: 9S16E6
Marcuson's Code: 81

ELEV: 9420
ACREAGE: 15.4
DEPTH: 38 FT

Access: Excellent Usfs Trail from Kersey Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	8.5	(8.5)	+1,560	-280

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained

Last sample: 2008

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2008	Brook Trout	41	7.53	6.3-8.5
1993	Brook Trout	9	7.4	6.2-9.5

Stocking History

Stocking Plan

Comments: USFS ranger reports 7-10" eb in 1983. Says the fish are overcrowded and very thin.

Camp sites: Firewood available.

Survey Notes:

Poore & Herg fished the lake for 1/2 hour in '93. Most of the 9 fish were in good shape except for several of the larger fish which were thin (big heads). Suveyed 08 thin fish easy to catch, angler harvesting would help.

Basin Lake (aka. Picasso Lake)

DRAINAGE: Clarks Fork
Location: 45.08637, -109.80816
Section: 8S15E36CD
Marcuson's Code: 84

ELEV: 9800
ACREAGE: 8.1
DEPTH: 28 FT

Access: From clarks Fork Trailhead take Trail #3 past Kersey Lake to Trail #567, up Russel Creek past bald knob lake to skull lake then west 1/4 mile.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	9.5	(9.25)	+1,770	-150

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Golden Trout	Common	Stock, with some natural repr

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Golden Trout	21	9	6.5-12.4
2008	Golden Trout	16	8.5	7.5-10

Stocking History

Stocking Plan

2011: Golden Trout (1000 fish)
2008: Golden Trout (850 fish)
2005: Golden Trout (810 fish)

Comments: This lake receives low angling pressure.

Camp sites: Camping is poor and firewood limited.

Survey Notes:

Fish were observed in the small pond below Picasso (Pablo) but none were obtained with angling effort.

Big Butte Lake

DRAINAGE: Clarks Fork ELEV: 10060
Location: 45.06136, -109.7032 ACREAGE: 22.1
Section: 9S16E12 DEPTH: 55 FT
Marcuson's Code: 125

Access: Approximately 8 miles NE of Kersey Lake via Canyon Lake or 12 miles from Kersey via Russel & Otter Lakes or via Moose Lake Jeep Trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Moose Lk Jp Trail #130	10	(8.25)	+2,725	-700
Clarks Fork Trailhead				
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Golden Trout	Unknown	Stocked		

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	No Fish Captured			-
2010	Golden Trout	22	12.2	8.4-15.5

Stocking History

Stocking Plan

2012: Golden Trout (2200 fish)
2005: Golden Trout (2210 fish)
1992: Golden Trout (1440 fish)

Comments: No fish sampled during the 2015 survey. Will be stocked again in 2017.

Camp sites: No firewood. A few places to camp.

Survey Notes:

The 2015 sample was a 6.5 hr daytime gillnet set and 4 hours of angling that captured no fish. No signs of fish were observed. No fish were observed during the 1988 and 1990 survey.

No spawning potential in outlet or inlet - all cobble and boulders.

Big Moose Lake

DRAINAGE: Clarks Fork ELEV: 8000
Location: 45.00219, -109.76253 ACREAGE: 83.8
Section: 9S16E33 DEPTH: 46 FT
Marcuson's Code: 70

Access: Trail #3 from Kersey Lake or 4x4 road from beartooth highway.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	8	(8)	+300	-350
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Common	Self-Sustained		
Rainbow Trout	Common	Self-Sustained		

Last sample: 1993

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
1993	Rainbow Trout	34	11.5	4.3-17.2
1993	Brook Trout	33	9.4	6.3-12.2

Stocking History

Stocking Plan

Comments: Only 1/3 of the lake is in montana. Origin of rainbow trout not known. Did wyoming stock rainbows in the past? Check with wyoming before next sample.

Camp sites: Firewood is available.

Survey Notes:

'89 creel cards - 2 RB 8-12" range. '81 survey - 17 RB 6.9-15.5", ave 11.1, 6 eb 6.5-8.7", ave 7.3 wyoming game and fish netted in '93, using two nets. On 8/14/63 they netted 11 rainbow averaging 12.5".

Bob Lake

DRAINAGE: Clarks Fork ELEV: 9480
Location: 45.08645, -109.91831 ACREAGE: 2.3
Section: 8S15E31CC DEPTH: 15 FT
Marcuson's Code: 12

Access: The lake is 1/4 mile west of the Goose Lake Jeep Trail at a mid-point between long and star lakes. Hike is ~8 miles without a 4-wheel drive

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	.25	(0)	+100	-0
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Abundant	Self-Sustained		

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Brook Trout	14	7.8	6.7-8.7
2003	Brook Trout	19	5.6	3.1-7.1

Stocking History

Stocking Plan

1936: Yellowstone Cutthroat (16800 fish)

Comments: Fish were stunted. The lake is outside the a-b wilderness. Fish move freely between Bob and Dick Lakes.

Camp sites: Camping sites and firewood exist.

Survey Notes:

The 2013 survey was obtained using anling for 1 hour

Broadwater Lake

DRAINAGE: Clarks Fork ELEV: 8398
Location: 45.06012, -109.84834 ACREAGE: 93.6
Section: 9S15E10 DEPTH: 64 FT
Marcuson's Code: 23

Access: Kersey Lake Trail #567 to jeep Trail #306 to Broadwater River Trail #564. Fight through some burned deadfalls on east shore of curl lake to isthmus.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	5	(4.25)	+600	-100
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Common	Self-Sustained		
Yellowstone Cutthroat	Rare	Unknown		

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Yellowstone Cutthroat	1	17.3	17.3-17.
2014	Brook Trout	37	8.5	3.9-16.5

Stocking History

Stocking Plan

2003: Yellowstone Cutthroat (7875 fish)
2002: Yellowstone Cutthroat (12000 fish)
1933: Brook Trout (7500 fish)

Comments: There is little evidence of human use here.

Camp sites: Plenty of firewood and campsites available. E. Side burned '88

Survey Notes:

Yellowstone cutthroat trout present in very low abundance but the one sampled was in very good condition.

Broadwater Meadow

DRAINAGE: Clarks Fork ELEV: 7978
Location: 45.04274, -109.84754 ACREAGE: 1.4
Section: 9S15E28A DEPTH: 4 FT
Marcuson's Code: 1

Access: Jeep road near chief Joseph campground on Hwy 212
approximately 3 miles east of Cooke City.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	3.25	(3.25)	+300	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample:

Stocking History Stocking Plan

Comments: Brook trout are abundant but small. Occasional cutthroat and grayling are seen.

Camp sites: Firewood and campsites available.

Survey Notes:

Too shallow to set net. Sample with hook and line if needed.

Burnt Bacon Lake

DRAINAGE: Clarks Fork ELEV: 8950
Location: 45.01208, -109.65989 ACREAGE: 15.0
Section: 9S17E29CA DEPTH: 46 FT
Marcuson's Code: 231

Access: Trails from Hwy 212 near Beartooth Butte. Lake is SE of Lake Elaine. NE 1/4 mile from the north point of granite Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	8.5	(8)	+330	-900
Muddy Creek	9.5	(9)	+870	-0

SPECIES PRESENT	ABUNDANCE	STATUS
No Fish Captured	Unknown	Unknown

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	No Fish Captured			-

Stocking History Stocking Plan

Comments: Spawning would be restricted. Beautiful Lake. Was due to be planted with grayling in '84 but no record of the plant can be found. (plant was cancelled at request of USFS). No survey is going to be conducted unless fish are planted.

Camp sites: No real good campsites but lots of firewood.

Survey Notes:

Plant grayling when available. Clear with USFS. No sign of '88 fire.

Canyon Lake

DRAINAGE: Clarks Fork ELEV: 8780
Location: 45.03927, -109.76841 ACREAGE: 65.7
Section: 9S16E16,17 DEPTH: 87 FT
Marcuson's Code: 118

Access: Trail #567 past Kersey Lake to Fox Lake then cross Russel Creek and find the primitive trail up the west side of Farley Creek toward Canyon Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	6	(4.5)	+1,000	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat Trout X R	Common	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat Trout X Rainbow	16	12.3	7.3-15.5
1998	Yellowstone Cutthroat Trout X Rainbow	6	15	13-16.8

Stocking History Stocking Plan

Comments: Right in the heart of grizzly country!

Camp sites: Plenty of firewood but not many flat places to camp.

Survey Notes:

Fish appear to be mainly cutthroats. Excellent growth. '89 creel cards - CT's of all sizes to 16"+. Mark Barrett and 3 others caught 5 hybrids in ~3 hours 12-16" & one whopper ~24" 4+ lbs. 9/91. Dave Fischer '97 caught hybrids mostly 14", 1 @ 18".

Castle Lake (aka. Queer Lake)

DRAINAGE: Clarks Fork ELEV: 9600
Location: 45.05165, -109.65719 ACREAGE: 26.4
Section: 9S17E8CD DEPTH: 49 FT
Marcuson's Code: 187

Access: Trail #618 4 miles to fork. Then 6 miles to Thiel Lake & on to kidney lake. Ford Creek at Wright Lake & take trail to green lake. Head N thru saddle & up creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	12.5	(12)	+1,300	-600

Muddy Creek, Crazy Lks

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2006

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2006	Brook Trout	26	7.9	6.5-11
1995	Brook Trout	7	7.8	6.3-12

Stocking History Stocking Plan

Comments: Very pretty place. Good spawning potential in both inlet and outlet. Could also take Crazy Lakes Trail #568 that starts near Ivy Lake (Ivy Lake Jeep Trail). Hike past Farley Lake, Lake Elaine and follow Sierra Crk.

Camp sites: Some firewood but lack of nice flat places to camp.

Survey Notes:

'95 fish were average to thin. MFWP 06 survey average fish 6.5-11".

Cliff Lake

DRAINAGE: Clarks Fork
Location: 45.08624, -109.86324
Section: 8515E33D
Marcuson's Code: 50

ELEV: 9240
ACREAGE: 6.6
DEPTH: 20 FT

Access: Get off the Goose Lake Jeep Trail just before long lake (trail is on south side of long lake outlet). Hike east to trail 31 then north to sky Top Creek and head southeast (cross sky Top Creek) at the confluence with lower Aero Creek. No trail exists.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	3.75	(3.5)	+710	-830
Lady Of The Lake #31	5.75	5.5		
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Common	Self-Sustained		

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Brook Trout	9	14.8	14.3-15.
2006	Brook Trout	0		-

Stocking History

Stocking Plan

1949: Yellowstone Cutthroat (7500 fish)

Comments: The eb population fluctuates by periodic winterkill. The fishery will always be changing and/or may die out in a hard winter.

Camp sites: Camping sites and firewood available.

Survey Notes:

Periodic winterkill is allowing fish to grow larger by keeping population numbers low. Spawning areas are not evident. '94 fish appeared very healthy. MFWP sampled in 06 no fish netted or seen seen. 2012 survey 14.5 hrs. 9EBT caught 2012 survey netted 14.5 hrs. 9 EBT caught. Col Sp. Frogs seen.

Cloverleaf Lake #215

DRAINAGE: Clarks Fork
Location: 45.02976, -109.61959
Section: 9517E22BD
Marcuson's Code: 215

ELEV: 10170
ACREAGE: 18.4
DEPTH: 66 FT

Access: 8 miles up from Island Lake. Good Trail to golden lake then over the hill northwest.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Island Lake Wy	8.5	(6)	+1,000	-200
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Yellowstone Cutthroat	Abundant	Self-Sustained		

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Yellowstone Cutthroat	31	10.7	6.6-13.1
2005	Yellowstone Cutthroat	20	10.1	7.5-14.5

Stocking History

Stocking Plan

1975: Yellowstone Cutthroat

Comments: This area has become a 'destination' type area. Many campers come and go. '75 plant of 29,726 CT's was distributed between #'s 215, 216, & 223.

Camp sites: Some flat spots for camping. Firewood is non-existent.

Survey Notes:

Plants of CT's went into These Lakes in 1936 and 1967. Lot's of mountain goats in this area. Watch out for your camp stuff! Better camping down by wall or Martin Lakes. During 2013 survey spawning was observed at inlet and outlet.

Cloverleaf Lake #216

DRAINAGE: Clarks Fork
Location: 45.03432, -109.61479
Section: 9517E22AB
Marcuson's Code: 216

ELEV: 10180
ACREAGE: 23.9
DEPTH: 30 FT

Access: 8 miles up from Island Lake. Good Trail to golden lake then over the hill northwest.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Island Lake Wy	8.5	(6)	+1,000	-200
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Yellowstone Cutthroat	Abundant	Self-Sustained		

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Yellowstone Cutthroat	42	10.8	6.7-13
2002	Yellowstone Cutthroat	15	13.5	12-14.3

Stocking History

Stocking Plan

1975: Yellowstone Cutthroat

Comments: This area has become a 'destination' type area. Many campers come and go. '75 plant of 29,726 CT's was distributed between #'s 215, 216, & 223.

Camp sites: Some flat spots for camping. Firewood is non-existent.

Survey Notes:

Fish are reproducing well.

Cloverleaf Lake #217

DRAINAGE: Clarks Fork
Location: 45.03586, -109.60963
Section: 9517E22AB
Marcuson's Code: 217

ELEV: 10190
ACREAGE: 2.9
DEPTH: 12 FT

Access: 8 miles up from Island Lake. Good Trail to golden lake then over the hill northwest.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Island Lake Wy	8.5	(6)	+1,000	-200
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Yellowstone Cutthroat	Abundant	Self-Sustained		

Last sample: 2002

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2002	Yellowstone Cutthroat	35	9.8	5.9-13.9
2002	Yellowstone Cutthroat	10	10.8	8.7-12.5

Stocking History

Stocking Plan

Comments: This area has become a 'destination' type area. Many campers come and go. This lake is actually a wide spot in the creek.

Camp sites: Flat spots at three lower lakes. Firewood non-existent. Shore is all boulders.

Survey Notes:

'92 fish were spawning in streams between lakes. Fish are reproducing well. They appear healthy. No management changes. D Hagenston 8/95 8 inch cutts in ok condition. Plants of CT's went into these lakes in 1936, 1967 and 1975. Good spawning potential in both outlet and inlet. The fish caught here in 2002 were the healthiest looking fish sampled all year.

Cloverleaf Lake #223

DRAINAGE: Clarks Fork
Location: 45.02934, -109.61478
Section: 9S17E22AC
Marcuson's Code: 223

ELEV: 10150
ACREAGE: 31.0
DEPTH: 65 FT

Access: 8 miles up from Island Lake. Good Trail to golden lake then over the hill northwest.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Island Lake Wy	8.5	(6)	+1,000	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	39	13.4	8.5-17.2
2002	Yellowstone Cutthroat	5	11.7	8.7-15

Stocking History Stocking Plan

1975: Yellowstone Cutthroat

Comments: This area has become a 'destination' type area. Many campers come and go. '75 plant of 29,726 CT's was distributed between #'s 215, 216, & 223.

Camp sites: Few flat spots for camping. No shelter. Firewood is non-existent.

Survey Notes:

Fish are reproducing well. Plants of CT's went into these lakes in 1936 and 1967. In 2002 fish were in very good shape.

Companion Lake

DRAINAGE: Clarks Fork
Location: 45.08233, -109.90347
Section: 9S15E6AA
Marcuson's Code: 15

ELEV: 9415
ACREAGE: 5.2
DEPTH: 24 FT

Access: Companion Lake is on the Goose Lake Jeep Trail near long lake. Easy access. Without a 4-wheel drive the hike is about 2.5 miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	.25	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Brook Trout	25	8.4	6.3-10.3
2008	Brook Trout	23	7.5	6.5-9

Stocking History Stocking Plan

Comments: Lots of small brook trout. Legal harvest is encouraged.

Camp sites: There are many campsites and firewood is available.

Survey Notes:

The 2014 sample was obtained by angling 6 hours.

Copeland Lake

DRAINAGE: Clarks Fork
Location: 45.00576, -109.72691
Section: 9S16E34,35
Marcuson's Code: 151

ELEV: 8780
ACREAGE: 36.0
DEPTH: 125FT

Access: Head north on Trail #568/612 from the Ivy Lake jeep trail. Trail #612 to copeland splits off up 2 miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Ivy Lake Jeep Trail	2.5	(2.5)	+1,000	-150

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	10	9.7	6-13.8
1994	Brook Trout	58	7.9	5.9-10.1

Stocking History Stocking Plan

1934: Yellowstone Cutthroat (21000 fish)

Comments: The lake is near the montana-wyoming state line. Spawning areas in inlets and outlet not observed. Reproduction is taking place all too well though.

Camp sites: Plenty of firewood. Many nice camp spots.

Survey Notes:

'94 - many fish and fry seen cruising and rising. Fish are stunted.

Corner Lake

DRAINAGE: Clarks Fork
Location: 45.07173, -109.90036
Section: 9S15E5,6,8
Marcuson's Code: 7

ELEV: 9220
ACREAGE: 11.1
DEPTH: 42 FT

Access: Goose Lake Jeep Trail to within 1/4 mile of the lake. A 4-wheeler can make it to the lake but not a sport utility. 2 mile hike from Fisher Creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	.25	(.25)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Lake Chub	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat	11	11	6.5-14
2000	Yellowstone Cutthroat	16	9.4	7-12.1

Stocking History Stocking Plan

1980: Yellowstone Cutthroat (1002 fish)

Comments: In an attempt to alter growth rates and add vigor to the population a plant of 1,002 was added in 1980. Reproduction seems quite adequate. Fish appear healthy.

Camp sites: Plenty of firewood and campsites available.

Survey Notes:

Fish from '88, '98 & '00 gill nets were similar in size to those netted in 1969. 8" fish seen rising in '98. 4-12"ers seen in '00. '69 24 CT 6.1-14.2" ave 9.1". 6 Lake chubs caught in '88 6.1-6.3". Possible spawning in outlet and inlet but inlet had low flow in '98. The lake is a nice place to take your family for the weekend with your 4wd.

Cradle Lake

DRAINAGE: Clarks Fork
Location: 45.06985, -109.77363
Section: 9S16E5DA
Marcuson's Code: 95

ELEV: 9595
ACREAGE: 2.9
DEPTH: 37 FT

Access: Head to Russel Lake on a Good Trail from Kersey Lake then head northeast cross country.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	8.25	(6.5)	+2,000	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Rainbow Trout	7	10.7	7-14.8
2007	Rainbow Trout	3	8.5	7-11

Stocking History

Stocking Plan

Comments: Rainbow planted in Gallery Lake find their way to cradle lake. In '87 they averaged 3.7" longer than the Gallery Lake fish. Sample along with Gallery Lake.

Camp sites: Camp spots are few and far between with little fuel.

Survey Notes:

Spawning may be possible in the inlet. D. Hagenston 8-28-89 - 13" rb's. Dave hergenrider caught 25 rb's - 12" 1992.

Fish were very thin in 2002. Sample to assess reproduction.

Very Nice Lake, deep and cold. Access is fairly easy. Fwp sampled 07 3 fish, fat.

2012 survey 16 hr. set 7 Rb caught.

7 Rb caught.

Assess reproduction and consider stocking with Yct.

Crystal Lake

DRAINAGE: Clarks Fork
Location: 45.049, -109.64069
Section: 9S17E16B
Marcuson's Code: 202

ELEV: 9910
ACREAGE: 27.5
DEPTH: 85 FT

Access: Trails from the Beartooth Butte area on Hwy 212 serve the area. The lake is NE of Lake Elaine.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	13.0	(12.0)	+1,600	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	24	11.5	8.6-14.7
2001	Yellowstone Cutthroat	7	13.8	9.5-19

Stocking History

Stocking Plan

2010: Yellowstone Cutthroat (2750 fish)

2018: Yellowstone Cutthroat (2750 fish)

2002: Yellowstone Cutthroat (2750 fish)

1994: Yellowstone Cutthroat (2750 fish)

Comments: No evident spawning areas but reproduction is occurring. All fish in '85 were in good condition (small heads and fat bodies). Lakes downstream contain brookies.

Camp sites: A few campsites. Little use. No firewood.

Survey Notes:

CT's first planted in 1968. 4,000 CT planted in 1978. Stocked every 8 years. D Arneson 7-88 caught medium #'s of 6-12" CT - fishing slow. D. Hagenston 8/25/90 - 8-12" CT's - nice shape.

'00 Glen Owens says reproduction is occurring, three age classes present. Surveyed 08 5 fish angled in 45 min. Avg. Health rating.

Curl Lake

DRAINAGE: Clarks Fork
Location: 45.05311, -109.84247
Section: 9S15E15A
Marcuson's Code: 22

ELEV: 8398
ACREAGE: 30.6
DEPTH: 45 FT

Access: Kersey Lake Trail #567 to Jeep Trail #306 to Broadwater River Trail #564. Fight thru burned deadfalls on east shore to isthmus for campsite.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	4.25	(4.25)	+600	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Brook Trout	60	7.9	5.3-12.1
2004	Brook Trout	11	9.9	8-12.1

Stocking History

Stocking Plan

Comments: The 1988 fires swept through this area and the entire shoreline of Curl Lake was burned. There is a lot of downfall around the lake.

Camp sites: Some campsites available but limited due to downfall. Firewood is abundant.

Survey Notes:

Brook trout abundance decreased after the fire but recovered by 2002.

Desolation Lake

DRAINAGE: Clarks Fork
Location: 45.06679, -109.71684
Section: 9S16E2, 11
Marcuson's Code: 127

ELEV: 10155
ACREAGE: 31.4
DEPTH: 75 FT

Access: About 14 miles from Kersey Lake. Hike to Russel then head northeast or use the Ivy Lake Jeep Trail trailhead.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Ivy Lake Jp Trail #130	10.7	(8.25)	+2,825	-700

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Stocked

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Golden Trout	33	9.8	7-16.6
2010	Golden Trout	39	12.7	9.8-16.9

Stocking History

Stocking Plan

2012: Golden Trout (3100 fish)

2017: Golden Trout (3140 fish)

2005: Golden Trout (3140 fish)

1992: Golden Trout (2048 fish)

Comments:

Camp sites: No firewood available. Some places to camp but very rocky.

Survey Notes:

The 2015 sample was collected with a 5.5 hour daytime gill net set. In 2015, one of the 33 fish sample was obtained by 6 hours of angling. Fish were challenging to catch with angling.

Diamond Lake (aka. Cliff Lake)

DRAINAGE: Clarks Fork
Location: 45.03316, -109.78122
Section: 9S16E20BA
Marcuson's Code: 146

ELEV: 8550
ACREAGE: 18.4
DEPTH: 83 FT

Access: Trail #567 past Kersey Lake to fox lake trail. Cross Russel Creek below fox lake and up west side of farley creek. Cross creek below pond & head e over saddle

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	5.5	(4.5)	+900	-500

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Arctic Grayling	Abundant	Self-Sustained

Last sample: 2011

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2011	Arctic Grayling	7	10.9	8.7-13
1998	Arctic Grayling	15	9.1	7.6-13.5

<u>Stocking History</u>	<u>Stocking Plan</u>
1955: Arctic Grayling (10000 fish)	

Comments: Progeny from Cliff Lake occasionally reach fox lake downstream. The canyon lake (farley Creek) Trail is inundated with deadfalls and would be difficult for even the best hiker.

Camp sites: Lots of firewood but flat spots for tents are tough to find.

Survey Notes:

'89 - fry were seen in the outlet stream. Where these fish spawn is a mystery. The fish caught in 1989 were small but in good shape. '89 creel cards - 17 gr <8-12", 1 over 12". '98 fish were thin to average. Thurston dotson may wish some samples for genetic analysis.

Dick Lake

DRAINAGE: Clarks Fork
Location: 45.0853, -109.91959
Section: 8S15E31CC
Marcuson's Code: 13

ELEV: 9478
ACREAGE: 1.9
DEPTH: 15 FT

Access: The lake is 1/4 mile west of the Goose Lake Jeep Trail at a mid-point between long and star lakes. Hike is ~8 miles without a 4-wheel drive

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	.25	(0)	+100	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Brook Trout	12	8.3	6.4-10.1
1996	Brook Trout	12	7.2	5.9-8.5

<u>Stocking History</u>	<u>Stocking Plan</u>

Comments: The lake is outside the a-b wilderness.

Camp sites: Camping sites and firewood exist.

Survey Notes:

Easy access from the Goose Lake Jeep Trail. Fish seem to be in good condition for self-sustaining brook trout. The 2013 sample was obtained using anling for 2 hours

Dollar Lake

DRAINAGE: Clarks Fork
Location: 45.05143, -109.82008
Section: 9S15E14AD
Marcuson's Code: 61

ELEV: 8920
ACREAGE: 1.1
DEPTH: 12 FT

Access: Kersey Lake Trail #567 to jeep Trail #306 to Broadwater River Trail #564. Head x-country before curl lake and up the east side of Sedge Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	6	(4)	+1,100	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2011

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2011	Yellowstone Cutthroat	3	10.8	9.7-11.6
1995	Arctic Grayling	2	12.7	12-13.3

<u>Stocking History</u>	<u>Stocking Plan</u>

Comments: Gr and CT drifted into dollar from aquarius gr planted in Aquarius Lake in 1955, CT in 1977. Small 'swampy looking' shallow lake. Access fairly difficult - no Good Trail - x-country travel.

Camp sites: Camp spots but some evidence of use. Lots of firewood.

Survey Notes:

In the middle of the 1988 burn, not very pretty. Most GR's 11-13" in '68. Gr'92 15, ave 11.9", 9.6-13.7". CT'92 18, ave 8.6", 6.2-11.5". '95 gr of at least 3 sizes observed, 2-3", 5-6", 12-14". No good net locations. Saw GR & CT of various sizes in inlet & Lake. Both apparently successfully spawn in the sandy inlet stream. M&m poore hook & line in '95.

Donelson Lake

DRAINAGE: Clarks Fork
Location: 45.04769, -109.6181
Section:
Marcuson's Code:

ELEV: 10394
ACREAGE: 19.2
DEPTH: 8 Ft

Access:

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	No Fish Captured			-

<u>Stocking History</u>	<u>Stocking Plan</u>

Comments: Lake is fishless and should remain so

Camp sites:

Survey Notes:

Surveyed lake in 2013 to confirm lake is still fishless. No fish captured or observed.

Estelle Lake

DRAINAGE: Clarks Fork
Location: 45.0275, -109.67269
Section: 9S17E19DB
Marcuson's Code: 172

ELEV: 9200
ACREAGE: 18.7
DEPTH: 30 FT

Access: Clay Butte Trail #618. Take right fork 4 miles along. Go past Theil & Kidney Lakes to Wright Lake then downstream past Little Falls & Robin Lake ~2 miles.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clay Butte	11.5	(9.75)	+800	-1,100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Muddy Cr/ivy Lake Trls Brook Trout	Abundant	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Brook Trout	28	9.7	7.5-18
2006	Brook Trout	24	6.9	5.5-8.5

Stocking History

Stocking Plan

Comments:

Camp sites: Many nice places to camp. Plenty of firewood available.

Survey Notes:

Majority of the fish sampled in the 2015 survey were obtained by 1 hour of angling. Only 3 of the 28 brook trout sampled were collected with a 5 hour daytime gill net set.

Farley Lake

DRAINAGE: Clarks Fork
Location: 45.03465, -109.70849
Section: 9S16E23AA
Marcuson's Code: 167

ELEV: 9740
ACREAGE: 24.0
DEPTH: 35 FT

Access: Trail #568/612 from Ivy Lake jeep Trail #130. Stay on #568 past #631 & #612. #568 goes to Farley Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Ivy Lake Jp Trail #130	6.75	(6.75)	+1,900	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Crazy Crk/clarks Fork Brook Trout	Abundant	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Brook Trout	32	9.4	6.5-10.6
2006	Brook Trout	36	10.3	7.3-11.5

Stocking History

Stocking Plan

Comments: Population size appears to fluctuate from year to year.

Camp sites: Some nice places to camp. Pretty spot. Some firewood.

Survey Notes:

Brook trout were abundant in 2015 sample. The 2015 sample was obtained with 6.8 hours of angling.

Finger Lake (aka. Hunger Lake)

DRAINAGE: Clarks Fork
Location: 45.08914, -109.84778
Section: 8S15E34DB
Marcuson's Code: 47

ELEV: 9655
ACREAGE: 5.1
DEPTH: 31 FT

Access: The outlet drains into sky Top Creek near the confluence of lower Aero Creek. No Trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Lady Of The Lake Trail	5.5	(0)		
Goose Lake Jeep Trail	4.5	(3.5)	+1,150	-830

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2005

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2005	Brook Trout	23	7	6.8-8
1994	Brook Trout	20	7.7	6.4-8.7

Stocking History

Stocking Plan

Comments: The outlet flows into Sliver Lake and during high flows some eb make it to Sliver Lake. Inlet has spawning potential at high flows.

Camp sites: Pretty area for camping. Firewood plentiful.

Survey Notes:

D. Hagenston 8/92 reports 6-8" EB's - small size. '94 fish in fair general health. Excellent setting with great views. Stunted brookies.

Fizzle Lake (aka. Dead Horse Lake, Fizzle Lake, Windy Lake)

DRAINAGE: Clarks Fork
Location: 45.09493, -109.80679
Section: 8S15E36AC
Marcuson's Code: 85

ELEV: 9830
ACREAGE: 36.7
DEPTH: 48 FT

Access: Usfs Trail #567 from Kersey Lake. The lake is east of Fossil Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	9.5	(9)	+2,000	-280

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2008

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2008	Brook Trout	76	7.8	6.3-9
1993	Brook Trout	13	8	6.5-9.8

Stocking History

Stocking Plan

Comments: Fish are overcrowded and are in poor condition.

Camp sites: Some camping spots, but rocky. No firewood.

Survey Notes:

'89 creel cards - 17 eb <8". Survey before Possible Lake trout introduction. '93 - fish were stunted. 8 fish angled in '03 6.8-8.3 ave. 7.5". Surveyed 08, no change here in 38 years, massive harvesting would prob. Help improve this population.

Flat Rock Lake

DRAINAGE: Clarks Fork ELEV: 9990
Location: 45.06644, -109.63625 ACREAGE: 37.0
Section: 9S17E4,9 DEPTH: 85 FT
Marcuson's Code: 190

Access: 12 miles north of Beartooth Butte. Several Trails will get you near the lake. Go upstream from green lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	17	(15.5)	+1,370	-900
Muddy Creek	18	(16.5)	+2,070	-160
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Abundant	Stocked		

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	31	11.4	9.6-13.4
2001	Yellowstone Cutthroat	5	11.1	9-12.7

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (3700 fish) 2018: Yellowstone Cutthroat (3700 fish)
2010: Yellowstone Cutthroat (3700 fish)
2002: Yellowstone Cutthroat (3700 fish)

Comments: Planting numbers were decreased from '78 plant of 8,000. Fish were small in length for 7 yr. Olds but well proportioned. 2-3"ers seen in '89. '78 plant = 15.5". '86 plant = 9".

Camp sites: Best to camp at lower elevations. No firewood or cover at lake.

Survey Notes:

Cutthroats first stocked in 1968. D Arneson 7-88 caught medium #'s of 6-7" CT "sardines" - from '86 plant? D. Hagenston 8/25/90 - 10-12" CT's - saw a 3" cutt also. ct'85 3 fish ave. 11.5", range 11.5-11.6".

Fox Lake

DRAINAGE: Clarks Fork ELEV: 8055
Location: 45.02696, -109.8017 ACREAGE: 111.4
Section: 9S15E24,25 DEPTH: 75 FT
Marcuson's Code: 74

Access: Usfs Trail #567 from Kersey Lake. Trail from Kersey is excellent. The trail to fox lake forks right off #567 1/4 mile from the lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	4.5	(4.5)	+250	-250

SPECIES PRESENT

ABUNDANCE

STATUS

Arctic Grayling	Rare	Self-Sustained
Brook Trout	Abundant	Self-Sustained
Rainbow Trout	Common	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1998	Rainbow Trout	2	12.5	10.2-14.
1998	Brook Trout	35	8.4	6.2-11.9

Stocking History

Stocking Plan

Comments: '89 - the fish were quite healthy looking. Thousands of .5 - 3" fry seen along shore. 1 gr 9.3". 15 eb 6.3-13.8" ave. 9.2". 5 RB 8.8-14.3" ave. 11.5". A few grayling make it down from Cliff Lake.

Camp sites: Campsites at north end but firewood is tough to find.

Survey Notes:

Check on changing relative abundance of the 3 species of fish in this lake. '89 take was similar to '81 but w/ 6.7" ctx. '89 creel cards 1 CT 12-16" range, 20 RB 8-16" range, 14 eb <8-16". No sign of '88 fire.

M. Barrett 9/91 - 3 anglers for 3 hours, no fish caught or seen. Two nets set in 1998. Fish were thin to average. Surveyed 08 2 nets 5 hrs. No fish caught or seen.

Fritter Lake (aka. Hipshot Lake)

DRAINAGE: Clarks Fork ELEV: 9650
Location: 45.02849, -109.71616 ACREAGE: 9.6
Section: 9S16E23DB DEPTH: 47 FT
Marcuson's Code: 158

Access: North from Clay Butte Trailhead past Granite Lake, then NW to Lake Elaine and then west to Hipshot.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	12	(10.5)	+2,300	-550

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	27	14.7	12.5-19.
2009	Yellowstone Cutthroat	2	17.2	16.3-18.

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (480 fish) 2019: Yellowstone Cutthroat (480 fish)
2003: Yellowstone Cutthroat (480 fish)
1995: Yellowstone Cutthroat (480 fish)

Comments:

Camp sites: A few flat spots to camp at the south end. Firewood is available.

Survey Notes:

A few larger fish were sampled that were either 12 years old or a product of a natural reproduction.

Fulcrum Lake (aka. Mermaid Lake)

DRAINAGE: Clarks Fork ELEV: 9700
Location: 45.08778, -109.80047 ACREAGE: 6.8
Section: 8S15E36DDA DEPTH: 30 FT
Marcuson's Code: 91

Access: Along east rosebud-cooke City Trail #567. Mermaid is between skull and Fossil Lakes. Go north over a small ridge from the south side of skull.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	9.5	(9.2)	+2,200	-150

SPECIES PRESENT

ABUNDANCE

STATUS

Yellowstone Cutthroat	Common	Stocked
-----------------------	--------	---------

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat	12	12.3	11-13.1
2003	Yellowstone Cutthroat	1	18.3	18.3-18.

Stocking History

Stocking Plan

2006: Yellowstone Cutthroat (680 fish) 2016: Yellowstone Cutthroat (680 fish)
1998: Yellowstone Cutthroat (680 fish)
1990: Unknown Species (683 fish)

Comments: This lake is along the Busiest Trail in the beartooths. Current management producing trophy fish as intended-no change. '89 - where did the 12.4" fish come from? - read scales.

Camp sites: There are level places to camp but no firewood.

Survey Notes:

'89 fish were very fat. Saw no others cruising or rising. '96 fish in good condition. Leave as is - no changes. '89 creel cards 1 CT >16". Beano heard fishing was good in '96. An angler reported catching a brook trout in aug. '98!!

Gallery Lake

DRAINAGE: Clarks Fork ELEV: 9920
Location: 45.07486, -109.76405 ACREAGE: 7.4
Section: 9S16E4BC DEPTH: 40 FT
Marcuson's Code: 96
Access: Take Trail #567 from the clarks fork trailhead to Russel Lake.
Cross the bridge above the lake & head north x-country up a rocky chute.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork #3	9	(6.5)	+2,350	-300

SPECIES PRESENT	ABUNDANCE	STATUS
No Fish Captured	Unknown	Unknown

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	No Fish Captured	0	-	-
2007	No Fish Captured	0	-	-

Stocking History Stocking Plan

1997: Rainbow Trout (1113 fish)
1989: Rainbow Trout (1480 fish)
1980: Rainbow Trout (1608 fish)

Comments: Rainbow were planted to filter downstream into Cradle Lake. That objective has been achieved. Planted with 150/acre in '97. We may lower numbers stocked to 100/acre in 2005. '02 fish were thin. 1987 6 rbt 8.7-10.5"

Camp sites: No flat spots. Camp below. Scarce firewood.

Survey Notes:

Fish averaged 3.7" smaller than Cradle Lake fish in 1987. D. Hagenston 8/28/89 - 11" rb's. D. Fischer '97 fat 12-13" rb's. Frozen over 7/7/93. '94 - some reproduction is apparently occurring as a couple of 6" fish were also caught. 2002 - a fish -15" was observed in the outlet. The outlet is deep and full of large boulders. Cancel further plants to assess reproduction. Likely fishless. Consider stocking YCT. 2012 FWP survey zero fish caught in 14.5 hour set.

Golden Lake

DRAINAGE: Clarks Fork ELEV: 10130
Location: 45.02358, -109.60067 ACREAGE: 48.9
Section: 9S17E23,26 DEPTH: 90 FT
Marcuson's Code: 236
Access: Island Lake Trail #614/620 to flake lake. North between mutt & jeff lakes and along east side of Becker Lake. Then along s & w sides of albino.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Island Lake Wy	7	(6)	+850	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	23	9.6	6.8-15.7
1997	Yellowstone Cutthroat	9	15.2	13.8-16.

Stocking History Stocking Plan

2010: Yellowstone Cutthroat (2445 fish) 2018: Yellowstone Cutthroat (2445 fish)
2002: Yellowstone Cutthroat (2445 fish)
1994: Yellowstone Cutthroat (2445 fish)

Comments: '81 fish were 7 yr olds from jasper. See card for interesting discussion on the fishery. Alternate plants with jasper may be working well '89 - read scales. Lower '94 plant?

Camp sites: Campsites scarce - no firewood available. No sign of '88 fire.

Survey Notes:

First CT into lake in 1968, 7,052. '89 - schools of .5" fish hiding along shore. D Arneson saw -15" CT 7-88. #'s stocked in '94 cut to 50/acre. Seems to have improved growth rates. This area has become a 'destination' type area. Heavy use. Best to camp at Becker Lake, Wyoming. Beano Sheridan reports thin 15-17" fish and lots of people 8/96. Surveyed 08 14.5 hr. Net set, Several fish near inlet.

Granite Lake

DRAINAGE: Clarks Fork ELEV: 8625
Location: 45.00359, -109.66571 ACREAGE: 228.0
Section: 9S17E31,32 DEPTH: 125FT
Marcuson's Code: 147
Access: Look for Muddy Creek Trail #612/568 along the beartooth Hwy,
or access from clay butte trail (downhill).

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	8	(8)	+0	-900
Muddy Creek	7	(7)	+540	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Rainbow Trout	Common	Self-Sustained
Yellowstone Cutthroat	Rare	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat Hybrid	1	8.1	-
2014	Rainbow Trout	2	9.6	7.5-11.7
2014	Brook Trout	22	8.7	5.9-11.6

Stocking History Stocking Plan

Comments: The lake straddles the MT and WY state line.

Camp sites: Excellent campsites and firewood.

Survey Notes:

Brook trout were average to thin condition when sampled in 2014.

Green Lake

DRAINAGE: Clarks Fork ELEV: 9150
Location: 45.03407, -109.66423 ACREAGE: 35.7
Section: 9S17E19,20 DEPTH: 129FT
Marcuson's Code: 173
Access: Clay Butte Trail #618 4 miles to Thiel Lake Trail #619. 6 miles to thiel then to kidney & wright. Ford stream & head up trail to trail lake. Green's beyond. Crazy lakes is best past copeland, farley & lake elaine

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	11.25	(11.25)	+1,000	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	6	9.8	9.1-10.5
1995	Brook Trout	49	8.2	5.9-11.1

Stocking History Stocking Plan

1937: Brook Trout (11900 fish)

Comments: Very scenic. Mosquitoes abundant. This is a popular lake in the a-b wilderness. Water code #22-8037

Camp sites: Some camping spots, plenty of firewood available.

Survey Notes:

'95 fish were average to thin. 2012 FWP set net for 3.5 hrs. caught zero EBT all 6 fish caught angling.

Green Lake

DRAINAGE: Clarks Fork ELEV: 9640
Location: 45.10013, -109.90155 ACREAGE: 4.8
Section: 8515E30,31 DEPTH: 16 FT
Marcuson's Code: 25

Access: Accessed either from the Goose Lake Jeep Trail 1/4 mile past star lake or up Star Creek from the lady of the lake trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	5	(4.5)	+50	-250

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Brook Trout	23	9.7	7.6-11.3
2003	Brook Trout	25	6.6	4.7-9.1

Stocking History

Stocking Plan

Comments: This lake has a sandy bottom with many springs. It is a decent brook trout fishery. Similar to most brook trout lakes, fish in Green Lake may benefit from harvest.

Camp sites: Campsites and firewood limited.

Survey Notes:

The 2014 sampled was obtained by angling for 4.5 hours.

Gus Lake

DRAINAGE: Clarks Fork ELEV: 9890
Location: 45.00365, -109.61004 ACREAGE: 16.7
Section: 9517E34A DEPTH: 19 FT
Marcuson's Code: 240

Access: Trail #614/620 from Island Lake on Hwy 212. The lake is just west of lonesome lake on the montana-wyoming state line. Easy access from lonesome.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Island Lake Wyo.	7	(4)	+800	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2008

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2008	Brook Trout	23	8.4	6.4-10.6
1995	Brook Trout	19	8.1	4.4-10.8

Stocking History

Stocking Plan

Comments: How long have brookies been in here? This lake was presumed to be fishless. Marcuson felt that EB's from lakes in wyo wouldn't be able to move into gus in summer. Did they use a spring freshet?

Camp sites: The lake is above timberline.

Survey Notes:

Wyoming game and fish netted this lake for us in 1995. Boy did they find fish in 2 overnight net sets!

MFWP surveyed 08, 6 hr. Net set. Not much has changed since 95.

Heidi Lake

DRAINAGE: Clarks Fork ELEV: 9720
Location: 45.01564, -109.64517 ACREAGE: 8.2
Section: 9517E28BC DEPTH: 25 FT
Marcuson's Code: 229

Access: Trails from Hwy 212 near Beartooth Butte serve the area. The lake is NE of Granite Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clay Butte	7	(6)	+570	-280
Muddy Creek	9	(8)	+950	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Brook Trout	32	7	4.4-8.5
2006	Brook Trout	30	7.3	6.5-9.5

Stocking History

Stocking Plan

Comments: Pretty spot where Brook Trout would benefit from some harvest. Legal harvest of Brook Trout is encouraged here.

Camp sites: Nice campsites (but Near Lake), plenty of firewood.

Survey Notes:

The 2015 sample was obtained by angling for 2 hours.

Hidden Lake

DRAINAGE: Clarks Fork ELEV: 9500
Location: 45.00569, -109.62625 ACREAGE: 18.0
Section: 9517E33,34 DEPTH: 46 FT
Marcuson's Code: 234

Access: Trails from Hwy 212 near Beartooth Butte serve the area. The lake is east of granite lake. Find trail from tiel lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clay Butte	6.5	(6.5)	+600	-280
Muddy Creek	8.5	(8.5)	+1,420	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Yellowstone Cutthroat	28	9.7	6.9-12.3
2000	Yellowstone Cutthroat	22	10.7	8.4-15.1

Stocking History

Stocking Plan

1937: Brook Trout (11500 fish)

Comments: See cards for interesting discussion. D Arneson 7-88 found medium #'s of 7-12" ctxgt. '89 found #'s of 2-3" fish along shore. Many fish were spent & spawning in inlet.

Camp sites: Camping good at both ends. Firewood is picked over.

Survey Notes:

Reproduction good now but may be sporadic. Fish can get here from Jasper/golden Lakes which are stocked. No sign of '88 fire. Contained golden trout in the past. Mark Barrett 7/93 lots of CT's 9-11". One big fish seen cruising. Good inlet spawning potential. Outlet marginal.

Indian Knife Lake

DRAINAGE: Clarks Fork ELEV: 9740
Location: 45.05429, -109.73147 ACREAGE: 5.3
Section: 9S17E10DA DEPTH: 35 FT
Marcuson's Code: 113

Access: Take Trail #567 from Kersey Lake to Russel Lake. From Russel head east 3 miles. The lake is east of Otter Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	10.25	(10.25)	+2,100	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2005

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2005	Brook Trout	17	9.5	7.5-10
2005	Arctic Grayling	0		-

Stocking History Stocking Plan

1985: Arctic Grayling (300 fish)

Comments: Numerous 1-2" fish were seen in '88 & '01 in outlet. It appears these were grayling. The population looks to be self-sustaining. Illegally introduced brook trout threaten this grayling fishery.

Camp sites: Ok at head of the lake. Some firewood, not near the lake.

Survey Notes:

'88 adult fish were very, very fat - feeding on zooplankton and gammarus. '93 fish were trying to spawn in outlet. Down 3-4 ft. In '01. One 14.5" brook trout netted in '99. Let's hope it was the only one here. 40-50 fish (sp?) 4-8" were seen cruising the shoreline in '99. Leave as is. Monitor in the future for further spawning success and for brook trout. 5 gr '88 14.2-15.5 ave 14.8". 9 gr '93 10.6-16.7" ave 13.8".

Jasper Lake

DRAINAGE: Clarks Fork ELEV: 10150
Location: 45.0286, -109.59128 ACREAGE: 54.8
Section: 9S17E23 DEPTH: 107FT
Marcuson's Code: 237

Access: Island Lake Trail #614/620 to flake lake. North between mutt & jeff lakes and along east side of Becker Lake. Then along s & w sides of albino.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Island Lake Wy	7	(6)	+850	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Yellowstone Cutthroat	12	12.4	7.8-14.9
2003	Yellowstone Cutthroat	8	13.6	13-14.5

Stocking History Stocking Plan

2006: Yellowstone Cutthroat (5480 fish)

1998: Yellowstone Cutthroat (5480 fish)

1990: Yellowstone Cutthroat (5465 fish)

Comments: Beno sheridan reports 3lb CT in 1983. D Arneson 7-88 saw a few 8-15" ct. Fish in '89 were fat and in great shape. No sign of '88 fire. Water code #22-8180. CT's planted in 1968 and 1974.

Camp sites: No wood or obvious campsites-camp below albino l to avoid wind

Survey Notes:

Staggered 8 yr plant w/ Golden Lake. '89 fish were taken in a 3.5 hr. Net set. Cut '90 plant to 100/acre. This area has become a 'destination' type area. Heavy use. 8/96 beano sheridan reports that the hills were alive with the sound of people here. The tons of 15-17" fish he found must be somewhat responsible. Two cutts taken in 1981, 14.7 & 17.0". 2003 fish were angled. Fish seemed in good condition. Continue current stocking plan.

Fish can get here from Golden Lake.

Jorden Lake

DRAINAGE: Clarks Fork ELEV: 9625
Location: 45.0458, -109.71561 ACREAGE: 36.0
Section: 9S16E14 DEPTH: 120FT
Marcuson's Code: 121

Access: North from Clay Butte Trailhead past Granite Lake, then NW to Lake Elaine, then NW past Farley Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	10.5	(10.5)	+2,100	-475

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained
Yellowstone Cutthroat Trout X G	Unknown	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	24	12.2	10.3-14
2005	Yellowstone Cutthroat	14	11.5	8.8-12.8

Stocking History Stocking Plan

1981: Yellowstone Cutthroat (7230 fish)

1967: Yellowstone Cutthroat (4000 fish)

1959: Yellowstone Cutthroat (2110 fish)

Comments: It is possible that upstream Golden Trout may have moved downstream and hybridized with the Yellowstone Cutthroat Trout residing in Jorden Lake as 1 suspected hybrid was sampled in 2015.

Camp sites: Good places to camp, but very little firewood is available.

Survey Notes:

The 2015 sample was obtained by angling for 2 hours.

Kersey Lake

DRAINAGE: Clarks Fork ELEV: 8070
Location: 45.02789, -109.84059 ACREAGE: 118.0
Section: 9S15E22,23 DEPTH: 68 FT
Marcuson's Code: 60

Access: Approximately 2 miles of Excellent Trail from cooke pass. 4x4 trucks can reach the northwest corner of the lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	2	(2)	+230	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Lake Trout	Rare	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Lake Trout	2	17	14.9-19.
2012	Brook Trout	18	10.2	7.6-13.6

Stocking History Stocking Plan

1981: Lake Trout (5000 fish)

1969: Yellowstone Cutthroat (22675 fish)

1947: Brook Trout (4600 fish)

Comments: Lake trout have become self-sustaining but in apparently low #'s. They seem to have increased brook trout size. Eb ave '83 = 8.1" '87 = 9.1" '89 = 11.6" '91 = 10.2" '95 = 10.4" '97 = 11.5" '02 = 9.7" '06=8.9".

Camp sites: Campsites available. Firewood slim. Easy hike, Excellent Trail

Survey Notes:

'83 - 20 lt 9.2-11.4" av 10.3", 20 eb 6.4-11.9" av 8.1", '87 0 lt 22eb 6.4-12.9" av 9.1 1 6" chub, '89 3 lt 14.7-16.8 av 15.6, 8 eb 10.7-12.6" av 11.6", '91 2 lt 16.0-28.8" av 22.4" 58 eb 6.2-13.5" av 10.2" chub 6.5". '95 4 lt 10.6-20.2" av 17.3", 55 eb 6.4-16.5", chub 6.4". '97 4 lt 13.7-21.2" av 17.9, 27 eb 8.3-13.7" av 11.5, 3 CT 7.9-16.0". Much of shore burned in '88. '89 creel cards 4 CT <8-12"??? 81 eb <8-16", 1 eb 16+ ". Two nets set in '02. Two nets set in '06 2012 FWP survey 20 5 hr net set caught 18 FR & 7 LT

Kidney Lake

DRAINAGE: Clarks Fork
Location: 45.02356, -109.64249
Section: 9S17E21CC
Marcuson's Code: 227

ELEV: 9910
ACREAGE: 2.8
DEPTH: 15 FT

Access: Trails from Hwy 212 near Beartooth Butte serve the area. The lake is SE of Lake Elaine.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clay Butte	9	(9)	+800	-350

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Brook Trout	17	8.4	6.1-9.8
2006	Brook Trout	16	8.5	6.3-9.5

Stocking History

1937: Brook Trout (1600 fish)

Stocking Plan

Comments: Nice fishery for hikers, right on the trail

Camp sites: Nice places to camp. Firewood found nearby, but not here.

Survey Notes:

The 2015 sample was obtained with 2 hours of angling. In 2015 the Brook Trout were decent size considering the small size of the lake.

Lady Of The Lake

DRAINAGE: Clarks Fork
Location: 45.06847, -109.89022
Section: 9S15E5,8
Marcuson's Code: 6

ELEV: 8800
ACREAGE: 42.8
DEPTH: 29 FT

Access: Trail #31 up lady of the Lake Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Lady Of The Lake	2	(2)	+160	-160

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Brook Trout	10	6.9	7.9-12.7
2004	Brook Trout	8	10.8	9.3-12.3

Stocking History

Stocking Plan

Comments: Good spawning habitat in inlet and outlet.

Camp sites: Firewood and campsites available.

Survey Notes:

The 2004 sample was obtained using angling for two hours. The 2013 sample was obtained using angling for 1.5 hours.

Lake Elaine

DRAINAGE: Clarks Fork
Location: 45.0348, -109.68385
Section: 9S16E19BB
Marcuson's Code: 168

ELEV: 9250
ACREAGE: 132.4
DEPTH: 156FT

Access: North from clay Butte Trailhead past Granite Lake then NW 3-4 miles to lake elaine. Good trail all the way.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clay Butte	10	(10)	+1,000	-600

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Brook Trout	11	9.3	8-10.2
2000	Brook Trout	7	9.6	7.6-11.2

Stocking History

Stocking Plan

Comments: USFS ranger reports one 10" eb in 1983. '89 and '90 fieldworkers report trout were easy to catch. This lake is underused for its size.

Camp sites: Excellent campsites and firewood.

Survey Notes:

D. Hagenston 8/9/87 9" eb. This may be a good place for A Lake trout introduction. '00 net set for only 5 hours. Fish were in rough shape. 2012 FWP survey net set 4.5 hrs. no EBT caught crew angled 11 EBT.

Lake Of The Clouds

DRAINAGE: Clarks Fork
Location: 45.07482, -109.7803
Section: 9S16E5B
Marcuson's Code: 93

ELEV: 9680
ACREAGE: 23.6
DEPTH: 85 FT

Access: Take clarks Fork Trail #567 (excellent) 6 miles to Russel Lake. 2/3 mi more over bridge near end of switchbacks head n up steep wash (stream).

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clarks Fork	8.5	(8)	+1,700	-300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Yellowstone Cutthroat	23	9.7	8-12.8
2007	Yellowstone Cutthroat	10	13.5	13-14.5

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (2360 fish)

2002: Yellowstone Cutthroat (2360 fish)

1996: Yellowstone Cutthroat (2360 fish)

Comments: Very scenic spot. Great outlet view. '88 fire was evident on a ridge over Russel Lake, but not here. Stocked every 6 years. Stocking rate lowered from 3500 to 2360 in '90 to increase growth.3,500 CT's in '84.

Camp sites: Wood very scarce. Some campsites, but little shelter.

Survey Notes:

'89 fish were both fat and skinny. '95 fish were average to fat. Is some repro occurring? ct'81 7, ave 13.9", 13.3-14.7". M Jones caught numerous 2-3 lb CT's in '84. In '85 (after plant) he saw 6"ers & caught the older year class of large CT's but they were all head & thin, only -1.5 lbs. D Hagenston 8/27/89 12" CT's. D Fischer '97 fat 14-15"ers. CT plant '67,76. Fwp sampled 07 6.5 hours, healthy fish. 2012 FWP survey net set 4.5 hrs.23 YCT caught.

Lake Of The Winds

DRAINAGE: Clarks Fork ELEV: 9910
Location: 45.07024, -109.75658 ACREAGE: 40.7
Section: 9S16E4D DEPTH: 186FT
Marcuson's Code: 100

Access: Hike 5 Trail miles (#567) from Kersey Lake to rusel lake then head east for 2 miles cross country.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	9.5	(9)	+1,900	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	10	15.6	15.1-17.
2007	Yellowstone Cutthroat	18	14.2	7.5-16

Stocking History

Stocking Plan

2009: Yellowstone Cutthroat (2000 fish) 2017: Yellowstone Cutthroat (2035 fish)
2001: Yellowstone Cutthroat (2035 fish)
1993: Yellowstone Cutthroat (2035 fish)

Comments: No visual sign of 1988 fire. Best access is to climb up Lake of the Winds outlet stream, though not apparent from Mariane.

Camp sites: Camping possible but rather exposed. Firewood available but sparse.

Survey Notes:

Crews sampled a suspected rainbow trout X Yellowstone cutthroat trout hybrid in 2014.

Leaky Raft Lake

DRAINAGE: Clarks Fork ELEV: 10150
Location: 45.11729, -109.84477 ACREAGE: 8.5
Section: 8S15E22DA DEPTH: 30 FT
Marcuson's Code: 33A

Access: Long Lake Trailhead-lady of the lake-north to Broadwater River-trail up Zimmer Creek 1.5 mi-east to lower aero-upper aero-south.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lady Of The Lake	8.5	(7.5)	+1,580	-235
Goose Lake Jeep Trail	7	(6)	+1,420	-630

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	21	12.5	8.4-17.8
2007	Yellowstone Cutthroat	3	15.5	14.5-16.

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (425 fish) 2016: Yellowstone Cutthroat (425 fish)
2000: Yellowstone Cutthroat (425 fish)
1992: Yellowstone Cutthroat (850 fish)

Comments: Fish were thin but very colorful in '81. Survey before '92 plant showed very thin fish. Cut #'s stocked to 50/acre or less. '91 fish were very tiny 7 year old fish. 425 CT's planted in 1976.

Camp sites: No firewood. No flat places. Better camp someplace else!

Survey Notes:

Stocked every 8 years. '88 - caught 20 fish in 2 hours, ave 9-10". '89 creel cards 39 CT's <8-12" range. D Fischer 8/91 10-12" ct, pretty, health ok. '97 - two obvious age groups but there seems to be no place for spawning. D Hagenston 8/92 reports chunky 13" CT's. Fwp sampled 07,16 hour set,few fish,restocked in 08. 2012 FWP survey net set 13.0 hrs. 21 YCT caught.

Lennon Lake (aka. Wade Lake)

DRAINAGE: Clarks Fork ELEV: 9620
Location: 45.02659, -109.7049 ACREAGE: 10.5
Section: 9S16E24CB DEPTH: 15 FT
Marcuson's Code: 163

Access: Head east from Kersey for 12 miles to Jorden Lake. Then turn south and walk 1 mile to Wade Lake. About 1/2 that distance from Ivy Lake Jeep Trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Ivy Lake Jp Trail #130	6.75	(6.5)	+1,900	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	19	9.6	6.5-11.3
2006	Brook Trout	44	9.8	5.8-12

Stocking History

Stocking Plan

Comments:

Camp sites: Beautiful places to camp. Plenty of firewood available.

Survey Notes:

The 2015 sample was collected with a 4 hour daytime gill net set and angling. In 2015, 15 of the 19 fish sample was collected with 2 hours of angling. This self-sustaining brook trout population could use harvest.

Lillis Lake

DRAINAGE: Clarks Fork ELEV: 8140
Location: 45.01754, -109.84015 ACREAGE: 2.7
Section: 9S15E27D DEPTH: 30 FT
Marcuson's Code: 67

Access: 3/4 mile south of Kersey Lake on a good foot trail. Good day hike opportunity.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	2	(2)	+300	-30

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	8	9	7.3-14
2008	Brook Trout	19	10	6.1-13.5

Stocking History

Stocking Plan

Comments: Difficult to fish in late summer due to abundant emergent vegetation.

Camp sites: No good camp sites near the lake. Firewood is abundant.

Survey Notes:

The 2015 sample was obtained with a 6 hr daytime gill net set.

Line Lake

DRAINAGE: Clarks Fork ELEV: 9680
Location: 45.00553, -109.37549 ACREAGE: 4.7
Section: 9S19E34BB DEPTH: 26 FT
Marcuson's Code: 246
Access: The lake is 2 miles east of Hwy 212 at the MT-WYO state line.
Not actually on main Line Creek drainage.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Near Mt/wy Border	2.5	(2.5)	+500	-1,045

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	11	13.2	11.7-17.
2002	Yellowstone Cutthroat	1	24	24-24

Stocking History Stocking Plan

2011: Yellowstone Cutthroat (700 fish)

2007: Yellowstone Cutthroat (705 fish)

2003: Yellowstone Cutthroat (705 fish)

Comments: The lake produces large fish and access is easy. EB's first planted in 1937. Cutthroats since 1958. Planted every 4 years since 1987

Camp sites: Firewood is scarce but present. Nice flat places to camp.

Survey Notes:

Stocked every 4 years at 150/acre. Lake shows heavy use, with much of the grass along the shoreline trampled. Water turbid, brownish. Lots of shrimp & plankton.

Little Green Lake

DRAINAGE: Clarks Fork ELEV: 9630
Location: 45.09795, -109.90171 ACREAGE: 1.6
Section: 8S15E31 DEPTH: 6 FT
Marcuson's Code: 25a
Access: Accessed either from the Goose Lake Jeep Trail 1/4 mile past star lake or up Star Creek from the lady of the lake trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	5	(4.5)		

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Brook Trout	44	7.4	5.6-10.3

Stocking History Stocking Plan

Comments: The lake has a sandy bottom and the brook trout are plentiful. It is located just below Green Lake.

Camp sites: There are some campsites and firewood available.

Survey Notes:

Angling for 4.5 hours was used to obtain the 2014 sample.

Little Washtub Lake (aka. Washtub Lake)

DRAINAGE: Clarks Fork ELEV: 9190
Location: 45.08184, -109.86209 ACREAGE: 2.2
Section: 9S15E4A DEPTH: 30 FT
Marcuson's Code: 51
Access: From lady of the Lake Trail follow sky Top Creek (good trail) & head SE at confluence with lower Aero Creek past west end of Cliff Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	4	(3.5)	+710	-880
Lady Of The Lake	5.5	(5)	+1,040	-654

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Common	Stocked

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Arctic Grayling	4	13.2	12.6-13.
2005	Arctic Grayling	0		-

Stocking History Stocking Plan

2008: Arctic Grayling (230 fish)

2016: Arctic Grayling (220 fish)

1997: Arctic Grayling (220 fish)

1992: Arctic Grayling (220 fish)

Comments: Little sign of use. No fish found in '05. Survey after restocking. Grayling to be stocked every 8 years.

Camp sites: Nestled in rocks. Few flat spots. Lots of firewood. Camp at Cliff Lake

Survey Notes:

Grayling planted in 1985. None found in 1991 nets. Restocked in 1991, '92 & '97. No inlet. Outlet is slow/seasonal and has a silt substrate with tily pads. Tom mcgillvray '93 - caught 6 9-10" grayling, one 17.75". Good condition. 2012 FWP survey only 4 GR caught in 14.5 hr. set 4 year old fish are in great shape. Approx 10 Col. Sp. Frogs seen.

Lone Elk Lake

DRAINAGE: Clarks Fork ELEV: 10070
Location: 45.11188, -109.83156 ACREAGE: 18.1
Section: 8S15E26BA DEPTH: 40 FT
Marcuson's Code: 35
Access: Hike down outlet stream from Long Lake to near lady of the lake. Then to Broadwater River. Stay on west side of sky Top Creek to lone elk lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	6	(6)	+1,600	-600
Lady Of The Lake	7.5	(7.5)	+1,900	-450

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	18	7.5	5.3-8.7
1998	Brook Trout	14	8.3	6.7-9.8

Stocking History Stocking Plan

1992: Arctic Grayling (1810 fish)

1955: Arctic Grayling

Comments: Grayling probably drifted downstream from the sky Top Creek lks or from Rough Lake - none have been reported since 1973. Inlet has excellent spawning. D. Arneson 8/86 caught many 5-8" eb, no gr's.

Camp sites: Some rocky used campsites. Above treeline so no firewood.

Survey Notes:

'73 netting - 7 eb ave. 9.1" 6.0-16.5", along with the two grayling listed above. '89 creel cards 14 eb <8". D Hagenston reports 6-8" EB's - average condition. Lots of average size brookies here. 2012 FWP survey 2 people angled 2.25 hrs.

Lonesome Lake

DRAINAGE: Clarks Fork ELEV: 10050
Location: 45.00456, -109.60211 ACREAGE: 35.3
Section: 9S17E35B DEPTH: 38 FT
Marcuson's Code: 242
Access: Island Lake Trail #614/620 toward Becker Lake. Past Becker Lake hike over the ridge to the west.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Island Lake	6.5	(4)	+600	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Brook Trout	18	8.8	4.9-10.8
1995	Brook Trout	8	8.6	7.4-9.1

Stocking History

Stocking Plan

1937: Brook Trout (15860 fish)
1936: Rainbow Trout (6600 fish)

Comments: The lake is on the MT-WYO state line. Spawning potential doesn't look great in the outlet or the inlet.

Camp sites: Nice places to camp. Above tree line - no firewood available.

Survey Notes:

Brookies here appear undernourished. '96 beano sheridan found small brookies. Surveyed 08, typical Eb Lake lots of fish, more harvest would be beneficial to overall health of population.

Long Lake (aka. Lone Lake)

DRAINAGE: Clarks Fork ELEV: 9471
Location: 45.08151, -109.91127 ACREAGE: 11.9
Section: 9S15E6 DEPTH: 21 FT
Marcuson's Code: 10
Access: 4x4 travel on the Goose Lake Jeep Trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	DRIVE	TO		

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	15	7.2	4.2-9
2000	Brook Trout	39	8.2	6.1-10.2

Stocking History

Stocking Plan

1941: Yellowstone Cutthroat (10396 fish)
1940: Brook Trout (11400 fish)
1938: Brook Trout (4900 fish)

Comments: Some cutthroat from Ovis Lake may drift down into long lake. Brookies planted in 1933 and 1936.

Camp sites: Many well used camp sites. Firewood is picked over.

Survey Notes:

The brookies could stand more harvest here. '00 2 CT's caught, 12.2-12.9". '89 creel cards 3 eb 8-12" range. 2012 FWP survey plenty of small fish.

Looking Glass Lake (aka. Glass Lake, Stephanie Lake)

DRAINAGE: Clarks Fork ELEV: 10260
Location: 45.1101, -109.80903 ACREAGE: 13.9
Section: 8S15E25B DEPTH: 65 FT
Marcuson's Code: 89
Access: Usfs Trail #567 from Kersey Lake. From the saddle near Fossil Lake head to the west and north of windy lake. Take the 3rd draw heading north.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	11.5	(9.5)	+2,500	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Yellowstone Cutthroat	46	12.7	9.7-16.3
1996	Yellowstone Cutthroat	20	12.3	9.1-14.3

Stocking History

Stocking Plan

2006: Yellowstone Cutthroat (1390 fish)
1998: Yellowstone Cutthroat (1390 fish)
1990: Yellowstone Cutthroat (1392 fish)

Comments: Goal of trophy fishery not met by initial 200/acre. Checked in '96 to see if 100/acre in '90 has increased growth. Large #'s of '82 plant present in '90 will complicate matters.

Camp sites: Few campsites. No firewood. No sign of '88 fire (no trees).

Survey Notes:

Stocking halted till next sampling. '89 - fish were small for 7 yr olds and obviously thin. Outlet redds in '96 '89 creel cards - 1 CT <8", 10 from 8-12". D Fischer 8/91 10-11" CT pretty, health ok. D Hagenston 8/95 caught one CT - a 14 incher - kind of snakey. '96 evidence of moderate use. Lake half frozen arrival 2010. 2012 Kim Latterell / Bob Lesher angled 2 hrs caught 8 YCT 12-14"

Lower Aero Lake

DRAINAGE: Clarks Fork ELEV: 9995
Location: 45.10849, -109.86321 ACREAGE: 189.9
Section: 8S15E27,28 DEPTH: 185FT
Marcuson's Code: 29
Access: Goose Lake Jeep Trail-long lake or lady of the lake trail. Then up Zimmer Creek or sky top creek. Good trail up the west side of Zimmer Creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	5	(5)	+1,300	-650
Lady Of The Lake	6.5	(6.5)	+1,400	-250

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Stocked

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Yellowstone Cutthroat	17	15	13.3-16.
2010	Brook Trout	1	15.5	-

Stocking History

Stocking Plan

1959: Yellowstone Cutthroat (2110 fish)

Comments: Cutthroat drift downstream from upper Aero Lake. B sheridan reports lots of healthy CT and eb and good fishing in 1983. '94 gill net took 2 eb, 13.9 & 15.5" during/after unexplained fish kill.

Camp sites: Firewood is scarce, as are good flat spots. Better below.

Survey Notes:

D Arneson 8-86 caught a few 8-15" eb. EB'91 - 45 fish 6.5-15.6", ave. 10.3". '91 many CT spawning between upper & lower aero. Fish in good shape. D Hagenston 8/92 saw 18" CT's spawning In Creek, nothing In Lake. '94 fish kill - dead fish in water every 50-100'. Gill net take poor. Resample regularly for a few years. '96 - 8 eb 8.8-15.7" ave. 11.4". '98 nets - 50.5 hrs produced 64 eb 5.1-14.3" ave. 10.7" and 1 CT 17.4".

Margaret Lake

DRAINAGE: Clarks Fork ELEV: 8100
Location: 45.01601, -109.8304 ACREAGE: 3.9
Section: 9S15E26 DEPTH: 22 FT
Marcuson's Code: 66

Access: Good Trail to Vernon Lake, then head north 1/4 mile cross country to Margaret Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	2.5	(2)	+400	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	11	17.6	14.9-20.
2006	Yellowstone Cutthroat	5	20	17.3-23.

Stocking History Stocking Plan

2008: Yellowstone Cutthroat (490 fish)

2002: Yellowstone Cutthroat (490 fish)

1996: Yellowstone Cutthroat (490 fish)

Comments: Warm water, lily pads, swampy shoreline. Crustaceans and other aquatic invertebrates. No spawning potential. Inflow seeps from a marsh. Outlet is silted.

Camp sites: No camping at lake (floating bog at outlet). Lots of firewood.

Survey Notes:

Stocked every 6 years. Bear country. Planted in 1990 by horseback. Fish were plump during 2013 survey.

Mariane Lake

DRAINAGE: Clarks Fork ELEV: 9542
Location: 45.05896, -109.75991 ACREAGE: 50.8
Section: 9S16E9 DEPTH: 70 FT
Marcuson's Code: 102

Access: Take Trail #567 from Kersey Lake to Russell Lake. From Russell Lake head east ~2 miles on a good trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	8.3	(8.3)	+1,900	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Brook Trout	14	8.3	6.5-9.8
1999	Brook Trout	15	8.7	6.5-11.5

Stocking History Stocking Plan

Comments: Rainbow trout occupied the lake in the 50's and 60's. Brookies dominate the fishery now. Tremendous spawning inlet.

Camp sites: Good campsites. Lots of firewood. Heavy use.

Survey Notes:

8/7/87 d Hagenston found 9" eb. '89 creel cards 5 eb <8-<16".

Marsh Lake

DRAINAGE: Clarks Fork ELEV: 9018
Location: 45.05826, -109.87143 ACREAGE: 3.8
Section: 9S15E9CD DEPTH: 25 FT
Marcuson's Code: 19

Access: Trail #31 to Lady of the Lake. Cross the outlet stream here and at Swamp Lake to the east. Then to Weedy Lake and southeast to marsh.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lady Of The Lake	4	(1.5)	+650	-480

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	9	15.1	13.7-19.
2006	Yellowstone Cutthroat	12	12.3	11-14.5

Stocking History Stocking Plan

2009: Yellowstone Cutthroat (380 fish)

2003: Yellowstone Cutthroat (380 fish)

1997: Yellowstone Cutthroat (380 fish)

Comments: A lot of downfall to hike over.

Camp sites: Adequate campsites are available and firewood is abundant.

Survey Notes:

Nice place to camp. Pretty Lake - seems secluded.

Martin Lake

DRAINAGE: Clarks Fork ELEV: 9660
Location: 45.03252, -109.64216 ACREAGE: 31.4
Section: 9S17E21B DEPTH: 42 FT
Marcuson's Code: 211

Access: Trails from the Beartooth Butte area on Hwy 212 serve the area. The lake is east of Lake Elaine and Green Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	10	(9.75)	+820	-620

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	80	8	5.2-10.4
2005	Brook Trout	11	7.8	6.8-9.5

Stocking History Stocking Plan

1937: Brook Trout (10620 fish)

1936: Yellowstone Cutthroat (8400 fish)

Comments: The over abundant Brook Trout would benefit from some harvest. Legal harvest of Brook Trout is encouraged here.

Camp sites: Nice places to camp. Plenty of firewood.

Survey Notes:

The 2015 sample was collected with a 4.5 hour daytime gill net set. In 2015, 42 of the 80 fish sample was obtained by 2 hours of angling.

Maryott Lake (aka. Felis Lake)

DRAINAGE: Clarks Fork ELEV: 10440
Location: 45.0483, -109.62492 ACREAGE: 17.5
Section: 9S17E15BB DEPTH: 62 FT
Marcuson's Code: 204

Access: 11 miles Up Trail to Martin Lake from clay butte or beartooth lake and 1.5 miles NE of Martin Lake. No trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Island Lake Wy	12	(9)	+1,200	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	19	15.4	12.2-19.
2005	Yellowstone Cutthroat	13	15.1	14.8-15.

Stocking History

Stocking Plan

Comments: This is a trophy-type fishery. Well above treeline.

Camp sites: No Trail or fuel exist. Very rocky for camping.

Survey Notes:

The 2013 sample was obtained using angling for 4 hours.

Melody Lake

DRAINAGE: Clarks Fork ELEV: 9000
Location: 45.0402, -109.75382 ACREAGE: 2.8
Section: 9S16E16D DEPTH: 8 FT
Marcuson's Code: 119

Access: Trail from Kersey Lake to fox lake, then find the primitive trail and head east past canyon lake to melody lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	10	(9)	+1,900	-960

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2006

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2006	Yellowstone Cutthroat	23	10.3	7.5-14
1992	Yellowstone Cutthroat	1	7.8	7.8-7.8

Stocking History

Stocking Plan

Comments: Cutthroat from Jordan Lake moved down Farley Creek to melody lake. Little evidence of fishing pressure. Alternate access - head SE from the east end of otter lake.

Camp sites: Firewood is everywhere. Decent campsites.

Survey Notes:

D Hagenston 8/10/87 9+13" CT's, fat. Doug baronick observed adults and fry in 1988. '92 net placement poor. Fry present, good gravel in the inlet for spawning. Plenty of fish seen cruising, rising, up to 15-16". One 11.6" caught with hook & line. Several age classes observed. MFWP 06 survey many fish observed, 3- 15"

Midnight Lake (aka. Red Storm Lake)

DRAINAGE: Clarks Fork ELEV: 9480
Location: 45.02659, -109.69635 ACREAGE: 5.1
Section: 9S16E24DB DEPTH: 30 FT
Marcuson's Code: 164

Access: North from Clay Butte Trailhead past Granite Lake. Then NW to Lake Elaine. Then SW to Midnight or trail 568/612 from Ivy Lake Jeep Trail trailhead

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Ivy Lake Jp Trail #130	7.25	(6.75)	+1,900	-350

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	26	8.1	6-9.9
1994	Brook Trout	55	8.1	6.7-10.3

Stocking History

Stocking Plan

Comments: Pretty lake with a mostly sand/silt bottom. Fish move between Farley Lake and Midnight Lake.

Camp sites: A couple of places to camp. Plenty of firewood available.

Survey Notes:

The gill net set in 2015 was a 5.5 hour daytime set. In the 2015 survey, 11 of the 25 brook trout sampled were obtained with angling for 1 hour.

Moccasin Lake

DRAINAGE: Clarks Fork ELEV: 9400
Location: 45.08309, -109.84892 ACREAGE: 6.8
Section: 9S15E3 DEPTH: 30 FT
Marcuson's Code: 52

Access: The outlet drains into the Broadwater River 1 mile north of Broadwater Lake. No Trail exists.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	4.5	(3.5)	+900	-830

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2006

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2006	Brook Trout	13	9.11	7-10.5
1994	Brook Trout	7	8.4	6.3-9.8

Stocking History

Stocking Plan

Comments: Self-sustaining Brookie Lake. '94 fish - on the poor and skinny side.

Camp sites: Plenty of firewood and nice campsites.

Survey Notes:

D Hagenston 8/92 reports 10" EB's - average condition. D Hagenston 8/95 reports 8-9" EB's - large heads. MFWP 06 survey average fish 7-10.5"

Mosquito Lake

DRAINAGE: Clarks Fork
Location: 45.06596, -109.8676
Section: 9S15E9AC
Marcuson's Code: 18A

ELEV: 9020
ACREAGE: 3.0
DEPTH: 21 FT

Access: Trail #31 to lady of the lake. Cross the outlet stream here and at swamp lake to the east. Then northeast from the north side of weidy lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lady Of The Lake	4	(1.5)	+730	-450

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Rare	Stocked

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Arctic Grayling	1	15.3	15.3-15.
2002	Arctic Grayling	0		-

Stocking History

Stocking Plan

2008: Arctic Grayling (300 fish)
1997: Arctic Grayling (312 fish)
1992: Arctic Grayling (300 fish)

Comments: Grayling were stocked in 1985, '91, '92 & '97 but no fish have been sampled. Local outfitter reports catching gr's up to 17" in '95, but none in '96. Grayling stocked every 8 years.

Camp sites: Really nice camp sites. Plenty of firewood available.

Survey Notes:

D Hagenston 8/95 - no sign of fish. No fish seen in '96. Lake water clear. Visibility down to 10-12'. Tons of fish feed in this Lake. Two nets set in 2002.
D Hagenston 8/99 - no fish activity, lots of shrimp. '97 grayling plant may have gone into Marsh Lake. Good grizzly country! 2012 FWP survey 15 hr net set caught 1 fish. 1 Col. Sp. Frog seen.

North Hidden Lake (aka. Marmot Lake, Renie Lake)

DRAINAGE: Clarks Fork
Location: 45.02043, -109.63608
Section: 9S17E28BA
Marcuson's Code: 228

ELEV: 9900
ACREAGE: 15.3
DEPTH: 55 FT

Access: Trails from Hwy 212 near Beartooth Butte serve the area. The lake is NE of granite lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	8.5	(8.25)	+780	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	12	8.7	6.7-10.8
2006	Brook Trout	23	9.2	7-11

Stocking History

Stocking Plan

Comments:

Camp sites: Some nice spots to camp. Firewood limited.

Survey Notes:

The 2015 sample was obtained with angling for 4 hours. Not an over abundant Brook Trout population.

Nymph Lake (aka. Leo Lake)

DRAINAGE: Clarks Fork
Location: 45.06959, -109.79358
Section: 9S16E6D
Marcuson's Code: 79

ELEV: 9300
ACREAGE: 8.5
DEPTH: 55 FT

Access: Chief Joseph Trailhead. ~7 miles passing Kersey and Russel Lakes. Head toward Fossil Lake. 1/4 mile west of Lonn Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	8	(7.75)	+1,440	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat	1	18.4	-
2008	Yellowstone Cutthroat	0		-

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (850 fish)
1968: Yellowstone Cutthroat (3120 fish)

Comments: These fish have been self-sustaining since '68 from the old Yct stock. #'s might be increased by supplemental stocking with mcbrides but we should keep this population pure for long term study. 2012 decision to supplement fishery with Goose Lake strain

Camp sites: This trail gets heavy use. A few campsites. Some firewood.

Survey Notes:

1987 - 6 other fish from 10 - 14" were seen in the lake. 2-4" fish were seen in the outlet. '90 - fish were thin. Evidence of heavy use. '93 - 6 seen 16-19". The 10 in outlet 2.5-3" may not have access back to the lake.
ct'75 14, ave 10.8"; 7.3-14.0". Lundberg '00 - 9-11" thin CT's outlet area partially burned.

Otter Lake

DRAINAGE: Clarks Fork
Location: 45.0532, -109.74234
Section: 9S16E10C
Marcuson's Code: 103

ELEV: 9620
ACREAGE: 61.2
DEPTH: 177FT

Access: Take Trail #567 from Kersey Lake to russel lake. From russel lake head east approximately 3 miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	9	(9)	+1,900	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Brook Trout	10	8.2	6.6-9.3
2002	Arctic Grayling	1	14.3	14.3-14.
2002	Brook Trout	13		8-11.9
2002	Brook Trout	75	8	6-11

Stocking History

Stocking Plan

1956: Rainbow Trout (456 fish)

Comments: The brook trout are in good shape. The grayling probably came down from indian Knife Lake. This lake gets a moderate amount of use.

Camp sites: Some rocky campsites with some firewood are available.

Survey Notes:

D. Hagenston 8/7/87 9-11" eb. 7/18/90 - one eb 11.5" and one grayling 14.3" were taken in a 1 hour net set. The 12 other EB's were caught with hook and line the same day.
15 eb taken in 1975 6.7-10.3" average 8.5".

Ouzel Lake

DRAINAGE: Clarks Fork ELEV: 9410
Location: 45.07653, -109.78805 ACREAGE: 3.5
Section: 9S16E5BB DEPTH: 24 FT
Marcuson's Code: 92

Access: Approximately 5 Trail miles from Kersey Lake, 7-8 miles from the chief Joseph trailhead.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	8.25	(8.25)	+1,500	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Brook Trout	12	7.6	5.6-8.6
2002	Brook Trout	13	8.1	7-9.2

Stocking History Stocking Plan

1989: Yellowstone Cutthroat (525 fish)

1981: Yellowstone Cutthroat (423 fish)

1977: Yellowstone Cutthroat (400 fish)

Comments: The lake is located in a high use area. Absence of CT suggests heavy pressure, or more likely, heavy competition from the brookies. Cutthroats first planted in 1971. 93 plant canceled no m0re Yct plants planned in the future.

Camp sites: Some very nice campsites and firewood available.

Survey Notes:

Had been stocked every 4 years. Heavily Used Lake. D Hagenston 8/27/89 10" EB's. '89 creel cards 5 CT 8-12". D Fischer 8/91 gill net in 1990 set for 17 hours. EB's were fat.
One 11.5" cutthroat sampled in 1980.

Ovis Lake

DRAINAGE: Clarks Fork ELEV: 9600
Location: 45.07785, -109.91886 ACREAGE: 8.6
Section: 9S15E6 DEPTH: 45 FT
Marcuson's Code: 11

Access: 4x4 travel on the Goose Lake Jeep Trail. It is roughly a 3.5 mile hike in from the start of the jeep trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	.5	(0)	+240	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Rare	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Brook Trout	22	9.3	6.9-11.2
2008	Brook Trout	19	7.5	6.9-11.7

Stocking History Stocking Plan

2012: Yellowstone Cutthroat (860 fish)

2009: Yellowstone Cutthroat (860 fish)

2006: Yellowstone Cutthroat (860 fish)

Comments: Ovis Lake receives a fair amount of pressure and fish were wary during the 2014 sampling.

Camp sites: Camping sites and firewood exist.

Survey Notes:

Despite stocking every 3 years did not sample any Yellowstone cutthroat. The 2014 sample was obtained by angling for 6 hours.

Pablo Lake

DRAINAGE: Clarks Fork ELEV: 9780
Location: 45.08406, -109.80577 ACREAGE: 0.7
Section: 9S15E1AB DEPTH: 12 FT
Marcuson's Code: 83

Access: From clarks Fork Trailhead take Trail #3 past Kersey Lake to Trail #567, up Russell Creek past bald knob lake to skull lake then west 1/4 mile.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	9.5	(9.25)	+1,730	-150

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Golden Trout	7	8.9	7-12.75
1996	Golden Trout	8	8.2	6.6-9.1

Stocking History Stocking Plan

2005: Golden Trout

Comments: Fish here have resulted from the 1984 plant of goldens into Picasso Lake just upstream. No upstream movement from here back to picasso is possible.

Camp sites: Rocky with no firewood. Camping is better near bald Knob Lake.

Survey Notes:

Inlet is cobble/boulder. Outlet has some gravel (found in pool downstream too). '96 fish were average to thin. 4-10" fish were observed. Sample with picasso

Pneumonia Lake

DRAINAGE: Clarks Fork ELEV: 9880
Location: 45.09764, -109.84345 ACREAGE: 3.6
Section: 8S15E34AA DEPTH: 33 FT
Marcuson's Code: 46

Access: East of Skytop Creek and north of Moccasin Lake. No Trail leads to the lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	5.5	(5)	+1,200	-600

Last sample: 1987

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1987	No Fish Captured	-	-	-

Stocking History Stocking Plan

Comments: No fish caught in gill nets '73 & '87.

Camp sites: No firewood.

Survey Notes:

Little need for a new fishery in this area. Leave fishless.

Production Lake

DRAINAGE: Clarks Fork ELEV: 10070
Location: 45.10259, -109.83388 ACREAGE: 3.1
Section: 8S15E26CD DEPTH: 42 FT
Marcuson's Code: 44

Access: Goose Lake Jeep Trail - lady of the Lake Creek - Broadwater River. Then head up sky top creek and turn east ~3/4 mile below lone elk lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	6.5	(5)	+3,450	-700
Lady Of The Lake	8.5	(7)	+3,600	-500
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Common	Self-Sustained		

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Brook Trout	29	9.5	7.7-10.4
2003	Brook Trout	17	9.2	8-10

Stocking History

Stocking Plan

Comments: Self-sustaining brookies. '96 fish were thin. Pat marcuson said tommy garrison most likely planted EB's here in the late 50's or early 60's.

Camp sites: Above tree line. Few places to camp. Rocky. No firewood.

Survey Notes:

'89 creel cards - 2 eb <8-<12". D Hagenston 8/95 brookies 7-10" with big heads. V Ichioka 8/95 EB's - many 5-9"ers.
Fwp sampled 03, angled for 1 hour, 17 fish caught. A few fish prob. Make it down to recruitment during high water.
2012 FWP netting & angling caught 29 EB 4.5 hrs.

Rachel Lake (aka. Wall Lake)

DRAINAGE: Clarks Fork ELEV: 9900
Location: 45.03273, -109.62978 ACREAGE: 14.4
Section: 9S17E21AA DEPTH: 28 FT
Marcuson's Code: 214

Access: 4 miles on Clay Butte Trail #618 to Thiel Lake trail. Past Thiel Lake to Kidney, Wright, and Martin Lakes. Wall Lake is above Martin.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clay Butte #618	11.25	(9.75)	+1,050	-620
Muddy Creek				
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Abundant	Self-Sustained		

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Brook Trout	48	7.6	4.6-9.3
2005	Brook Trout	20	7.4	6-9.3

Stocking History

Stocking Plan

Comments: Brook Trout are very abundant here. Legal harvest of brook trout is encouraged here.

Camp sites: Many places to camp. Some firewood.

Survey Notes:

Many 3-4 inch Brook Trout observed in the shallows during 2015 survey.

Recruitment Lake

DRAINAGE: Clarks Fork ELEV: 10038
Location: 45.09887, -109.83779 ACREAGE: 13.1
Section: 8S15E26 DEPTH: 53 FT
Marcuson's Code: 45

Access: Head up sky Top Creek then head east approximately 1 mile below lone Elk Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	6	(5)	+1,400	-600
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Common	Self-Sustained		

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Brook Trout	13	11.4	7.5-16.9
1992	Brook Trout	2	14.4	11.9-17.

Stocking History

Stocking Plan

Comments: No natural reproduction occurs. Fish move into this lake from production lk<#44>. Management of #44 affects recruitment lake. Above treeline.

Camp sites: There is very little firewood and few flat places to camp.

Survey Notes:

'92 -20"er fell out of net. V Ichioka 8/95 very slow fishing. One 20" 3.5 lb eb. Lake and fish were full of fairy shrimp. Glen Owens says the fish here are still large - '00. Little need at present to net this Lake. One eb -18" seen in 2003.
8/1/08 Owens angled 7 eb 7-14". 2012 FWP survey net set 15 hrs caught 13 EB. Also angled 3.

Robin Lake (aka. Whitcomb Lake)

DRAINAGE: Clarks Fork ELEV: 9575
Location: 45.02327, -109.65603 ACREAGE: 8.3
Section: 9S17E20CD DEPTH: 58 FT
Marcuson's Code: 207

Access: Trails from the Beartooth Butte area on Hwy 212 serve the area. The lake is east of Lake Elaine.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Clay Butte	10.5	(9.75)	+800	-690
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Abundant	Self-Sustained		

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Brook Trout	47	9	7.2-10.7
2003	Brook Trout	35	7.3	5.3-11

Stocking History

Stocking Plan

Comments:

Camp sites: Kind of wet & rocky but there are places to camp. Plenty of firewood.

Survey Notes:

During the 2015 survey, 7 of the 47 fish sampled were collected with 1 hour of angling.

Rock Island Lake

DRAINAGE: Clarks Fork ELEV: 8166
Location: 45.01568, -109.81024 ACREAGE: 137.0
Section: 9S15E25,26 DEPTH: 110FT
Marcuson's Code: 73

Access: 3.25 miles from Kersey Lake Trailhead. Past Kersey take right Trail #565 -.75 miles to rock island.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	3.25	(3.25)	+350	-250

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Brook Trout	7	13	11.4-13.
2013	Yellowstone Cutthroat	9	13.1	7.8-16.7

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (13700 fish)

2008: Yellowstone Cutthroat (13700 fish)

2005: Yellowstone Cutthroat (13700 fish)

Comments: Fished heavily by locals year round.

Camp sites: Many well used camp spots. Firewood available.

Survey Notes:

Stocked every 3 years. Heavily fished lake.

Rock Tree Lake

DRAINAGE: Clarks Fork ELEV: 9820
Location: 45.06122, -109.74335 ACREAGE: 18.1
Section: 9S16E10B DEPTH: 130FT
Marcuson's Code: 104

Access: Take Trail #567 from Kersey Lake to rusel lake. From rusel lake head east 3 miles. The lake is 1/2 mile north of otter lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	10.5	(10)	+2,300	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Stocked

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Golden Trout	6	6.8	5.9-7.9
2007	Golden Trout	0		-

Stocking History

Stocking Plan

2012: Golden Trout (1500 fish)

2017: Golden Trout (1500 fish)

2009: Golden Trout (2000 fish)

2008: Golden Trout (1500 fish)

Comments: Apparently self-sustaining in '88 with numerous 4-6" fish observed in the outlet stream and in small pond along the outlet. No trout sampled or observed '90. Restock with GT when available. Stocked '08 and '09, monitor GT in coming years.

Camp sites: Rocky campsites. Scarce firewood.

Survey Notes:

Fairy shrimp (eubranchiopoda-anostraca) are common. The good food supply dictates restocking. Cutthroats were planted in 1968. Gill net in 1990 was set for 18 hours, 15 hours in 1999. Fair spawning potential in inlet and outlet. (small areas of good gravel) bottom Of Lake is silt and boulders. Fwp sampled 07,17 hour set.

Rough Lake

DRAINAGE: Clarks Fork ELEV: 10150
Location: 45.12119, -109.82467 ACREAGE: 102.2
Section: 8S15E23 DEPTH: 110FT
Marcuson's Code: 36

Access: Long Lake toward lady of the lake. Then north to Broadwater River /zimmer Creek. Cross river and stay on north side of sky top creek to rough.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	6.5	(6.5)	+1,600	-600
Lady Of The Lake	8	(8)	+1,900	-450

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	25	8.8	7.4-9.9
1998	Brook Trout	29	8.7	5.9-11.4

Stocking History

Stocking Plan

1992: Arctic Grayling (10220 fish)

1955: Arctic Grayling

1938: Brook Trout (4320 fish)

Comments: Grayling were the result of the plant in sky Top Creek Lakes in 1955. Are there any left? None found in '87, '93 gillnets. '89 creel cards - 25 eb 8-12". Excellent inlet/outlet spawning.

Camp sites: Some flat places near inlet. No firewood. Above tree line.

Survey Notes:

1973 net took 5 gr 12.1-14.1" and 24 eb 6.0-11.8". D Arneson 8-86 caught many 5-8" eb. D Fischer 8/91 small eb, too Many. Lake trout introduction contemplated. Grayling were planted in 1992. Fish in '93 had good body size but large heads, fairly healthy.

V Ichioka 8/95 caught many EB's 7-10". Turbid glacial tint to water, brown near outlets. 2012 FWP survey 4 hr net set caught 25 EB.

Round Lake

DRAINAGE: Clarks Fork ELEV: 9340
Location: 45.07418, -109.90677 ACREAGE: 31.0
Section: 9S15E6D DEPTH: 32 FT
Marcuson's Code: 8&9

Access: Right on the Goose Lake Jeep Trail out of cooke city. With a 4wd one wouldn't need to walk more than a few steps to reach the lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	0	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Rare	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Brook Trout	17	11.6	8.9-14.6
2003	Yellowstone Cutthroat	2	11.3	10.4-12.
2003	Brook Trout	9	8.5	6.3-11.7

Stocking History

Stocking Plan

1949: Rainbow Trout (3570 fish)

1946: Yellowstone Cutthroat (4000 fish)

1940: Brook Trout (10000 fish)

Comments: Periodic surveillance to monitor population trends. Eb planted in '33 & '39, CT in '41. The forest service maintains a rental cabin here.

Camp sites:

Survey Notes:

1969 survey - 18 eb 8.8-13.9" ave 11.3". 2 CT 7.3-7.9" ave 7.6". 1987 survey - 17 eb 6.3-12.8" ave 9.4 2 CT 6.7-7.5" ave. 7.1" beano sheridan heard of fat 14-16" brookies taken here in '96 from a raft. 2-3" fish seen near outlet in '03. 1995 - 19 eb 6.2-14.1" ave. 9.8" & 4 CT 8.6-11.5" ave. 10.0".

Russell Lake

DRAINAGE: Clarks Fork ELEV: 8780
Location: 45.06113, -109.79038 ACREAGE: 27.5
Section: 9S16E7A DEPTH: 95 FT
Marcuson's Code: 77

Access: Take Usfs Trail #567 from chief Joseph campground.
Approximately 6 trail miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	6	(6)	+1,200	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Brook Trout	61	7.4	6.5-10.5
1993	Brook Trout	54	8.8	6.5-11.3

Stocking History

Stocking Plan

Comments: Good fishery for campers and hikers.

Camp sites: Nice places but hard to get far from water. Firewood available

Survey Notes:

Major use. Shoreline beaten down Along Trail. '93 fish were small but healthy. Some had large heads indicative of stunting.
Fwp sampled 07,13.5 hour set, many average fish.

Sedge Lake

DRAINAGE: Clarks Fork ELEV: 9100
Location: 45.05412, -109.81762 ACREAGE: 4.7
Section: 9S15E13,14 DEPTH: 28 FT
Marcuson's Code: 62

Access: Trail #567 1/2 mi to Jeep Trail #306. Up #306 to Broadwater River Trail #564. Head x-country east before Curl Lake to Sedge Creek then up east side.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	6.5	(4)	+1,200	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	10	10.1	6.9-13.4
2011	Yellowstone Cutthroat	12	9.8	7.6-12

Stocking History

Stocking Plan

1997: Arctic Grayling (489 fish)

1992: Arctic Grayling (470 fish)

Comments: This area is in the middle of the 1988 fire.

Camp sites: East side wasn't burned. Wood and campsites are present but it is rocky.

Survey Notes:

The 2015 sample was obtained with 2 hours of angling. During the 2015 survey 2 fish were observed spawning in the inlet.

Shelter Lake

DRAINAGE: Clarks Fork ELEV: 10040
Location: 45.11089, -109.8388 ACREAGE: 6.8
Section: 8S15E26BB DEPTH: 45 FT
Marcuson's Code: 34

Access: Goose Lake Jeep Trail - lady of the Lake Creek - Broadwater River. Then head up the north side of sky top creek on an unmaintained trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	7	(6.5)	+3,450	-700
Lady Of The Lake	9	(8.5)	+3,600	-500

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Brook Trout	10	6.9	5.6-8.3
1996	Brook Trout	8	8.2	7.7-9.3

Stocking History

Stocking Plan

Comments: No change in management. EB's averaged 8" in 1988. '96 fish were average to thin. Seasonal inlet. Outlet is cobble and sand.

Camp sites: Above tree line. Few places to camp. Rocky. No firewood.

Survey Notes:

Dennis Hagenston 8/92 reports 6-8" brook trout - average condition. Evidence of some use in '96. Six of the '96 fish were angled. Overnight net set produced only two fish.
Big heads, small bodies in 2010.

Skeeter Lake

DRAINAGE: Clarks Fork ELEV: 9310
Location: 45.00829, -109.6841 ACREAGE: 10.7
Section: 9S17E30CC DEPTH: 25 FT
Marcuson's Code: 149

Access: Granite Lake Trail #618 from Hwy 212 near Beartooth Butte. Lake is west of Granite Lake. Head straight north from spaghetti lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte #618	8	(7)	+800	-900
Crazy Lakes	6	(3)	+1,200	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Stocked

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Arctic Grayling	0		-
2005	Arctic Grayling	0		-

Stocking History

Stocking Plan

2008: Arctic Grayling (1100 fish)

2004: Arctic Grayling (1072 fish)

1997: Arctic Grayling (1106 fish)

Comments: Lake doesn't seem very promising-shallow, weedy. There doesn't seem to be an inlet or outlet - little chance for spawning. The entire bottom seemed to be heavily silted. Check reproduction.

Camp sites: There are campsites and firewood but the lake is aptly named.

Survey Notes:

60-70% Of Lake covered with lily pads. '89 fish 14.9" was in good shape. Saw no other fish. Water temp was warm - 66of. '94 fish were fat and healthy with lots of abdominal fat. No sign of repro. '99 fish had been eating mosquito larvae. M anderson 9/99 saw 13-14" gr's near shore. Muddy Creek Trailhead 11 miles (10), +1,230, -0. Gr planted '85. G Owens '04 no fish seen. 2012 FWP survey NO fish caught. 14 hr net set.

Skull Lake

DRAINAGE: Clarks Fork ELEV: 9640
Location: 45.08555, -109.80297 ACREAGE: 5.5
Section: 8515E36 DEPTH: 16 FT
Marcuson's Code: 82

Access: Usfs Trail #567 from Kersey Lake. The lake is in between bald knob and Kersey Lakes.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	9	(9)	+1,700	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Brook Trout	23	7.7	6.9-8.4
1993	Brook Trout	6	8.1	7-9.6

Stocking History

Stocking Plan

Comments: The lake is overcrowded with brookies. Reproduction is obvious.

Camp sites: Some nice places, but why camp here? No firewood.

Survey Notes:

'89 creel cards - 27 eb <8", 2 8-12" range. '93 - just after ice out. No fish rising - all feeding on the bottom - missed the net. The fish caught were small and thin. Arlen lundberg and crew caught 60-70 5-10" brookies in '00. Surveyed 08, no changes from 93.

Sky Top Lakes

DRAINAGE: Clarks Fork ELEV: 10380
Location: 45.12397, -109.80949 ACREAGE: VARY
Section: 8515E24 DEPTH:
Marcuson's Code: 37

Access: The lakes are in the sky top drainage east of aero lake. Unmaintained Trail. There are seven lakes.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	10-12	(7)	+2,300	-1,000

Last sample: 1993

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1993	No Fish Captured			-

Stocking History

Stocking Plan

1955: Arctic Grayling (50000 fish)

Comments: Grayling eggs were planted in 1955 but they appear to have drifted downstream into Rough Lake. Water in lakes is a little cloudy (glacial milk). These lakes are considered fishless please report any catches to MFWP.

Camp sites: Very rocky. No firewood.

Survey Notes:

'93 - no sign of any fish. Upper 3 Lakes frozen 8/4/93. Two lower lakes 50 & 90% ice covered. Consider stocking the lower 4 lakes #37, 38, 39, 40, with either mCT's or gt's. Spawning gravel in spots between lakes. No aquatic vegetation seen. Three types of crustaceans present. D Fischer '91 - met parties in past years who reported big! CT's in streams. Please report any fish caught from any of These Lakes to MFWP.

Sodalite Lake

DRAINAGE: Clarks Fork ELEV: 9840
Location: 45.08508, -109.81645 ACREAGE: 25.8
Section: 9S15E1,2 DEPTH: 90 FT
Marcuson's Code: 57

Access: Head of Sodalite Creek. Can easily be reached from fossil and bald Knob Lakes. Seldom Traveled Trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	10	(9)	+2,000	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Brook Trout	22	9	6-10.4
1993	Brook Trout	4	8.7	6.6-9.6

Stocking History

Stocking Plan

1959: Yellowstone Cutthroat (2110 fish)

Comments: The lake is overcrowded. '93 - the fish were average in appearance, but the 9" ones had huge heads indicating stunting. Fry seen.

Camp sites: Some nice spots. No firewood available.

Survey Notes:

1993 - just after ice out and the eb were still in deep water resulting in the poor # of trout per net. Surveyed 08, lots of fish, eat some.

Spaghetti Lake

DRAINAGE: Clarks Fork ELEV: 9190
Location: 45.00485, -109.68947 ACREAGE: 6.3
Section: 9S16E36AA DEPTH: 54 FT
Marcuson's Code: 150

Access: The lake is west of granite lake. Trailhead to granite lake is on Hwy 212 near Beartooth Butte. If you use crazy lakes Trailhead use gps after leaving copeland lake. Use lat long below in dec. Degree.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte #618	8	(7)	+700	-900
Crazy Lakes	5.5	(3)	+1,000	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Stocked

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Arctic Grayling	0		-
2007	Arctic Grayling	1		-

Stocking History

Stocking Plan

2008: Arctic Grayling (630 fish)

2004: Arctic Grayling (998 fish)

1997: Arctic Grayling (630 fish)

Comments: Both inlet and outlet are marshes. Seems to be little spawning potential. Substrate is very silty. No sign of '88 fire. Gr stocked every 8 years. Gr first stocked in 1985.

Camp sites: Some nice places to camp. Plenty of firewood.

Survey Notes:

'89 15.8 & 16" fish were extremely fat. Lake was warm - 64of. '94 fish were fat and healthy. 3 hook & line were 11-13". The 18.5"er was probably from the '85 plant. Glen Owens '00 - very fat 14-16.5" gr. '04 a few fish rising - none caught. 2012 FWP survey 13.5 hr net set caught NO GR.

Splinter Lake (aka. Sliver Lake)

DRAINAGE: Clarks Fork
Location: 45.09116, -109.85327
Section: 8S15E34C
Marcuson's Code: 48

ELEV: 9520
ACREAGE: 6.9
DEPTH: 22 FT

Access: The outlet drains into sky Top Creek near it's confluence with lower Aero Creek. No Trail. Cross sky Top Creek at outlet of lower aero there is a faint trail that leads south towards Cliff Lake then ne. To sliver.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	5	(4.5)	+900	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2006

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2006	Brook Trout	16	9.7	6-11.5
1992	Brook Trout	24	9.2	6.8-10.5

Stocking History

Stocking Plan

Comments: The outlet from Hunger Lake #47 flows into sliver lake and during high flows some eb make it to sliver lake. Spawning is probably taking place in 2 temporary inlets as fish are now stunted.

Camp sites: Beautiful Lake. Lots of firewood. Nice place to camp.

Survey Notes:

Just below timberline. D Arneson 8/86 - medium #'s of 8-12" eb. D Hagenston 8/92 8-10" big heads, skinny bodies. D Hagenston, v Ichioka, 8/95 6-11" EB's, average shape.

Access is from the lady of the Lake Trailhead or from a trailhead between long and round lakes on the Goose Lake jeep trail. MFWP survey 06, 6-11.5" fish, lake is .5 miles NE of Cliff Lake.

Spogen Lake (aka. Little Falls Lake)

DRAINAGE: Clarks Fork
Location: 45.02581, -109.64972
Section: 9S17E20D
Marcuson's Code: 209

ELEV: 9620
ACREAGE: 11.4
DEPTH: 40 FT

Access: Trails from the Beartooth Butte area on Hwy 212 serve the area. The lake is east of Lake Elaine and Green Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	10	(9.75)	+800	-640

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	22	7.4	5.5-8.9
2005	Brook Trout	18	7.2	6.3-9.3

Stocking History

Stocking Plan

Comments: One of the prettiest spots in the world. The over abundant Brook Trout would benefit from some harvest. Legal harvest of Brook Trout is encouraged here.

Camp sites: Nice campsites, plenty of firewood.

Survey Notes:

The 2015 sample was obtained by angling for 1.5 hours. There were some very skinny fish sampled in 2015.

Star Lake

DRAINAGE: Clarks Fork
Location: 45.0948, -109.90944
Section: 8S15E31AC
Marcuson's Code: 14

ELEV: 9646
ACREAGE: 7.9
DEPTH: 36 FT

Access: Star Lake is on the Goose Lake Jeep Trail. A 4x4 truck can make it to the lake but it won't necessarily like doing it. Roughly a 4 mile hike in from the start of the Jeep trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	0	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	12	10.4	8.4-15.1
2012	Yellowstone Cutthroat	3	11.6	11.3-11.

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (790 fish)
2008: Yellowstone Cutthroat (790 fish)
2004: Yellowstone Cutthroat (790 fish)

Comments: The lake is stocked on a 4 year cycle because the proximity to the Goose Lake Jeep Trail.

Camp sites: Some camping sites. Firewood available but not plentiful. Next to Jeep Trail.

Survey Notes:

The Yellowstone cutthroat were average condition and no sign of reproduction was observed.

Stash Lake

DRAINAGE: Clarks Fork
Location: 45.09203, -109.83578
Section: 8S15E35BC
Marcuson's Code: 55

ELEV: 9985
ACREAGE: 3.1
DEPTH: 24 FT

Access: Goose Lake Jeep Trail - lady of the Lake Creek - Broadwater River. Then up the north side of sky top creek to 1/2 mile past Aero Creek then east.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	7	(5)	+3,400	-600
Lady Of The Lake	9	(7)	+3,550	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Yellowstone Cutthroat	20	10.9	7.4-13.3
2005	Yellowstone Cutthroat	1	14.8	14.8-14.

Stocking History

Stocking Plan

2007: Yellowstone Cutthroat (310 fish)
1999: Yellowstone Cutthroat (310 fish)
1991: Yellowstone Cutthroat (411 fish)

Comments: 8 year stocking schedule. Reproduction is doubtful. Drop to 75 or 100/acre.

Camp sites: A few places to pitch a tent. Some firewood is available.

Survey Notes:

D Hagenston 8/92 reports no indication of fish. D Hagenston 8/95 reports 11" CT's - average condition. V Ichioka 8/95 reports many 10-12" healthy CT's. '96 fish were thin. The '05 fish was fat and healthy looking. One other fish seen -15".

Summerville Lake

DRAINAGE: Clarks Fork ELEV: 9560
Location: 45.04671, -109.66701 ACREAGE: 43.0
Section: 9S17E17,18 DEPTH: 50 FT
Marcuson's Code: 174

Access: Trail #618 4 mi to fork. Then 6 miles to Thiel Lake & on to kidney lake. Ford Creek at wright lake & take trail to green lake. Head n thru saddle.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	12	(12)	+1,300	-600

Muddy Creek, Crazy Lks

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	30	8.3	7.1-9.2
1995	Brook Trout	34	8.8	6.3-11.2

Stocking History

Stocking Plan

Comments: Typical Brookie Lake. Inlet has good spawning potential.

Camp sites: Some firewood available but a lack of nice flat camp spots.

Survey Notes:

'95 fish were average to thin. 2012 FWP survey 3 hr net set caught 14 EB / 2 angled 1 hr caught 16 EB. 1 Col. Sp. Frog seen.

Surprise Lake

DRAINAGE: Clarks Fork ELEV: 9860
Location: 45.08733, -109.83187 ACREAGE: 7.1
Section: 8S15E35CA DEPTH: 33 FT
Marcuson's Code: 54

Access: Long Lake toward lady of the lake then n to Broadwater River up n side of Skytop Creek to Aero Creek. Then s to cliff-sliver-moccasin-weasel-surprise.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	6	(3)	+1,300	-600
Lady Of The Lake	7.5	(4.5)	+1,600	-450

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	18	9.7	6.4-13.9
2004	Yellowstone Cutthroat	17	10.1	8-13.5

Stocking History

Stocking Plan

1993: Yellowstone Cutthroat (700 fish)

1989: Yellowstone Cutthroat (400 fish)

1985: Yellowstone Cutthroat (708 fish)

Comments: This lake was producing the trophy fishery as intended. We've stopped its 8 year stocking rotation to account for the natural reproduction. CT's planted in '68 & '77.

Camp sites: Little used. Few rocky camping sites. Firewood is available.

Survey Notes:

'89 creel cards - 13 CT <8". 7/89 - fishermen report large CT's, 5-6 lbs. D Hagenston 8/92 reports 11-16" CT's in average condition. V Ichioka 8/95 - many 5-7" CT's a little on the skinny side. Extra plant '89 may have slowed the growth rate a bit. '98 - 8-10"ers seen rising. Hold off '01 plant to assess reproduction. 2 CT '73 both 16.5". '04 fish not very fat, food seems scarce.

Swamp Lake

DRAINAGE: Clarks Fork ELEV: 8900
Location: 45.06311, -109.88116 ACREAGE: 10.4
Section: 9S15E8 DEPTH: 21 FT
Marcuson's Code: 17

Access: Take the trail up lady of the Lake Creek (#31). Then head east - cross country - from the outlet of lady of the lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lady Of The Lake	3	(1.5)	+600	-450

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	11	13.5	12.6-14.
2006	Yellowstone Cutthroat	19	11.8	10-12.8

Stocking History

Stocking Plan

2009: Yellowstone Cutthroat (1040 fish)

2003: Yellowstone Cutthroat (1040 fish)

1997: Yellowstone Cutthroat (1040 fish)

Comments: Most of the area around the lake is somewhat boggy.

Camp sites: Few camp sites. Plenty of firewood. No sign of '88 fire.

Survey Notes:

MFWP survey 2006, 10-13" fish, average health. The small pond below has brook trout

Thiel Lake (aka. Thiel Lake)

DRAINAGE: Clarks Fork ELEV: 9260
Location: 45.00705, -109.6459 ACREAGE: 18.5
Section: 9S17E28,29 DEPTH: 35 FT
Marcuson's Code: 232

Access: Trails from Hwy 212 near Beartooth Butte serve the area. The lake is east of granite lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	6	(6)	+100	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Brook Trout	34	7.7	5.6-10.2
2003	Brook Trout	8	6.4	5.7-7

Stocking History

Stocking Plan

1940: Brook Trout (5000 fish)

1937: Brook Trout (4000 fish)

Comments: The vegetation is plentiful along the shoreline. The area is frequented by grizzly bears.

Camp sites: Nice campsites. Plenty of firewood available. Some trash.

Survey Notes:

33 of the 34 fish sampled collected by angling and of the 33 fish 20 were obtained at the small pond in the outlet.

Throop Lake (aka. Swede Lake)

DRAINAGE: Clarks Fork ELEV: 9810
Location: 45.01306, -109.63096 ACREAGE: 11.8
Section: 9S17E28D DEPTH: 84 FT
Marcuson's Code: 235

Access: Four miles on clay Butte Trail to Thiel Lake trail. Past Thiel Lake 1/2 mile to swede lake outlet stream. Stay on east side of stream.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte #618	7	(6.5)	+600	-280
Muddy Creek	9	(8.5)	+1,000	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	32	10.1	7-18.1
2006	Yellowstone Cutthroat	6	12.1	11.3-13.

Stocking History

Stocking Plan

1996: Yellowstone Cutthroat (590 fish)
1988: Yellowstone Cutthroat (1168 fish)
1980: Yellowstone Cutthroat (1179 fish)

Comments: Reproduction is occurring as .5-1" fish were seen in '89 and lots of 5-6" fish in '94 & 3-4" fish in '00. No obvious spawning areas. Monitor closely for continued reproduction.

Camp sites: Nice campsites and some firewood available. No sign of 88 fire

Survey Notes:

Steve swedberg reports 13-16" CT's in '86. Fish were rare. D Arneson 7/88 caught six 12" cutts in 1/2 hour. Mark Barrett 7/93 lots of fish 6-12", some looked good, others thin. Fish trying to spawn in the inlet stream.
USGS map also has another Throop Lake located just upstream from second rock lake. MFWP survey 06, few and thin fish, may need to be put back on planting sched. Spawning habitat poor. No reproduction.
2012 FWP survey 13.5 hr net set 32 YCT caught.

Trail Lake

DRAINAGE: Clarks Fork ELEV: 9800
Location: 45.02962, -109.65242 ACREAGE: 7.1
Section: 9S17E20AC DEPTH: 55 FT
Marcuson's Code: 208

Access: Trails from the Beartooth Butte area on Hwy 212 serve the area. The lake is east of Lake Elaine.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	10.5	(10.5)	+980	-640

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	4	16.5	14.5-17.
2009	Yellowstone Cutthroat	9	14.1	13.5-14.

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (535 fish) 2019: Yellowstone Cutthroat (533 fish)
2003: Yellowstone Cutthroat (535 fish)
1995: Yellowstone Cutthroat (710 fish)

Comments:

Camp sites: A couple of nice places. Plenty of firewood.

Survey Notes:

In 2015 it was a good gill net set and suspect a low abundance of fish present.

Triangle Lake

DRAINAGE: Clarks Fork ELEV: 9830
Location: 45.05664, -109.73413 ACREAGE: 6.3
Section: 9S16E10DB DEPTH: 55 FT
Marcuson's Code: 110

Access: Take Trail #567 from Kersey Lake to russel lake. From russel head east 3.5 miles. The lake is NE of otter lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	10	(9.75)	+2,100	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Yellowstone Cutthroat	14	13.3	10.7-14.
2001	Yellowstone Cutthroat	1	14.5	14.5-14.

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (630 fish) 2019: Yellowstone Cutthroat (630 fish)
2003: Yellowstone Cutthroat (630 fish)
1995: Yellowstone Cutthroat (630 fish)

Comments: CT's stocked in '79. D. Hagenston 8/8/87 11" CT fat. No spawning potential in outlet or inlet. 2001-lake is 5-6' below full pool. Water code #22-9488.

Camp sites: Not much firewood or good places to camp. Better down below.

Survey Notes:

'92 fish were ave weight to very thin. All from '87 plant. No signs of spawning colors. Changing stocking plan to 100/acre every 8 years in '95. There are signs of use and this lake will provide a decent outing for pan-sized fish. '99 fish were fat. YCT eating eggs in '10.

Triskele Lake (aka. Wednesday Lake)

DRAINAGE: Clarks Fork ELEV: 10200
Location: 45.04012, -109.60654 ACREAGE: 6.2
Section: 9S17E15DA DEPTH: 12 FT
Marcuson's Code: 218

Access: 8+ miles up from Island Lake. Good Trail to golden lake then over the hill southeast. It's the first lake upstream from cloverleaf lake #217.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Island Lake Wy	8.5	(6)	+1,000	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2005

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2005	Yellowstone Cutthroat	14	10.9	7-15

Stocking History

Stocking Plan

Comments: This lake was considered fishless till dennis Hagenston caught 12" cutthroats (average condition) summer 1995. Cloverleaf lakes #215, 216, & 223 were stocked with cutthroats in 1975.

Camp sites: Questionable camping. No firewood.

Survey Notes:

Did fish find their way here from Cloverleaf Lake #217? Fish passage is apparently possible through the stream between the lakes. Sample along with the cloverleaves.

Two Bits Lake (aka. Tuesday Lake)

DRAINAGE: Clarks Fork ELEV: 10194
Location: 45.04637, -109.60295 ACREAGE: 13.1
Section: DEPTH: 16 FT
Marcuson's Code:
Access: 8+ miles up from Island Lake. Good Trail to golden lake then over the hill southeast.

TRAILHEAD: DISTANCE: TRAIL: ELEVUP: ELEVDOWN:
Island Lake WY 8.5

SPECIES PRESENT ABUNDANCE STATUS
Yellowstone Cutthroat Common Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	18	15.2	12.1-17.

Stocking History Stocking Plan

Comments: Yellowstone Cutthroat likely migrated here from Cloverleaf lakes.

Camp sites: Camping is tough, rocky. Firewood is scarce.

Survey Notes:

Unnamed Cf089a

DRAINAGE: Clarks Fork ELEV: 10260
Location: 45.10781, -109.80979 ACREAGE: 1.7
Section: 8S15E25BD DEPTH: 17 FT
Marcuson's Code: 89A
Access: Usfs Trail #567 from Kersey Lake. From the saddle near Fossil Lake head to the west and north of windy lake. Take the 3rd draw heading north.

TRAILHEAD: DISTANCE: TRAIL: ELEVUP: ELEVDOWN:
Clarks Fork 11.5 (9.5) +2,480 -280

SPECIES PRESENT ABUNDANCE STATUS
Yellowstone Cutthroat Common Self-Sustained

Last sample: 1996

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1996	Yellowstone Cutthroat	11	8.4	6.9-13.4

Stocking History Stocking Plan

Comments: Trout moved down from stephanie. These fish appear to be reproducing. No Trails. No horse traffic.

Camp sites: Few good campsites. Rocky, camp below. No firewood.

Survey Notes:

Many fish in this lake.

Upper Aero Lake

DRAINAGE: Clarks Fork ELEV: 10140
Location: 45.12639, -109.84089 ACREAGE: 291.8
Section: 8S15E14,15 DEPTH: 195FT
Marcuson's Code: 31
Access: Long Lake Trailhead north to Zimmer Creek. Good trail to lower aero up Zimmer Creek & over saddle. Path around west side. Possible day hike.

TRAILHEAD: DISTANCE: TRAIL: ELEVUP: ELEVDOWN:
Goose Lake Jeep Trail 7 (6) +1,400 -650
Lady Of The Lake 8.5 (7.5) +1,600 -250

SPECIES PRESENT ABUNDANCE STATUS
Yellowstone Cutthroat Abundant Stocked

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Yellowstone Cutthroat	36	13.4	7.2-15.9
2004	Yellowstone Cutthroat	18	14.7	12.3-16.

Stocking History Stocking Plan

2012: Yellowstone Cutthroat (15000 fish) 2018: Yellowstone Cutthroat (29180 fish)
2006: Yellowstone Cutthroat (29180 fish)
2000: Yellowstone Cutthroat (29180 fish)

Comments: Beno sheridan reports good fishing in 1983. If size of fish declines, stocked on a 6 yr. Rotation. No real spawning potential. No good inlet. The outlet is mostly large cobble but fish are trying to spawn .

Camp sites: A few decent flat spots. No firewood. Beautiful view.

Survey Notes:

100 fish/acre may translate to much higher densities if the fish are not using the deep open water areas. Change to 50/acre every 4 yr? '81 - 8 CT - ave 14.3" - range 12.0-15.4. D Fischer 8/91 no fish. In '87 the CT's were big, 18" & full bodied. '91 fish were long & thin. '93, '97 - no fish in good net sets, saw one fish rise in '93. Investigate. 15 CT '87 8.1-14.4" ave. 10.8". '04 fish looked really good. More than 1 size class present in '10.

Upper Mud Lake (aka. Schoolarm Lake)

DRAINAGE: Clarks Fork ELEV: 9520
Location: 45.06788, -109.91169 ACREAGE: 3.0
Section: 9S15E7BA DEPTH: 25 FT
Marcuson's Code: 5
Access: No Trails lead to the lake, but it's an easy walk off of the Goose Lake jeep trail.

TRAILHEAD: DISTANCE: TRAIL: ELEVUP: ELEVDOWN:
Goose Lake Jeep Trail .5 (0) +100 -0

SPECIES PRESENT ABUNDANCE STATUS
Yellowstone Cutthroat Abundant Stocked

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat	12	13.4	11.6-15
2006	Yellowstone Cutthroat	27	11.6	10.3-14

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (150 fish) 2019: Yellowstone Cutthroat (150 fish)
2007: Yellowstone Cutthroat (150 fish)
2001: Yellowstone Cutthroat (300 fish)

Comments: Outside a-b wilderness. Survey markers in vicinity in '92. Planted on a 6 year cycle.

Camp sites: Beautiful spot with excellent camping and good firewood.

Survey Notes:

Fish were cruising along the east shore, but somehow avoided the net in 1992. CT were 1.5-2.5 lbs, 16-19". Almost a trophy fishery but reproduction appears very marginal. CT plant of 100/acre in '01 then 50/acre every 6 years. MFWP survey 06 nice healthy fish, abundant.

Varve Lake (aka. Forsaken Lake)

DRAINAGE: Clarks Fork ELEV: 10450
Location: 45.07953, -109.6325 ACREAGE: 30.5
Section: 9S17E4A DEPTH: 66 FT
Marcuson's Code: 198
Access: North of Flatrock Lake near the west fork of Rock Creek and the Clark's fork divide.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clay Butte	18	(15.5)	+1,900	-900
Muddy Creek	19	(16.5)	+2,500	-200
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Abundant	Stocked		

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	18	12.6	10.9-14.
2000	Yellowstone Cutthroat	4	11.8	11-12.8

Stocking History

Stocking Plan

2010: Yellowstone Cutthroat (2288 fish) 2018: Yellowstone Cutthroat (1525 fish)
2002: Yellowstone Cutthroat (2288 fish)
1993: Yellowstone Cutthroat (3050 fish)

Comments: This is the 2nd highest fishery in the state. Growth rate rather poor.
Will lower #'s stocked in '02. Outlet is large cobble.

Camp sites: No firewood. 1 or 2 campsites.

Survey Notes:

Water temp was 40 f. Gill net set for 5 hours in '90. D Arneson saw, caught no fish 7-88. D Hagenston 8/90 10" CT good shape. Adjust #'s stocked in '93 downWard to 100/acre. No evidence of reproduction in '90 or '00. '01 plant was missed.
Will stock 75/acre every 8 years beginning in 2002.
3,700 CT's planted in 1977.Reduced numbers to 50/acre in 2010

Vernon Lake

DRAINAGE: Clarks Fork ELEV: 7900
Location: 45.009, -109.83228 ACREAGE: 8.2
Section: 9S15E35BA DEPTH: 32 FT
Marcuson's Code: 68
Access: Good Foot Trail from Kersey Lake. Leave main trail SE just before Kersey Lake. Then 1.5 miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	3	(3)	+300	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	2	6.2	5.6-6.7
2015	Yellowstone Cutthroat	11	13.9	6-15.5

Stocking History

Stocking Plan

1947: Brook Trout (4800 fish)

Comments: Bear country!

Camp sites: Lots of use. Camping good on south side. Firewood picked over.

Survey Notes:

The 2015 gill net set was a 4 hour daytime set. Six of the eleven Yellowstone Cutthroat Trout from the 2015 sample were obtained with 2 angling hours. Both the Yellowstone Cutthroat and Brook Trout were in excellent condition.

Wand Lake (aka. Amphitheater Lake)

DRAINAGE: Clarks Fork ELEV: 9320
Location: 45.06571, -109.76871 ACREAGE: 8.7
Section: 9S16E5DD DEPTH: 16 FT
Marcuson's Code: 101
Access: Take Trail 567 from Kersey Lake to Russel Lake. From Russel Lake head east ~1.5 miles of decent path.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	7.5	(7.5)	+1,600	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Brook Trout	22	7.4	5.6-8.7
2002	Brook Trout	12	8.2	5.7-9.7

Stocking History

Stocking Plan

Comments: Brook trout were easy to catch. This location is not used excessively.
Occasional winter kill may occur.

Camp sites: Nice campsites. Firewood available but not abundant. Very little use.

Survey Notes:

Weasel Lake

DRAINAGE: Clarks Fork ELEV: 9940
Location: 45.0882, -109.83658 ACREAGE: 3.7
Section: 8S15E35CB DEPTH: 20 FT
Marcuson's Code: 54A
Access: Leave Goose Lake Jeep Trail near long lake. Head up sky Top Creek to Aero Creek. Head east 1.5 miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	5	(3.5)	+1,450	-830

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Yellowstone Cutthroat	24	11.5	10.2-12.
2009	Yellowstone Cutthroat	10	11.2	9.9-11.9

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (185 fish) 2021: Yellowstone Cutthroat (185 fish)
2005: Yellowstone Cutthroat (370 fish)
1997: Yellowstone Cutthroat (370 fish)

Comments: No fish from the '81 plant found in '87 net. On an 8 year rotation staggered with Surprise Lake. Small possibility of spawning in outlet if water was high enough.

Camp sites: Pretty place but closed in. Limited firewood.

Survey Notes:

How long was '94 net set? Stocked in 1981, 1990, then 1997 to get back on schedule with Surprise Lake. Dennis Hagenston 8/92 reports 11" CT's - average condition. V Ichioka 8/95 - one 14" ct. Very slow fishing.
'04 fish in average condition.

Widewater Lake

DRAINAGE: Clarks Fork ELEV: 8008
Location: 45.01265, -109.77689 ACREAGE: 110.7
Section: 9S16E29 DEPTH: 110FT
Marcuson's Code: 72

Access: Usfs Trail #567 to Kersey Lake. Then head east on Trail #3.
Total trip -6 miles. Much deadfall surrounding lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	6.5	(6)	+300	-325

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Rainbow Trout	Common	Self-Sustained

Last sample: 2004

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2004	Brook Trout	3	9.2	8.3-10
2004	Arctic Grayling	0		-
2004	Rainbow Trout	12	12.3	11-13.5

Stocking History

Stocking Plan

Comments: Grayling and rainbow origin probably from up or downstream lakes. 1 spot fire from '88 visible on SE side.

Camp sites: Lots of firewood and good camping on the south end.

Survey Notes:

'89 fish were healthy but not too fat. Ave #'s sampled and ave sizes similar to '81 netting. No change in management. '89 creel cards - 3 RB 8-12" range, 1 ct?? 8-12" range. Mark Barrett 6/92 - lots of fish rising.
'89 19 eb 5.8-11.4" ave. 8.8" & 17 RB 6.6-14.1" ave. 10.4". '04 fish seemed to be in good health, normal.

Widowed Lake

DRAINAGE: Clarks Fork ELEV: 10010
Location: 45.05408, -109.71104 ACREAGE: 3.2
Section: 9S16E11DD DEPTH: 15 FT
Marcuson's Code: 123

Access: Approximately 8 miles east of Kersey Lake via canyon lake or 12 miles from Kersey via russel & otter lakes.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Ivy Lk Jeep Trail #130	9.5	(8.25)	+2,650	-700

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Unknown

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Golden Trout	0		-
2007	Golden Trout	1	10.5	10.5-10.

Stocking History

Stocking Plan

Comments: Lowest Lake in the desolation lake chain. GT were first planted in desolation lake upstream in '82. Downstream movement was the goal. No fish caught in net in '84.

Camp sites: Questionable camp spots. Scarce firewood.

Survey Notes:

Goldens planted upstream in 1982, '91, & '92. See if goldens have gotten into lake and determine status. Limited spawning potential in outlet and inlet. '01 - lake is down a good 4-5 ft below full pool. Stream between anchor & widowed had heavy algae.

Fwp sampled 07,24 hour set.

Wiedy Lake

DRAINAGE: Clarks Fork ELEV: 9010
Location: 45.06089, -109.87309 ACREAGE: 7.0
Section: 9S15E9CA DEPTH: 68 FT
Marcuson's Code: 18

Access: Trail #31 to lady of the lake. Cross the outlet stream here and at swamp lake to the east. Then continue east to weidy.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lady Of The Lake	3.5	(1.5)	+670	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	7	15.1	14.2-15.
2011	Yellowstone Cutthroat	9	13.1	12.2-14.

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (525 fish)
2007: Yellowstone Cutthroat (525 fish)
2001: Yellowstone Cutthroat (525 fish)

Comments: No spawning potential. This is a high density mosquito area. Beware of grizzly bears!

Camp sites: Adequate camping areas with plenty of firewood available.

Survey Notes:

The 2013 sample was obtained using angling for 3.5 hours.

Wright Lake

DRAINAGE: Clarks Fork ELEV: 9650
Location: 45.02855, -109.64569 ACREAGE: 7.9
Section: 9S17E21CB DEPTH: 40 FT
Marcuson's Code: 210

Access: Trails from the Beartooth Butte area on Hwy 212 serve the area. The lake is east of Lake Elaine and Green Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Clarks Fork	9.75	(9.75)	+800	-620

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	44	7.9	5.8-10.3
2006	Brook Trout	28	8.7	7.3-9.3

Stocking History

Stocking Plan

1937: Brook Trout (9600 fish)

Comments: Lots of easy to catch Brook Trout.

Camp sites: Excellent camping. Plenty of firewood available.

Survey Notes:

In the 2015 survey 15 of the 44 fish sampled was collected with 1 hour of angling. In 2015 the fish appeared in good condition but the downward trend in average size suggest some harvest may be beneficial.

Zimmer Lake

DRAINAGE: Clarks Fork
Location: 45.11985, -109.88386
Section: 8S15E20CA

ELEV: 10140
ACREAGE: 26.0
DEPTH: 55 FT

Marcuson's Code: 28

Access: East of Goose Lake. No Trail. Or one can hike up lady of the Lake Creek, then north up Zimmer creek. Good trail. Long lake trailhead is shorter.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	5	(4)	+1,420	-560
Lady Of The Lake	6.5	(5.5)	+1,580	-80
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Yellowstone Cutthroat	Common	Stocked		

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Yellowstone Cutthroat	10	11.1	8.9-13
1997	Yellowstone Cutthroat	12	9.6	8.7-11.4

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (2600 fish) 2016: Yellowstone Cutthroat (2600 fish)
2000: Yellowstone Cutthroat (2600 fish)
1992: Yellowstone Cutthroat (2600 fish)

Comments: Some reproduction occurs but it is recommended the lake be stocked every eight years. A fine layer of silt covers the spawning substrate.

Camp sites: No firewood. Poor camping. Camp below.

Survey Notes:

Eb's planted in '36, CT's in '59, '67, '68, '76, '91 - redds were visible in the outlet, and the CT were spawning. Some fry seen. Continue stocking every 8 years. 9/96 Beano Sheridan found a good supply of 10-11" fish.
The long winters of '96 & '97 may have slowed growth here. 2012 FWP survey 5.5 hr set 2 angled 2.5 hrs 10 YCT caught / healthy.

Arch Lake, Little (aka. Arch Lake)

DRAINAGE: East Rosebud ELEV: 10120
Location: 45.17364, -109.7278 ACREAGE: 6.5
Section: 7516E34,35 DEPTH: 54 FT
Marcuson's Code: 43

Access: 3 miles of Good Trail from east Rosebud Lake then 3 miles up the south side of Arch Creek <no trail>. See below.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	8	(3.5)	+3,900	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	23	15.4	14.3-16.
1996	Yellowstone Cutthroat	22	12.8	11.9-14.

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (488 fish) 2021: Yellowstone Cutthroat (488 fish)
2005: Yellowstone Cutthroat (488 fish)
1997: Yellowstone Cutthroat (488 fish)

Comments: '85 plant may have gone into upper Arch Lake. 8 - year stocking rotation. #'s lowered to 75/acre in 1997. Stay south of the creek when you can see the falls. Timber bushwacking-is a mess.

Camp sites: Little obvious use, rocky. Camping best at lower Arch Lake.

Survey Notes:

When sampled in 2013 fish were in good condition.

Big Park Lake

DRAINAGE: East Rosebud ELEV: 8276
Location: 45.12509, -109.7226 ACREAGE: 7.8
Section: 8516E14 DEPTH: 3 FT
Marcuson's Code: 19

Access: The lake is a wide spot at the confluence of east rosebud and Granite Creeks 12 miles from east rosebud lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	12	(12)	+2,200	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	11	9.2	6.5-11.7
2001	Yellowstone Cutthroat	12	8.8	6.4-14.6

Stocking History

Stocking Plan

1955: Golden Trout (1600 fish)

Comments: Fishery is part of the creek environment. No additional management needed as reproduction appears good. This lake (slough) is right on the trail but the shoreline is very marshy.

Camp sites: Camping is good at the west end and firewood is abundant.

Survey Notes:

No golden trout seen or sampled in 1990. Fish have moved downstream From Lakes above. '90 fish were fat. 11 YCT angled in 2012 .5 hrs. x 2

Billy Lake

DRAINAGE: East Rosebud ELEV: 10150
Location: 45.12203, -109.78514 ACREAGE: 10.5
Section: 8516E20 DEPTH: 56 FT
Marcuson's Code: 30

Access: Downstream from Cairn Lake near the south side of granite peak. Northwest of dewey lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	16.5	(15.25)	+4,110	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Brook Trout	37	9.5	6.6-13.8
2007	Brook Trout	14	11.4	8.25-13

Stocking History

Stocking Plan

Comments: The legal harvest of brook trout is strongly encouraged. If brook trout move downstream of Billy Lake they will negatively impact other downstream species.

Camp sites: No fires allowed. Well above tree line. Poor campsites-rocky.

Survey Notes:

No sign of fish from the falls below Billy Lake to Oly lake.

Brent Lake

DRAINAGE: East Rosebud ELEV: 10194
Location: 45.17355, -109.75479 ACREAGE: 14.6
Section: DEPTH:
Marcuson's Code: 50

Access: 7 miles up Phantom Creek Trail near east Rosebud Lake. Then 3 miles x-country upstream from phantom lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Phantom Creek	10	7		

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	8	16.5	11.1-19.

Stocking History

Stocking Plan

Comments: Fish can move into this lake from Turgulse Lake.

Camp sites: Camping is fair. Firewood is scarce. Best to camp below at Phantom Lake

Survey Notes:

Five of the eight fish were captured using angling

Cairn Lake

DRAINAGE: East Rosebud ELEV: 10186
Location: 45.13029, -109.79662 ACREAGE: 148.3
Section: 8S15E13 DEPTH: 125FT
Marcuson's Code: 31

Access: Leave Trail #15 between fossil and Dewey Lakes. Hike up the east side of Cairn Creek ~2 1/4 miles. Long lake jeep trail 7 hrs in 5 out.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Alpine (east Rosebud)	17.0	(15.25)	+4,150	-200
Long Lake Jeep Trail	8.0			
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Common	Self-Sustained		

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Brook Trout	30	10.9	6.6-15.1
2005	Brook Trout	15	14.1	12.5-15.

Stocking History

Stocking Plan

1968: Yellowstone Cutthroat (10010 fish)

1955: Golden Trout (4800 fish)

Comments: Some of the brook trout in Cairn Lake grow to respectable size.

Camp sites: Good campsites. No firewood. No fires permitted.

Survey Notes:

Crow Lake

DRAINAGE: East Rosebud ELEV: 9064
Location: 45.17825, -109.57113 ACREAGE: 11.4
Section: 7S17E36 DEPTH: 72 FT
Marcuson's Code: 1

Access: Trail from east Rosebud Lake to sylvan lake. Also accessible from lake mary on the west fork of Rock Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Sylvan Lake #13	9.5	(9.5)	+3,200	-350
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Abundant	Self-Sustained		

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Brook Trout	8	10.6	7.8-13
1994	Brook Trout	34	11.2	10.2-13

Stocking History

Stocking Plan

1934: Brook Trout (11200 fish)

1933: Brook Trout (18000 fish)

Comments: Lake would have made an excellent golden trout fishery. No special management recommended. Catch rate exceeds 4 fish/hour.

Camp sites: Fuel for fires is limited.

Survey Notes:

Beautiful Lake. Nice population of brookies. '94 - unable to Locate Trail from crow to lake mary. Two fish angled 7/22/03 10.5 & 12.1". 2012 survey 4 hr. set 8 EB caught.

Dewey Lake

DRAINAGE: East Rosebud ELEV: 9340
Location: 45.10934, -109.75747 ACREAGE: 37.3
Section: 8S16E21,28 DEPTH: 95 FT
Marcuson's Code: 23

Access: About 12 miles from east Rosebud Lake and 1 mile downstream from Fossil Lake. Good Trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Alpine (east Rosebud)	14.5	(14.5)	+3,300	-160
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Yellowstone Cutthroat	Common	Self-Sustained		

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Yellowstone Cutthroat	7	11.3	8.6-13.4
2001	Yellowstone Cutthroat	6	12.3	10-14.2

Stocking History

Stocking Plan

1991: Yellowstone Cutthroat

1985: Yellowstone Cutthroat (3706 fish)

1955: Golden Trout (4800 fish)

Comments: Golden's planted in '55. CT's stocked in 1968 and 1981. Inlet appears ideal for spawning. This is a logical stopping point for a camp.

Camp sites: Good campsites. Firewood is available but no fires permitted.

Survey Notes:

'90 gill net set for 6 hours. D Hagenston 8-29-89 - 10" CT's '98 - Ed Keyser and crew caught 14"ers, saw larger. '89 creel cards - 27 CT <8-16", 1 rb?? 12-16" range, 14 eb?? <8", 1 8-12". 12 CT's netted in '77 ave. 16.1" range 14.5-17.8". The #'s of 5-9" fish in '90 show good reproduction - cancel further plants. 12 mi hike from East Rosebud Lake gains 3000 ft & can wear out even a good hiker. 2012 survey netted 7 YCT 3.5 hrs. Angled 6. Angler report summer 2013-- fished 1 hr caught 2 YCT 13".

Duggan Lake

DRAINAGE: East Rosebud ELEV: 8840
Location: 45.11772, -109.73906 ACREAGE: 4.4
Section: 8S16E22 DEPTH: 10 FT
Marcuson's Code: 21

Access: The lake is a wide spot in east Rosebud Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Alpine (east Rosebud)	13.5	(13.5)	+2,800	-200
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Yellowstone Cutthroat	Common	Self-Sustained		

Last sample:

Stocking History

Stocking Plan

Comments: Fishery is part of the stream environment. No management plans proposed.

Camp sites: Camping available but firewood is limited.

Survey Notes:

9.1" cutthroat caught 8/6/87 age 3 or 4. '98 - Ed Keyser and crew caught 14"ers, saw larger.

East Rosebud Lake

DRAINAGE: East Rosebud
Location: 45.19587, -109.6428
Section: 7517E21,28
Marcuson's Code: 3

ELEV: 6208
ACREAGE: 111.7
DEPTH: 20 FT

Access: Approximately 45 miles south of Columbus, MT. Accessible by two-wheel drive vehicle.

TRAILHEAD: DISTANCE: TRAIL: ELEVUP: ELEVDOWN:
Alpine (east Rosebud) DRIVE TO LAKE

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Rare	Self-Sustained
Brown Trout	Common	Self-Sustained
Rainbow Trout	Common	Stocked
Yellowstone Cutthroat	Rare	Unknown

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Yellowstone Cutthroat	1	14.3	14.3-14.
2014	Rainbow Trout	7	12.5	12-13.2
2014	Brown Trout	33	14.5	9.3-26.7
2014	Brook Trout	1	8.3	8.3-8.3

<u>Stocking History</u>	<u>Stocking Plan</u>
2013: Rainbow Trout (6000 fish)	2016: Rainbow Trout (6000 fish)
2012: Rainbow Trout (5273 fish)	2017: Rainbow Trout (6000 fish)
2011: Rainbow Trout (6018 fish)	

Comments: The possibility that mcbride CT will become self sustaining appears unlikely. Desmet rainbow plants began in 1990.

Camp sites: USFS campground on the east side.

Survey Notes:

Surveyed with 2 sinking and 2 floating nets
'00 plant was short due to hatchery rebuild. '01 fish were 6-7". 3 plants, 6" RB's, 2,000 each - late May, late June, late July. 34 Longnose Suckers and 11 Mountain Whitefish sampled in 2014

Echo Lake

DRAINAGE: East Rosebud
Location: 45.13018, -109.74845
Section: 8516E15,16
Marcuson's Code: 37

ELEV: 8486
ACREAGE: 12.2
DEPTH: 21 FT

Access: 2 day hike from e Rosebud Lake on Trail #15 to just past big park lake. Take the right fork up Granite Creek. Trail is good enough for horses

TRAILHEAD: DISTANCE: TRAIL: ELEVUP: ELEVDOWN:
Alpine (east Rosebud) 13.5 (13.5) +2,500 -200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2007

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2007	Yellowstone Cutthroat	13	12.7	10.3-18.
1998	Yellowstone Cutthroat	5	12.7	9.9-15.8

Stocking History Stocking Plan

1971: Yellowstone Cutthroat (7056 fish)

Comments: Fishery was to die out by 1980, but survey in '81 found 10 year old fish and possible reproduction. GT were to be introduced. '87 survey showed signs of reproduction.

Camp sites: Plenty of campsites. Firewood is available but picked over.

Survey Notes:

'87 survey found adult CT's common and healthy, and several 3-6" juveniles in the outlet. Good spawning potential in the outlet. '98 survey (3 nets) found a small healthy population of cutts. This lake is a good choice to get off the Main Trail but is seeing lots of use. FWP sampled 07 overnight set, 13 fish, healthy.

Elk Lake

DRAINAGE: East Rosebud
Location: 45.16446, -109.66036
Section: 8517E6
Marcuson's Code: 6

ELEV: 6780
ACREAGE: 7.3
DEPTH: 5 FT

Access: First Lake upstream from East Rosebud Lake on Trail #15.

TRAILHEAD: DISTANCE: TRAIL: ELEVUP: ELEVDOWN:
Alpine (east Rosebud) 3 (3) +600 -50

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained
Rainbow Trout	Rare	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Brook Trout	12	8.1	6-10.5
2015	Rainbow Trout	2	10.9	10.3-11.

Stocking History Stocking Plan

1948: Rainbow Trout (6816 fish)
1947: Rainbow Trout (7365 fish)

Comments:

Camp sites: Nice camping, some firewood.

Survey Notes:

The 2015 gill net set was a 2 hour daytime set. The 2015 net set was poor. In 2015, one of the two rainbow trout sampled was collected by angling for 2 hours.

Fossil Lake

DRAINAGE: East Rosebud
Location: 45.09129, -109.78927
Section: 8516E29,31
Marcuson's Code: 25

ELEV: 9900
ACREAGE: 164.7
DEPTH: 150FT

Access: Easily reached By Trail from cooke city or east Rosebud Lake. This is the most heavily used trail in the beartooths.

TRAILHEAD: DISTANCE: TRAIL: ELEVUP: ELEVDOWN:
Clarks Fork 10 (10) +2,400 -200
Alpine (east Rosebud) 16 (16) +3,692 -300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Stock, with some natural repr

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Yellowstone Cutthroat	12	10.8	9.2-14
2005	Yellowstone Cutthroat	34	12.1	6.5-15.5

Stocking History Stocking Plan

2010: Yellowstone Cutthroat (10000 fish)
2007: Yellowstone Cutthroat (10000 fish)
2004: Yellowstone Cutthroat (10000 fish)

Comments: Fish were attempting to spawn in '05 in inlets. High use. Lots of flat places to camp if you like wind. D Fischer - '97 good fishing 10-14'ers. Beano heard fishing was good in '96

Camp sites: No firewood. Camping best away from the lake. No trees.

Survey Notes:

Avg. Size in '89 might have decreased. Reproduction?. Adjust stocking rate and frequency. Plants were cut to 10,000 to see whether growth rates improve. Plenty of fish of appropriate sizes in '96. Dennis Hagenston 8/28/89 10-12" CT's. 6 CT's netted in '81, 8.1-15.0" ave. 10.5. Lundberg '00 - fish up to 16". 3 year freq. CT's planted '67, '70, '72, '77, '80, '83, '86, '89, '92, '95. Fish in '03 were angled. 32 ct'89 6.6-13.0" ave. 9.9". Beano says repro. Occuring, marcuson thought not. 2012 FWP survey 12 YCT caught netting 5 hrs. also angled 19.

Froze To Death Lake

DRAINAGE: East Rosebud ELEV: 10156
Location: 45.18024, -109.74472 ACREAGE: 74.5
Section: 7S16E27,34 DEPTH: 195FT
Marcuson's Code: 48
Access: West of east Rosebud Lake above phantom lake. ~10 miles of steep Unmaintained Trail. 4,000 ft gain in elevation.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Phantom Creek	9	(7)	+4,050	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	33	11.6	6.3-14
2000	Yellowstone Cutthroat	13	12.2	11-13.4

Stocking History Stocking Plan

1978: Yellowstone Cutthroat (10000 fish)

Comments: Lake is obviously self-sustaining and needs no further planting. Monitor periodically. Little sign of use.

Camp sites: Scarce firewood. Several nice campsites.

Survey Notes:

'90 gill net set for 18 hours. Lots of fish seen cruising and rising - very catchable. 2-3" fingerlings seen. Don cuthill 7/13/92 lots of 6-16" CT's some were skinny, others not too bad. A. Lundberg and crew 7/94 - caught tons of fish 6 inches and up. 2000 net set for 3 hours. We angled 8 fish in '03 in two hours 6.5-14.5" ave. 10.5". 2012 FWP survey 33 YCT caught 15.5 hr. netting.

Lake At Falls

DRAINAGE: East Rosebud ELEV: 8100
Location: 45.12311, -109.70903 ACREAGE: 49.8
Section: 8S16E13,14 DEPTH: 50 FT
Marcuson's Code: 12
Access: 11 miles from the trailhead at East Rosebud Lake - Trail #15. Count on 2 days to get there.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	11	(11)	+2,100	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Rare	Unknown
Yellowstone Cutthroat Trout X G	Common	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat Hybrid	27	13.8	10.8-15.
2007	Yellowstone Cutthroat Hybrid	34	11.4	7-15

Stocking History Stocking Plan

1955: Golden Trout (6400 fish)

Comments: Heavily used but fishery appears in good shape.

Camp sites: Couple of good camp spots. Firewood available but picked over.

Survey Notes:

The 2015 sampled was obtained by angling for 5.5 hours. Visual appearance of hybrid fish look more like Yellowstone Cutthroat Trout.

Little Scat Lake

DRAINAGE: East Rosebud ELEV: 9330
Location: 45.10836, -109.71329 ACREAGE: 5.0
Section: 8S16E26AB DEPTH: 3 FT
Marcuson's Code: 15
Access: 10 miles From Trailhead at east Rosebud Lake. No trail for the last 2 miles from lake at falls. Very difficult climb.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	13.8	(11.5)	+3,400	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Stocked

Last sample: 1990

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1990	Golden Trout	0	-	-

Stocking History Stocking Plan
2012: Golden Trout (500 fish) 2017: Golden Trout (500 fish)
2005: Golden Trout (500 fish)
1982: Golden Trout (3840 fish)

Comments: Little scat was planted to distribute GT downstream into Scat Lake and Martin Lake. Replant the chain with goldens but this time into scat and/or Martin Lakes. Little scat is too shallow.

Camp sites: No adequate camping tho' some firewood is available.

Survey Notes:

8/5/87 no fish caught or observed in 1 hour. Probably too shallow to overwinter fish. 4.5 hour gill net set in '90. Enter drainage at the right edge of the falls and stay right around Martin Lake. 07/30/03 - visual survey - no sign of fish, lake is Only 4-5 ft deep. Sample with martin and scat.

Lost Lake (aka. Hidden Lake)

DRAINAGE: East Rosebud ELEV: 9160
Location: 45.19426, -109.68792 ACREAGE: 3.5
Section: 7S17E30 DEPTH: 36 FT
Marcuson's Code: 45
Access: West of East Rosebud Lake up the south (west) fork of Armstrong Creek. Trail part of the way if found. Mostly brutal bushwacking.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Armstrong Creek	3	(0)	+3,000	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	No Fish Captured	0	-	-
1992	Yellowstone Cutthroat	0	-	-
1992	Arctic Grayling	0	-	-

Stocking History Stocking Plan

2008: Arctic Grayling (400 fish)
1997: Arctic Grayling (364 fish)
1992: Arctic Grayling (350 fish)

Comments: This lake sees very few visitors. Adjustments to grayling stocking will be made and monitored with intent of increasing grayling survival.

Camp sites: Lots of firewood and good camping below the lake on the south side.

Survey Notes:

No fish were sampled in an overnight net set or during hook and line sampling. There were no fish observed during the 2014 survey.

Lower Arch Creek Lake (aka. Lower Arch Lake)

DRAINAGE: East Rosebud ELEV: 9580
Location: 45.16475, -109.72182 ACREAGE: 24.3
Section: 8S16E2BA DEPTH: 95 FT
Marcuson's Code: 41

Access: 3.5 miles Up Trail #15 above east Rosebud Lake. Cross Creek above elk lake. Steep hike up the south side of Arch Creek. No trail. Timber, bushwacking is a mess.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	7	(3.5)	+3,300	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	29	11.2	8-14.1
1996	Yellowstone Cutthroat	7	13.1	10.9-15.

Stocking History	Stocking Plan
1971: Yellowstone Cutthroat (6240 fish)	

Comments: No additional management needed if fish continue to reproduce.

Camp sites: Plenty of firewood and campsites available.

Survey Notes:

Fish were abundant during 2013 survey.

Lower Snow Lake

DRAINAGE: East Rosebud ELEV: 9160
Location: 45.15285, -109.64092 ACREAGE: 8.0
Section: 8S17E4 DEPTH: 53 FT
Marcuson's Code: 4

Access: 2.5 miles up east Rosebud Trail then x-country 2 miles up Snow Creek on the north (east) side. A tough steep hike - emphasis on tough!

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	5	(3)	+3,000	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Rainbow Trout	5	7.9	6.9-11.2
2000	Rainbow Trout	3	12.7	6.4-17.5

Stocking History	Stocking Plan
------------------	---------------

Comments: Very little sign of use, likely because of the difficult access. At the time of the survey there were many birds nesting near the shore.

Camp sites: Good campsites with plenty of firewood.

Survey Notes:

Low abundance of rainbow trout at the time of the survey in 2014. Crews did not observe any fish rising or swimming near shore.

Martin Lake

DRAINAGE: East Rosebud ELEV: 9260
Location: 45.11568, -109.71208 ACREAGE: 30.0
Section: 8S16E23 DEPTH: 108FT
Marcuson's Code: 13

Access: Steep Unmaintained Trail at lake at falls (11.5 mi. From e. Rosebud lake). Climb the chute just to the right of the falls coming from Martin Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	13	(11.5)	+3,300	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Stocked

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Golden Trout	3	8.9	7.9-10.7
2003	Golden Trout	0		-

Stocking History	Stocking Plan
2012: Golden Trout (3000 fish)	2017: Golden Trout (3000 fish)
2009: Golden Trout (3000 fish)	
2008: Golden Trout (1000 fish)	

Comments:

Camp sites: No use. Few rocky campsites. Plenty of firewood.

Survey Notes:

The 2015 sample was collected with a 2.5 hour daytime gill net set. In 2015, staff also tried to obtain fish with angling but were unsuccessful in catching any fish in 3 hours.

Medicine Lake

DRAINAGE: East Rosebud ELEV: 9906
Location: 45.11883, -109.76976 ACREAGE: 30.3
Section: 8S16E20,21 DEPTH: 42 FT
Marcuson's Code: 33

Access: Up the well Traveled Trail from east Rosebud Lake to twin outlets lake then northwest to medicine lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	15.5	(14.5)	+3,860	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	10	18.8	16.3-20.
2001	Yellowstone Cutthroat	30	13.8	12.5-15.

Stocking History	Stocking Plan
2013: Yellowstone Cutthroat (3030 fish)	2023: Yellowstone Cutthroat (3030 fish)
2003: Yellowstone Cutthroat (3030 fish)	
1993: Yellowstone Cutthroat (3030 fish)	

Comments: Lake should be allowed to rest between plants. Cutthroats stocked in 1971, '78, '85.

Camp sites: Few campsites. Little use. No firewood.

Survey Notes:

Many fish in 2001. Had been stocked every 6 then 8 yrs. We will now stock every 10 years. D Hagenston 8/29/89 12" CT's, some skinny. '90 gill net set for 3.5 hours. Fish were fat. No fish netted in two previous surveys. Arlen lundberg and crew could turn only 2 15"ers here in '00. Saw 4 others. 2012 FWP survey caught 10 fish in 14 hr. net set. Fat & Healthy.

Oly Lake

DRAINAGE: East Rosebud
Location: 45.10964, -109.77635
Section: 8S16E20
Marcuson's Code: 28

ELEV: 9620
ACREAGE: 2.5
DEPTH: 18 FT

Access: Headwaters of east Rosebud Creek downstream from Cairn Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Alpine (east Rosebud)	15.5	(15.25)	+3,600	-160

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	No Fish Captured	0		-
2007	No Fish Captured	0		-

Stocking History

Stocking Plan

Comments: Cairn Lake brookies upstream may eventually infest the lower e. Rosebud drainage. In 1987 no EB's were observed here. Lots of large (.75-1.5") fairy shrimp in '94.

Camp sites: A couple of nice places to camp. No fires allowed.

Survey Notes:

Make sure that brookies from Cairn Lake don't move downstream. Consider rotenone if they do. Please eat any brookie caught here. '94 - one fish (ct ?) Seen in outlet stream ~250 yards below at furthest upstream point where cutts could Make it up from below. Net set for 39.5 hours - '94 - water level seems a foot lower than normal.Fwp sampled 07, 7 hour set no fish. 2012 FWP survey 12hr. Net set NO FISH.

Phantom Lake

DRAINAGE: East Rosebud
Location: 45.19528, -109.72749
Section: 7S16E26,27
Marcuson's Code: 47

ELEV: 9320
ACREAGE: 19.5
DEPTH: 56 FT

Access: 5.5 miles of Good Trail from east Rosebud Lake, then unimproved for .5 till lost in rocks. Stay near cliffs. Go through saddle & refind trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Phantom Creek #7	6	(5)	+3,300	-100

SPECIES PRESENT

<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common
	Self-Sustained

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Yellowstone Cutthroat	17	11.6	7.3-13.6
1997	Yellowstone Cutthroat	3	10.5	7.2-13.9

Stocking History

Stocking Plan

1955: Arctic Grayling (50000 fish)

1949: Yellowstone Cutthroat (56672 fish)

Comments: Tough climb to the lake. No change in management planned. Beautiful place. Tough to fish shoreline because of cliffs.

Camp sites: Excellent camping and firewood.

Survey Notes:

Don cuthill 7/13/92, 14-15" CT's in good shape. Not as many as in froze to death. Lots of fish 4-13" seen cruising in '97. 2012 FWP survey 14.5 hr net set caught 17 YCT.

Rainbow Lake

DRAINAGE: East Rosebud
Location: 45.13522, -109.69208
Section: 8S16E13
Marcuson's Code: 8

ELEV: 7670
ACREAGE: 58.0
DEPTH: 180FT

Access: Leave east Rosebud Lake on Trail #15. You'll pass elk lake and rimrock lake on the way to rainbow lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Alpine (east Rosebud)	8	(8)	+1,600	-200

SPECIES PRESENT

<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout	Rare
Rainbow Trout X Golden Trout	Common
Yellowstone Cutthroat	Unknown

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Rainbow Trout Hybrid	21	11.8	7.6-15.9
1998	Rainbow Trout X Golden Trout	2	8.4	7.5-9.3

Stocking History

Stocking Plan

1949: Rainbow Trout (3500 fish)

1915: Rainbow Trout

Comments: Gt planted In Lake at falls in 1955 drifted into rainbow lake. ctxgtxrb hybrids exist in rainbow lake. Has been a good self-sustaining fishery.

Camp sites: The many campsites are overused and firewood is picked over.

Survey Notes:

'69 netting- 6 gtxrb ave.9.8" 6.9-13.0" '87 netting produced what appeared as ct, rb, gtxrb, ctxgtxrb. '89 creel cards - 34 CT's <8-16", 168 rb's <8-16". '98 - fry and 6-10" fish seen. Fish not very healthy. Stressed from fire effects or 3 long winters? '98 - Ed Keyser and crew caught 13"ers. 2012 FWP survey 13 hr net set caught 21 fish.

Rimrock Lake

DRAINAGE: East Rosebud
Location: 45.14458, -109.68737
Section: 8S16E12
Marcuson's Code: 7

ELEV: 7540
ACREAGE: 33.6
DEPTH: 25 FT

Access: East Rosebud Trail #15. Rimrock is the Second Lake encountered on the main trail. The valley is narrow and steep here.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Alpine (east Rosebud)	6	(6)	+1,300	-50

SPECIES PRESENT

<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout Hybrid	Common
	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Rainbow Trout Hybrid	21	10.3	6.3-15.7
2007	Rainbow Trout Hybrid	13	10.1	7.6-12.5

Stocking History

Stocking Plan

1948: Rainbow Trout (6816 fish)

Comments: The 1996 fire burned this area.

Camp sites: No firewood. No good places to legally camp.

Survey Notes:

Scat Lake

DRAINAGE: East Rosebud ELEV: 9310
Location: 45.11054, -109.71343 ACREAGE: 7.0
Section: 8516E23D DEPTH: 45 FT
Marcuson's Code: 14

Access: Steep climb at lake at falls (11.5 mi. From e. Rosebud lake).
Climb the chute just to the right of the falls. Stay on the west side of Martin Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Alpine (east Rosebud)	13.5	(11.5)	+3,350	-200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Golden Trout	Common	Stocked

Last sample: 2003

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2003	Golden Trout	0	-	-
1998	Golden Trout	0	-	-

<u>Stocking History</u>	<u>Stocking Plan</u>
2012: Golden Trout (700 fish)	2017: Golden Trout (700 fish)
2009: Golden Trout (750 fish)	
2005: Golden Trout (700 fish)	

Comments: '82 plant was in little Scat Lake. Plant was also intended to create a GT fishery in Scat Lake & Martin Lake downstream. Excellent habitat for golden trout. Great outlet spawning site.

Camp sites: Questionable camping near the lake. Plenty of firewood.

Survey Notes:

Shallow gillnet set for 1.5 hours in '87 caught no fish. Gill net set for 4.5 hours in '90, 18 hours in '98. One 12"er was possibly seen in the outlet stream in '98. Net set for 19 hours in '03.
Survey with martin and I. Scat.

Shadow Lake

DRAINAGE: East Rosebud ELEV: 8400
Location: 45.19611, -109.6731 ACREAGE: 8.4
Section: 7517E19,20 DEPTH: 19 FT
Marcuson's Code: 44

Access: Accessible via a very steep Intermittent Trail west of east Rosebud Lake or by hiking x-country from Armstrong Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Armstrong Creek	2.5	(0)	+2,240	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Brook Trout	20	8	7-8.9
2002	Brook Trout	20	7	6-8.3
2002	Brook Trout	200		3-6

<u>Stocking History</u>	<u>Stocking Plan</u>

Comments: The legal harvest of brook trout here is encouraged. There is very little use at this lake.

Camp sites: There is plenty of firewood and a few good places to camp.

Survey Notes:

The 2014 sample was obtained using hook and line sampling. Brook trout are very abundant and stunted.

Slough Lake

DRAINAGE: East Rosebud ELEV: 7500
Location: 45.20551, -109.6845 ACREAGE: 5.8
Section: 7517E19 DEPTH: 6 FT
Marcuson's Code: 46

Access: Slough Lake is a wide spot in Armstrong Creek, a tributary to east rosebud creek. 2 miles of Good Trail from e rosebud lake. Thru '96 burn.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Phantom Creek	2	(2)	+1,350	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Brook Trout	15	7.8	5.6-9.5
1997	Brook Trout	5	9.4	7.9-10.9

<u>Stocking History</u>	<u>Stocking Plan</u>
1936: Brook Trout (16326 fish)	
1931: Rainbow Trout (229 fish)	

Comments: Lake is a wide spot in Armstrong Creek and almost too shallow to set gill nets.

Camp sites: A few places to camp. Plenty of firewood.

Survey Notes:

'97 fish were fat. 2012 FWP Angled 1.5 hrs caught 15 EB.

Sylvan Lake

DRAINAGE: East Rosebud ELEV: 9165
Location: 45.18848, -109.58861 ACREAGE: 18.5
Section: 7517E26 DEPTH: 40 FT
Marcuson's Code: 2

Access: ~6 miles Of Trail from east Rosebud Lake <trailhead is east of east Rosebud Lake>.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Sylvan Lake #13	6.5	(6.5)	+3,174	-240

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Golden Trout	Abundant	Self-Sustained

Last sample: 2008

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2008	Golden Trout	20	9.2	6-12
1994	Golden Trout	44	9.4	4.9-12.1

<u>Stocking History</u>	<u>Stocking Plan</u>
1939: Golden Trout (3000 fish)	

Comments: This is our golden trout brood lake where eggs have been taken through the years for planting other waters. Even so, this thriving population could stand some fish harvest.

Camp sites: Excellent camping & fuel 1/4 mile Below Lake.

Survey Notes:

Grizzly trouble 9/00. '89 creel cards - 11 GT 8-12". Steve remick 6/27/93, 5 gt's -12", thin but in good shape. Males ripe, females not quite. '94 very little flow out Of Lake. Level appears to be 6-8" down from normal. This area is showing impacts of heavy use. Genetics and fish health are good - egg take in 2005,06,07,08,09,11,12. Next egg take is 2017.

Turgulse Lake

DRAINAGE: East Rosebud
Location: 45.17345, -109.76245
Section: 7516E33,32
Marcuson's Code: 49

ELEV: 10206
ACREAGE: 82.9
DEPTH: 80 FT

Access: 7 miles up Phantom Creek Trail near east Rosebud Lake. Then 3 miles x-country upstream from phantom lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Phantom Creek	10	(7)	+4,100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	24	13.2	10.9-15.
2003	Yellowstone Cutthroat	36	11.7	6.5-15.5

Stocking History

Stocking Plan

1978: Yellowstone Cutthroat (10000 fish)

Comments: Fish congregate near outlet. Spawning substrate appears marginal but the fish are obviously reproducing very well.

Camp sites: There are places to camp but no firewood. Stay at phantom if you want fire / shelter

Survey Notes:

'92 - many fish seen cruising and rising 6-16". Fish were in good shape and of different age groups. Friends of a. Lundberg 7/94 caught tons of fish of all sizes.8 fish angled '03 13.0-14.3 ave. 13.7".
2012 FWP survey 5 hr net set caught 24 YCT.

Twin Outlets Lake

DRAINAGE: East Rosebud
Location: 45.11407, -109.75112
Section: 8516E21,22
Marcuson's Code: 23

ELEV: 9190
ACREAGE: 29.5
DEPTH: 50 FT

Access: Approximately 14 miles from the trailhead at east Rosebud Lake on Trail #15. It is on the main trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	14	(14)	+3,100	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Yellowstone Cutthroat	10	9.2	7-12.5
1994	Golden Trout	1	6.9	6.9-6.9
1994	Yellowstone Cutthroat	5	9.9	6.9-13.4

Stocking History

Stocking Plan

1968: Yellowstone Cutthroat

Comments: ct result from drift from Dewey Lake upstream. CT in dewey were planted by accident. Golden trout are present. See card for info. Cutthroat predominate.

Camp sites: Nice camping spots. Plenty of firewood. No fires above here.

Survey Notes:

'89 creel cards - 6 CT 8-12" range. Makeup of catch in '85 gillnet was similar but fish averaged -2" longer. '98 - Ed Keyser and crew caught 13"ers.Fwp sampled 07, no gt,8 hour set,average ct.
Angler report summer 2013--fished 1 hr caught 2 YCT 13" and 15"

Upper Arch Creek Lake (aka. Arch Lake)

DRAINAGE: East Rosebud
Location: 45.1588, -109.73759
Section: 8516E3
Marcuson's Code: 42

ELEV: 10120
ACREAGE: 46.9
DEPTH: 112FT

Access: 3.5 miles Up Trail #15 above east rosebud lk. Cross Creek above elk lk. Then a steep hike up the s side of Arch Creek <no trail>. Timber bushwacking is a mess.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	8	(3.5)	+3,900	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	17	12.7	10.6-16.
1996	Yellowstone Cutthroat	33	12.6	8.3-15.7

Stocking History

Stocking Plan

1991: Yellowstone Cutthroat (3513 fish)

1980: Yellowstone Cutthroat (3508 fish)

Comments: Good reproduction seems to be occurring.

Camp sites: Rocky, no firewood. Camping best at lower Arch Lake.

Survey Notes:

Upper Snow Lake

DRAINAGE: East Rosebud
Location: 45.14917, -109.63917
Section: 8517E9B
Marcuson's Code: 5

ELEV: 9265
ACREAGE: 10.4
DEPTH: 25 FT

Access: 2.5 miles up east Rosebud Trail then x-country 2.5 miles up Snow Creek. Same as Lower Snow Lake, very tough steep hike.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Alpine (east Rosebud)	5.5	(2.5)	+3,100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Rare	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Rainbow Trout	2	13.1	12.1-14.
2000	Rainbow Trout	0		-

Stocking History

Stocking Plan

1993: Rainbow Trout (1076 fish)

1989: Rainbow Trout (2500 fish)

1978: Rainbow Trout (2160 fish)

Comments: There was very little sign of use, likely because of the difficult access.

Camp sites: Good campsites near the lake.

Survey Notes:

Rainbow trout were present in low numbers during the 2014 survey.

Basin Creek Lake (aka. Upper Basin Lake)

DRAINAGE: Rock Creek ELEV: 8960
Location: 45.14548, -109.42913 ACREAGE: 6.7
Section: 8519E7A DEPTH: 5.5FT
Marcuson's Code: 42

Access: 4 miles of excellent trail up Basin Creek. 2,100' climb.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Basin Creek	4	(4)	+2,138	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	Brook Trout	20	9.6	7.4-11.3
2006	Brook Trout	40	8.3	4.8-11

<u>Stocking History</u>	<u>Stocking Plan</u>
-------------------------	----------------------

1958: Yellowstone Cutthroat (3000 fish)

1953: Yellowstone Cutthroat (3325 fish)

1938: Brook Trout (1560 fish)

Comments: Lake receives fairly heavy use. It is very shallow but may be deeper than the 5.5 ft shown in our records; 8 ft more probable. Outside the A-B Wilderness.

Camp sites: Decent camping. Lots of firewood.

Survey Notes:

The 2015 gill net set was a 4 hour daytime set. Eleven of the twenty fish 2015 sample was obtained by 1.5 hours of angling. The shallow shoreline required long casts.

Basin Creek Lake, Lower (aka. Lower Basin Lake)

DRAINAGE: Rock Creek ELEV: 8360
Location: 45.1504, -109.41255 ACREAGE: 2.5
Section: 8519E8 DEPTH: 21 FT
Marcuson's Code: 41

Access: 2 1/2 miles of well maintained somewhat steep trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Basin Creek	2.5	(2.5)	+1,550	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Rare	Self-Sustained

Last sample: 2015

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2015	No Fish Captured			-
1995	Brook Trout	2	14.2	13.8-14.

<u>Stocking History</u>	<u>Stocking Plan</u>
-------------------------	----------------------

1997: Arctic Grayling (260 fish)

1985: Arctic Grayling (200 fish)

1938: Brook Trout (1040 fish)

Comments: Brook Trout occupy the lake when they move downstream from Upper Basin Lake. Winterkill is common. Lily pads and mosquitoes surround the lake.

Camp sites: Few campsites, some firewood.

Survey Notes:

The 2015 survey was a 6 hr day time set. No fish were observed. Spawning habitat is good in inlet and fair in outlet.

Black Canyon Lake

DRAINAGE: Rock Creek ELEV: 9280
Location: 45.06941, -109.53343 ACREAGE: 82.4
Section: 9518E5,8 DEPTH: 185FT
Marcuson's Code: 33

Access: 9 miles up the lake fork of Rock Creek. Trail is maintained for 8 miles then up west side of valley.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Lake Fork Rock Creek	9	(8)	+2,200	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2010

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2010	Yellowstone Cutthroat	35	10.9	6.5-16.4
2005	Yellowstone Cutthroat	1	15	15-15

<u>Stocking History</u>	<u>Stocking Plan</u>
-------------------------	----------------------

2013: Yellowstone Cutthroat (8240 fish) 2019: Yellowstone Cutthroat (8240 fish)

2007: Yellowstone Cutthroat (8240 fish)

2001: Yellowstone Cutthroat (8240 fish)

Comments: Lake gets a lot of use. We let it rest till '95. Reevaluated after 95 plant. Now on a 6-yr schedule @ 100/acre. Eb stocked '41. CT in '67, '70,'75,'79,'83.

Camp sites: Campsites are best below the lake. No fires allowed.

Survey Notes:

Growth rates may be decreasing. Evaluate stocking frequency, density, and benefit of letting it rest to fish and area. '89 creel cards 91 CT <8-<16" and 5 eb?? <12". '90 net set for 19.5 hours. All fish were thin. '05 - 2 other fish seen 14-16". W. Yoder 6/92 reports numerous cutts 14-16". T mcgillvray '93 14-15" CT's, fat & nice. D Hagenston 7/01 12-16" cutts in good shape. 7ct77 14.8-16.3" ave. 15.0". Large white plankton observed 2010.

Bowback Lake

DRAINAGE: Rock Creek ELEV: 10380
Location: 45.12198, -109.60043 ACREAGE: 6.4
Section: 8517E23BA DEPTH: 40 FT
Marcuson's Code: 65

Access: 7 miles up w fork Rock Creek on Trail #1. 1/4 mile short of Sundance pass climb / scramble up through one of two chutes to the west. Ship creek basin.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
West Fork Rock Creek	8.5	(6.5)	+2,700	-200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Yellowstone Cutthroat	38	12.5	10.4-14.
2001	Yellowstone Cutthroat	17	13.3	11.9-14.

<u>Stocking History</u>	<u>Stocking Plan</u>
-------------------------	----------------------

2012: Yellowstone Cutthroat (320 fish)

2004: Yellowstone Cutthroat (320 fish)

1996: Yellowstone Cutthroat (320 fish)

Comments: Previous plants '68 - 1,540 '71 - 1,125 '80 - 640. Marcuson looked at growth rates for a few years at this lake. See cards. 1/3 ice covered in mid-july. Water temperature 41 f.

Camp sites: Above timberline. Little camping. No firewood. Camp below.

Survey Notes:

Growth rates seem to have improved. Net set in '90 for 23.5 hours. Fish were in poor health and were very thin. The lake receives little fishing pressure. Probably few zooplankton - resulting in the extremely poor growth rate. #'s stocked halved in '96.

Broadwater

DRAINAGE: Rock Creek ELEV: 7990
Location: 45.08138, -109.4803 ACREAGE: 1.0
Section: 8518E35C DEPTH: 3 FT
Marcuson's Code:

Access: The lake is a wide spot in the lake fork Rock Creek. 3 miles of Good Trail

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Fork Rock	3	(3)	+800	0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

Last sample:

Stocking History Stocking Plan

Comments: Since this lake is part of a stream no special fisheries management is proposed.

Camp sites: None, Lost Lake closest

Survey Notes:

Too shallow to set net. 89 creel cards - 10 eb <12", 2rb? 8-12" range, 1ct? 12-16" range. Angle this next time in area.

Crescent Lake (aka. Hellroaring Lake #8)

DRAINAGE: Rock Creek ELEV: 10000
Location: 45.04308, -109.48316 ACREAGE: 13.6
Section: 9518E14,15 DEPTH: 42 FT
Marcuson's Code: 24

Access: Hike up Hellroaring Creek from Jeep Trail #3004. Easy hike.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Hellroaring Plateau	2	(1)	+640	-380

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Brook Trout	6	8.6	8.2-9.1
2000	Brook Trout	56	8.2	6-9.8

Stocking History Stocking Plan

1941: Brook Trout (1000 fish)

Comments:

Camp sites: Rocky campsites. Firewood available.

Survey Notes:

Hellroaring Lake #6 (the small lake 70 yards south of Crescent Lake) had 2 Yellowstone cutthroat sampled in it during a 2014 survey.

Daly Lake (aka. Hellroaring Lake #11)

DRAINAGE: Rock Creek ELEV: 9670
Location: 45.04532, -109.46823 ACREAGE: 7.4
Section: 9518E14A DEPTH: 40 FT
Marcuson's Code: 27

Access: Forest road #3004 to hellroaring plateau. Travel NW down a steep grassy slope from the trailhead then hike up Hellroaring Creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Hellroaring Plateau	2	(1)	+290	-380

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Unknown

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	3	12.7	12-13.3
2014	Brook Trout	51	9.1	6.3-10.2

Stocking History Stocking Plan

Comments: Brook trout are in good condition.

Camp sites: Fair camping with firewood plentiful. Consider camping at Hellroaring Lake #9

Survey Notes:

In 2014, 35 of the 51 fish sample were obtained by angling for 7.5 hours.

Dude Lake

DRAINAGE: Rock Creek ELEV: 10180
Location: 45.1362, -109.58505 ACREAGE: 12.2
Section: 8517E13,14 DEPTH: 20 FT
Marcuson's Code: 67

Access: 6 miles From Trailhead on west fork of Rock Creek. Go up left side of outlet stream. Good path most of way south of creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	6	(5)	+2,300	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	18	14.9	9.3-16.3
2005	Yellowstone Cutthroat	3	15.3	14.8-16.

Stocking History Stocking Plan

2007: Yellowstone Cutthroat (2440 fish)

1999: Yellowstone Cutthroat (2440 fish)

1938: Brook Trout (2600 fish)

Comments: 1987 report of catching 22 CT in 1 hr, 13-16" and in excellent condition (fat). EB's first planted in 1931. CT's stocked in '67, '68, '75, '83.

Camp sites: Above timberline. Poor, rocky campsites, scarce firewood.

Survey Notes:

Stocked every 8 years. Stocking seems ok but we should reassess before the '07 plant. CT have moved from here down to Senal Lake where they are doing well. Net set in '90 for 3 hours, 16 in '96, 7 in '05. Fish in very good condition. Beautiful place.
5 CT '81 11.5-14.9" ave. 12.4". 2012 netting survey 18 YCT 15 hr. set

Elk Horn Lake (aka. Wapiti, Hellroaring Lake #5)

DRAINAGE: Rock Creek ELEV: 10060
Location: 45.04228, -109.48875 ACREAGE: 2.7
Section: 9S18E15 DEPTH: 7 FT
Marcuson's Code: 21

Access: Easy hike from the hellroaring plateau jeep road #3004.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Hellroaring Plateau	2	(1)	+650	-400

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Yellowstone Cutthroat	2	11	9.9-12
2014	Brook Trout	23	10.1	7.3-12.2

Stocking History

Stocking Plan

Comments: The brook trout were in good condition. The lake is shallow and rocky.

Camp sites: Firewood and flat spots are limited. Camp below.

Survey Notes:

Mostly brook trout but some Yellowstone cutthroat move downstream from Hairpin into this Lake.

Emerald Lake

DRAINAGE: Rock Creek ELEV: 9750
Location: 44.99785, -109.52918 ACREAGE: 39.2
Section: 58N105W22,23 DEPTH: 150FT
Marcuson's Code: 8

Access: Headwaters of Rock Creek just over the state line. Hike 2 miles to Glacier Lake, over the dam, and head SW 1 mile.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Glacier Lake	3	(3)	+1,200	-150

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Rare	Self-Sustained
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 1999

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
1999	Brook Trout	2	12.8	12.5-13
1999	Yellowstone Cutthroat	8	13.9	9.8-16

Stocking History

Stocking Plan

1987: Yellowstone Cutthroat (4905 fish)

1978: Yellowstone Cutthroat (7900 fish)

1971: Yellowstone Cutthroat (9022 fish)

Comments: Emerald was allowed to go barren prior to the '87 plant to rebuild food base. Food is limited during winter. No real spawning sites. This lake is in Wyoming!! Check with cody before sampling! Stocking suspended for now. (not sampling in the future).

Camp sites: Fuel and camping near the lake.

Survey Notes:

Need to check plankton density as well as fish condition. ct'81 16, ave 10.0", 9.0-12.0". 7/17/91 1/3 Of Lake was still ice covered. ct'91 33, ave 9.7", 7.0-11.0". EB'91 2, ave 12.5", 11.5-13.6". 1995 plant canceled. Reproduction is occurring. '99 fish were thin. Saw 30-40 others. Wyoming will hold off stocking.

First Rock Lake

DRAINAGE: Rock Creek ELEV: 8870
Location: 45.08609, -109.54804 ACREAGE: 17.5
Section: 8S18E31 AD DEPTH: 36 FT
Marcuson's Code: 35

Access: 8 miles By Trail up the lake fork of Rock Creek past keyser brown lake. Paths from keyser brown on n. Side of creek - some deadend at creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Lake Fork Rock Creek	8	(7)	+1,800	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2010

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2010	Yellowstone Cutthroat	17	9	7.2-10.8
2010	Brook Trout	7		6.8-11.6

Stocking History

Stocking Plan

1953: Yellowstone Cutthroat (1700 fish)

1931: Brook Trout (20000 fish)

Comments: Many people refer to first Rock Lake as second Rock Lake and keyser brown as first Rock Lake. No management changes proposed. Good gravel in inlet. Good rearing area below lake in outlet.

Camp sites: A few places to camp - sort of wet. Plenty of firewood.

Survey Notes:

'89 creel cards - 7 CT's <12", 2 EB's 8-12" range. '94 CT's were thin, eating insects and chironomids. EB's were fat. YCT spawning in outlet '10.

Glacier Lake

DRAINAGE: Rock Creek ELEV: 9702
Location: 45.00657, -109.54072 ACREAGE: 176.0
Section: 9S18E29 DEPTH: 220FT
Marcuson's Code: 9

Access: Headwaters of Rock Creek. 2 miles of steep, Excellent Trail. Glacier Lake trailhead.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Glacier Lake	2	(2)	+1,150	-150

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained
Yellowstone Cutthroat	Abundant	Stocked

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Brook Trout	8	10.5	7.8-12.8
2009	Yellowstone Cutthroat	20	13.2	9.1-14.7

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (11000 fish)

2009: Yellowstone Cutthroat (22000 fish)

2006: Yellowstone Cutthroat (22000 fish)

Comments: Easy access. Glacier Lake receives a lot of day use. Stocked every 3 years at 125/acre. No mgmt changes needed. Eb '33, '36, '37. CT '53, '71, '78, '79, '81, '82, '85, '88, '91, '94, '97, '00.

Camp sites: Fair camping - not too many level flat places. Heavily used.

Survey Notes:

Plenty of firewood but have to work for it around campsites. Best camping is at n end near the inlet from triangle but is hard to get to ct'91, 11, ave 13.0", 9.0-15.4". EB'91, 16, ave 9.2", 6.5-11.9". CT's were fat, ready to spawn. '99 fish were fat. Many day hikers catching fish.

Greenough Lake

DRAINAGE: Rock Creek
Location: 45.05136, -109.41763
Section: 9S19E7,8
Marcuson's Code: 3

ELEV: 7280
ACREAGE: 0.8
DEPTH: 9.5FT

Access: 1/4 mile from greenough campground located 15 miles south of red lodge.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Greenough Lake	.25	(.25)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Chub	Unknown	Unknown
Rainbow Trout	Abundant	Stocked

Last sample:

Stocking History

2013: Rainbow Trout (6000 fish)
2012: Rainbow Trout (6136 fish)
2011: Rainbow Trout (5366 fish)

Stocking Plan

2016: Rainbow Trout (6000 fish)
2017: Rainbow Trout (6000 fish)

Comments: Catchable size arlee rainbow planted four times a year prior to holidays from June to September.

Camp sites: Camping available at USFS campground 1/4 mile north.

Survey Notes:

Some fishermen bothered by chubs.

Hairpin Lake (aka. Hellroaring Lake #2)

DRAINAGE: Rock Creek
Location: 45.0464, -109.50169
Section: 9S18E15
Marcuson's Code: 18

ELEV: 10160
ACREAGE: 32.9
DEPTH: 65 FT

Access: Easy access from Jeep Trail by walking cross country across the hellroaring plateau.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Hellroaring Plateau	3.5	(2.5)	+600	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stock, with some natural repr

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	21	12.5	7.6-21.5
2011	Yellowstone Cutthroat	14	14	11.1-16.

Stocking History

2006: Yellowstone Cutthroat (1645 fish)
1998: Yellowstone Cutthroat (1629 fish)
1916: Yellowstone Cutthroat (1629 fish)

Stocking Plan

Comments: The fish have good growth rates are good condition.

Camp sites: Rocky camping. Little firewood.

Survey Notes:

Fish are stocked but also naturally reproducing to an unknown level. At least 2 different year classes of fish were sampled.

Hellroaring Lake #4

DRAINAGE: Rock Creek
Location: 45.04257, -109.49339
Section: 9S18E15 CA
Marcuson's Code: 20

ELEV: 10100
ACREAGE: 2.6
DEPTH: 6 FT

Access: Hike up Hellroaring Creek from the Jeep Trail #3004. ~4 mile hike.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Hellroaring Plateau	3.5	(2.5)	+600	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	19	8.5	4.5-12.7
2000	Yellowstone Cutthroat	49	8.8	4.5-15.3

Stocking History

Stocking Plan

Comments: Shallow rocky lake that likely has fish moving into it from Haripin Lake. Fish in this lake can likely overwinter because of the amount of flow in the creek.

Camp sites: Few flat spots. Firewood is scarce. Camp below in drainage.

Survey Notes:

The 2014 sample was obtained with 5 hours of angling.

Hellroaring Lake #9

DRAINAGE: Rock Creek
Location: 45.04275, -109.47385
Section: 9S18E14
Marcuson's Code: 25

ELEV: 9660
ACREAGE: 7.9
DEPTH: 30 FT

Access: Hike up Hellroaring Creek from the Jeep Trail #3004. 2 miles down a steep grassy slope from the trailhead (NW).

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Hellroaring Plateau	2	(1)	+300	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2000

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2000	Yellowstone Cutthroat	5	8.1	7.5-9.5
2000	Brook Trout	29	8.1	6.3-9

Stocking History

Stocking Plan

Comments: Popular lake in the hellroaring lake chain. These cutthroat may be the remnants of an original stocking in 1901-05 by prospector melvin martin.

Camp sites: Plenty of firewood. Some hard used campsites.

Survey Notes:

'90 gill net set for 24.5 hours. Fish were stunted. 1971 27 eb 6.9-8.8" ave 7.9". 1990 17 eb 6.1-9.7" ave 7.7", 7 CT 7.4-10.1" ave 8.3". 2000 fish were very thin and small but apparently healthy. The brookies here should be harvested to help out the long surviving cutts.

Keyser Brown

DRAINAGE: Rock Creek
Location: 45.0881, -109.53161
Section: 8518E32AD
Marcuson's Code: 34

ELEV: 8720
ACREAGE: 9.5
DEPTH: 8 FT

Access: Located on the lake fork of Rock Creek 7 miles from the trailhead. About 6 miles up Trail #1 to marked fork, then Trail #2 (left) for 1 mile.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Fork Rock Creek	7	(7)	+1,700	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Rainbow Trout	1	10.2	-
2014	Yellowstone Cutthroat	3	7.7	6.9-9
2014	Brook Trout	18	8.6	7.2-10

Stocking History

1933: Brook Trout (11000 fish)

Stocking Plan

Comments: This is a popular location that receives a fair amount of use. The fish were skittish which made angling a bit more challenging.

Camp sites: Campsites are plentiful but due to the amount of use firewood is picked over.

Survey Notes:

The 2014 sample was obtained with 4 hours of angling.

Kookoo Lake

DRAINAGE: Rock Creek
Location: 45.12199, -109.58816
Section: 8517E23AA
Marcuson's Code: 58

ELEV: 10200
ACREAGE: 6.1
DEPTH: 30 FT

Access: Northwest of shadow and Sundance Lakes up the west fork of Rock Creek. Head north from the Sundance bridge up one of two chutes to plateau.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	7.5	(6.5)	+2,340	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	21	12.8	8-16
2001	Yellowstone Cutthroat	10	15.1	10.5-18.

Stocking History

2010: Yellowstone Cutthroat (610 fish)

2002: Yellowstone Cutthroat (610 fish)

1994: Yellowstone Cutthroat (610 fish)

Stocking Plan

2018: Yellowstone Cutthroat (610 fish)

Comments: Yct stock of 1,760 in '72 had poor growth so was stocked with mcbride CT's in '85. Some spawning potential in inlet and outlet. Several redds observed in outlet '94. Some repro seems to be occurring.

Camp sites: Camping possible, but rocky. Better below. No firewood.

Survey Notes:

Graduate study '93-'96. Growth had improved somewhat in '90. 19 fish ave. 12.2", 9.6-13.6". Fish condition average. We've gone from no repro and poor growth with the old Yct stock (at too heavy numbers) to some repro and a few long lived pigs here Using the mcbride strain. Fish fat in '95, '97, '01. Plant lowered in '94 to 100/acre. Up cycle to 10+ years?

Lake Gertrude

DRAINAGE: Rock Creek
Location: 45.13942, -109.49623
Section: 8518E10C
Marcuson's Code: 48

ELEV: 9550
ACREAGE: 6.1
DEPTH: 11 FT

Access: 4 mile rigorous climb Up Trail #12 along Timberline Creek from the West Fork of Rock Creek. Trail #8 to Silver Run Lakes splits left 2/3 up.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Timberline	4	(4)	+2,000	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	13	8.2	6.7-9.7
2005	Brook Trout	71	8	6-10

Stocking History

1934: Brook Trout (11200 fish)

1933: Brook Trout (10000 fish)

1932: Brook Trout (6000 fish)

Stocking Plan

Comments: The Cascade Fire burned almost to the lake.

Camp sites: Some places to camp. Firewood plentiful.

Survey Notes:

The gill net set in 2015 was a 3.25 hour daytime set.

Lake Mary

DRAINAGE: Rock Creek
Location: 45.15191, -109.5643
Section: 8518E6,7
Marcuson's Code: 68

ELEV: 9930
ACREAGE: 8.0
DEPTH: 50 FT

Access: 5 miles of Good Trail from the trailhead on the west fork of Rock Creek to quinnebaugh meadows. Then head north up a good steep trail -1 mile

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	6	(6)	+2,100	-50

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	3	9.8	7.1-11.9
2005	Brook Trout	18	10.9	6.3-12.9

Stocking History

1938: Brook Trout (2600 fish)

1934: Brook Trout (11200 fish)

1933: Brook Trout (8000 fish)

Stocking Plan

Comments: No change in management. Spawning potential in outlet. Angled 7/05 MFWP crew many small fish.

Camp sites: Camping near the outlet.

Survey Notes:

2012 FWP 2 angled 1 hr. 3 EB caught fish are below average weight.

Lost Lake

DRAINAGE: Rock Creek ELEV: 8520
Location: 45.07974, -109.50081 ACREAGE: 11.3
Section: 9S18E3 DEPTH: 25 FT
Marcuson's Code: 32
Access: 5 miles of Maintained Trail Up Lake fork of Rock Creek. Head south before the bridge. Path is marked - '94.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Fork Rock Creek	5	(5)	+1,320	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Common	Stocked
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Arctic Grayling	17	14.7	13.8-16
2014	Yellowstone Cutthroat	5	12	10.8-12.

Stocking History

Stocking Plan

2009: Arctic Grayling (500 fish)
1997: Arctic Grayling (1185 fish)
1984: Arctic Grayling (1000 fish)

Comments: Of the multiple grayling lakes sampled in 2014 this population was one of the best for abundance. Angler use at this lake has increased.

Camp sites: Plenty of campsites but firewood has been picked over

Survey Notes:

In 2014, crews observed several larger Yellowstone cutthroat trout (approximately 16-18 inches) swimming near shore.

Marker Lake

DRAINAGE: Rock Creek ELEV: 10870
Location: 45.11368, -109.60416 ACREAGE: 15.5
Section: 8S17E23CB DEPTH: 115FT
Marcuson's Code: 62
Access: 2 miles from Maintained Trail at Sundance Lake. Head NW from Sundance bridge. Tough climb, worth it.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	9	(6.5)	+3,007	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	25	17.7	15.6-20.
2001	Yellowstone Cutthroat	43	15.5	11.1-17.

Stocking History

Stocking Plan

2010: Yellowstone Cutthroat (3100 fish) 2018: Yellowstone Cutthroat (3100 fish)
2002: Yellowstone Cutthroat (3100 fish)
1994: Yellowstone Cutthroat (3100 fish)

Comments: G. Owens '00 - 14-18" very fat and healthy. 8/15/84 USFS reports difficult to catch CT's in good condition. 3 kept, ave size 15", max. = 20". Highest fishery in the beartooths. '01 fish not fat.

Camp sites: Above timberline. Poor camping, no firewood.

Survey Notes:

Growth study was done in this lake. See how current and past stocking has affected growth rates. '90 - easy to catch and very healthy. Gill net set for 1.5 hours. Fish were fat. Stocking rates seem right on. '93 - bob white saw 10" & 18-20" fish.
Fish caught were thin (ice out about 8/1). Re-evaluate planting schedule. CT's stocked '50, '72, '78.

Moon Lake

DRAINAGE: Rock Creek ELEV: 10400
Location: 45.03801, -109.53707 ACREAGE: 82.2
Section: 9S18E20,17 DEPTH: 115FT
Marcuson's Code: 15
Access: 4 miles of hiking from the end of the Glacier Lake (rock Creek) road. Break off Glacier Trail at the bridge.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Glacier Lake	4	(4)	+1,680	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	43	14	6.9-16
2002	Yellowstone Cutthroat	31	13.9	9-17.1

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (8220 fish)
2008: Yellowstone Cutthroat (8220 fish)
2005: Yellowstone Cutthroat (8220 fish)

Comments: Spawning areas limited.

Camp sites: Many places to camp but no firewood. Windy.

Survey Notes:

Stocked every 3 years. In 2013 observed YCT in lake below.

Mountain Goat Lake

DRAINAGE: Rock Creek ELEV: 10040
Location: 45.02006, -109.5565 ACREAGE: 12.5
Section: 9S18E30BA DEPTH: 60 FT
Marcuson's Code: 11
Access: Headwaters of Rock Creek. 2 miles of Steep Trail to Glacier Lake and 1 mile cross country (NW).

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Glacier Lake	3.5	(2)	+1,500	-150

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	9	10.6	8.3-12.7
1999	Yellowstone Cutthroat	9	13.3	11.3-15.

Stocking History

Stocking Plan

2010: Yellowstone Cutthroat (1000 fish)
2006: Yellowstone Cutthroat (1000 fish)
2002: Yellowstone Cutthroat (1000 fish)

Comments: Some of these fish may move into Mountain Sheep Lake.

Camp sites: Firewood scarce. Poor campsites near timberline.

Survey Notes:

Stocked every 4 years. Seems right on. '90 gill net set for 18.5 hours. Fish were in average condition. '99 fish were very fat.
'08 frank ewalt angled 2 fish approx. 8-10".

Ryeberg Lake (aka. Hellroaring 12)

DRAINAGE: Rock Creek ELEV: 9510
Location: 45.04344, -109.46233 ACREAGE: 3.0
Section: 9S18E13,14 DEPTH: 2 FT
Marcuson's Code: 28
Access: Via Trail up Hellroaring Creek or cross country from jeep Trail #3004.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Hellroaring Plateau	2.5	(2)	+700	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Rare	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	27	8	4.1-11.1
2000	Yellowstone Cutthroat	13	7.7	6.5-10.8

Stocking History

Stocking Plan

Comments: This is a shallow rocky lake that is a wide spot in Hellroaring Creek. The fish were easily scared but a well placed cast was usually rewarded with a Yellowstone cutthroat on the line.

Camp sites: Some used campsites with plenty of firewood.

Survey Notes:

No brook trout observed during the 2014 survey.

Second Rock Lake (aka. Second Rock Creek Lake)

DRAINAGE: Rock Creek ELEV: 9110
Location: 45.08094, -109.56397 ACREAGE: 25.9
Section: 8S17E36 DEPTH: 50 FT
Marcuson's Code: 36
Access: Lake Fork Trail #1 for 6 miles to Trail #2 to keyser brown lake. Stay north of keyser brown, first rock, And Creek to second rock lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Fork Rock Creek	9	(7)	+2,100	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2006

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2006	Brook Trout	74	8.4	6-12.3
1994	Brook Trout	69	9.3	6.3-13.8

Stocking History

Stocking Plan

1953: Yellowstone Cutthroat (4700 fish)

1933: Brook Trout (42000 fish)

Comments: On 7/26/84 USFS ranger caught 7 eb - max. Size = 12.0". '89 creel cards - 43 eb 8-12", 90 eb 12-16", 1 rb?? 8-12" range.

Camp sites: Nice meadow near outlet & others. Plenty of firewood.

Survey Notes:

Self-sustaining brookie lake. From lake Fork Trailhead take Trail #1 to Trail #2 which goes to keyser brown lake. From keyser brown follow paths on the north side of the creek to first rock lake, Then cross-country on the north side of the valley to second Rock Lake. MFWP survey 06 lots of fish 6-12.5"

Senal Lake

DRAINAGE: Rock Creek ELEV: 10140
Location: 45.13732, -109.58117 ACREAGE: 3.1
Section: 8S17E12,13 DEPTH: 10 FT
Marcuson's Code: 66
Access: Near Dude Lake on the west fork of Rock Creek. 5 miles up west fork on Good Trail then a path 1 mile north up drainage.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	5	(4)	+2,277	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	4	12.2	11-13.7
2012	Brook Trout	3	13	12.2-13.

Stocking History

Stocking Plan

Comments: No change in management. Stocking pre-dates written records.

Camp sites: Above timberline. Camp below.

Survey Notes:

ct come down from Dude Lake. Nice brookies. The lake showed some signs of use in '91.
Eb '77 - 5 fish 13.5-14.2" ave. 13.9". 1991 - 16 eb 9.5-14.6" ave. 12.4", 2 CT 6.4-12.4" ave. 9.4". 2012 FWP survey 3 anglers 1.5 hrs.

September Morn Lake

DRAINAGE: Rock Creek ELEV: 9696
Location: 45.09886, -109.54339 ACREAGE: 11.3
Section: 8S18E29C DEPTH: 75 FT
Marcuson's Code: 40
Access: 8 miles up the lake fork of Rock Creek near Sundance pass on Trail #1.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Fork Rock Creek	8	(8)	+2,500	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Brook Trout	33	10	6.2-11.8
2006	Brook Trout	18	9.7	7-11.5

Stocking History

Stocking Plan

1933: Brook Trout (7000 fish)

1931: Yellowstone Cutthroat (25000 fish)

Comments: Brook trout were abundant and vulnerable to angling.

Camp sites: Several campsites with some available firewood.

Survey Notes:

The 2014 sample was obtained by angling for 4 hours.

Shadow Lake

DRAINAGE: Rock Creek
Location: 45.10128, -109.58562
Section: 8517E25,26
Marcuson's Code: 52

ELEV: 9580
ACREAGE: 3.6
DEPTH: 6 FT

Access: Hike 8 miles up west fork on Trail #1 to Sundance bridge. Stay on right side Of Creek. Trail disappears and reappears. Lake is a creek meander.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
West Fork Rock Creek	9	(9)	+1,870	-160

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Stocked

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Yellowstone Cutthroat	11	12.6	6.5-14.8
2001	Yellowstone Cutthroat	24	9.8	8-11.8

Stocking History

Stocking Plan

2009: Yellowstone Cutthroat (360 fish)
2003: Yellowstone Cutthroat (360 fish)
1997: Yellowstone Cutthroat (360 fish)

Comments: 100/acre every 6 years beginning in 1991. Lake is ~1/2 mile above the Sundance bridge (good path). Don't mistake it for the unnamed Lake immediately above the bridge. Water code #22-9143.

Camp sites: Few flat places to camp. Little firewood. Camp in valley below

Survey Notes:

Poor reproduction if any. Heavy use would indicate a need for stocking. The unnamed lake between this lake and the bridge is a better candidate. It is deeper and the inlet has gravel for spawning. '90 gill net set for 18.5 hours. Fish were in average condition. Reconsider future plants. Cutts first planted in '80.

Sheep Lake (aka. Mountain Sheep Lake)

DRAINAGE: Rock Creek
Location: 45.01843, -109.55862
Section: 9518E30
Marcuson's Code: 12

ELEV: 9985
ACREAGE: 7.3
DEPTH: 18 FT

Access: Headwaters of Rock Creek. 2 miles of Steep Trail to Glacier Lake. 1 mile cross country (NW).

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Glacier Lake	3.5	(2)	+1,400	-150

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Yellowstone Cutthroat	27	14.2	10.2-16.
1999	Yellowstone Cutthroat	24	13.5	12.5-15.

Stocking History

Stocking Plan

1976: Yellowstone Cutthroat (1620 fish)
1969: Yellowstone Cutthroat (2430 fish)

Comments: Fish move into mtn Sheep Lake from mtn goat lake. Management of mtn sheep is dependent on mgmt of mtn goat. Stocking at mountain goat seems right on.

Camp sites: Fuel for fires is scarce. Poor camping.

Survey Notes:

Survey with mountain Goat Lake. '90 gill net set for 19.5 hours. Fish were fat. Some reproduction was evident in '90. '99 fish were fat. Sept.'08 frank ewalt angled 15 Yct, approx 1.5 lbs.

Shelf Lake

DRAINAGE: Rock Creek
Location: 45.02634, -109.52226
Section: 9518E20,21
Marcuson's Code: 16

ELEV: 10120
ACREAGE: 51.0
DEPTH: 55 FT

Access: 3 miles from the end of the Glacier Lake (rock Creek) road. Trail is steep and full of downed timber. Leave Glacier Lake Trail .25 miles after foot bridge & head north up the ridge on the west. side of the creek from moon and shelf.13.5 hr net set in 06

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Glacier Lake	3	(3)	+1,400	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Brook Trout	15	10.3	6.9-13.2
2006	Brook Trout	23	12.4	9-14.25

Stocking History

Stocking Plan

Comments: Brookie density fluctuates with zooplankton density. Fish are generally in excellent condition. Leave the Glacier Lake Trail at the bridge. Stay on east side Of Creek. Access is possible from hellroaring plateau.

Camp sites: Campsites are away from the lake. No firewood. Camp below.

Survey Notes:

Ship Lake

DRAINAGE: Rock Creek
Location: 45.11679, -109.59669
Section: 8517E23
Marcuson's Code: 61

ELEV: 10400
ACREAGE: 28.9
DEPTH: 55 FT

Access: 1 mile from Maintained Trail at Sundance Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
West Fork Rock Creek	8	(6.5)	+2,600	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2009

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2009	Brook Trout	31	8.3	6.3-9.9
1993	Brook Trout	28	9.8	7.1-12.3

Stocking History

Stocking Plan

1934: Brook Trout (11200 fish)
1932: Brook Trout (6000 fish)

Comments: USFS ranger visited the lake on 8/14/84. Eb in good condition, average size = 8.5 ". 1988 9-12" brookies. Brookies are obviously reproducing well.

Camp sites: Above timberline. Some rocky places, camp below. No firewood.

Survey Notes:

'93 - fish were stunted but average in body weight for their size. Provides a good contrast to cutthroat fisheries in Nearby Lakes.

Silt Lake, Lower (aka. Silt Lake #2)

DRAINAGE: Rock Creek ELEV: 9800
Location: 45.09625, -109.59672 ACREAGE: 4.4
Section: 8517E26CCD DEPTH: 10 FT
Marcuson's Code: 54

Access: 9.5 miles up the trail along the west fork of Rock Creek and 1 mile further up the creek drainage on a good path.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	10.5	(10.5)	+2,100	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	8	11.2	8.8-14.4
1999	Yellowstone Cutthroat	8	10.5	9.1-12.2

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (220 fish) 2016: Yellowstone Cutthroat (220 fish)
2008: Yellowstone Cutthroat (220 fish)
2004: Yellowstone Cutthroat (220 fish)

Comments: 50/acre every 4 years. Outlet is blocked by talus. Hope fish move to Other Lakes. Use of the lake indicates a need for continued stocking.

Camp sites: Poor camping. Firewood is away From Lake.

Survey Notes:

CT's planted in '76, '80, '84, '88, '92. Water is cold (36) and growing season short (surrounding mountains block sunlight). '90 gill net set for 18.5 hours. Fish were thin. '99 fish all seemed healthy and fat.

Silt Lake, Upper (aka. Silt Lake #3)

DRAINAGE: Rock Creek ELEV: 9820
Location: 45.096, -109.60187 ACREAGE: 3.2
Section: 8517E26CD DEPTH: 7 FT
Marcuson's Code: 55

Access: About 11 miles up the west fork of Rock Creek, 9.5 on a Maintained Trail, last 1.5 on a path.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	11	(11)	+2,100	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	9	9.1	7.7-10.2
1999	Yellowstone Cutthroat	0		-

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (160 fish) 2016: Yellowstone Cutthroat (160 fish)
2008: Yellowstone Cutthroat (160 fish)
2004: Yellowstone Cutthroat (160 fish)

Comments: 50/acre every 4 years. Outlet blocked by talus hindering downstream migration.

Camp sites: Poor camping. Little firewood near the lake.

Survey Notes:

CT's planted in '80, '84, '88. '92 gill net set for 17.5 hrs. Fish were small & thin. Very poor growth in very cold water (36). Use indicates a need for stocking, but with fewer fish.

Silver Run Lake #43

DRAINAGE: Rock Creek ELEV: 9600
Location: 45.13545, -109.47867 ACREAGE: 3.6
Section: 8518E14 DEPTH: 4 FT
Marcuson's Code: 43

Access: Take Trail #12 up Timberline Creek -2.75 miles then #8 to the left. The lakes are located just under the silver run plateau. There are 5 lakes.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Timberline	5	(4.5)	+1,900	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Rare	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	0		-
1995	Brook Trout	1	10.2	10.2-10.

Stocking History

Stocking Plan

Comments: Must be a pretty tough spot for a fish to spend the winter! May be potential for spawning in the outlet.

Camp sites: Some camping spots. Plenty of firewood.

Survey Notes:

'95 fish was in average health. No fish found in #45, #46, or #46b. Do fish move here from downstream? 2012 FWP survey No fish caught angling.

Silver Run Lake #44

DRAINAGE: Rock Creek ELEV: 9600
Location: 45.13332, -109.48196 ACREAGE: 2.3
Section: 8518E14 DEPTH: 4 FT
Marcuson's Code: 44

Access: Take Trail #12 up Timberline Creek -2.75 miles then #8 to the left. The lakes are located just under the silver run plateau. There are 5 lakes.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Timberline	5	(4.5)	+1,900	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Rare	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Brook Trout	0		-
1995	Brook Trout	5	13.5	10.9-14.

Stocking History

Stocking Plan

Comments: Very suprised to see fish here. Seems very strange that these fish are not frozen out every winter. May be spawning potential in inlet, none in outlet.

Camp sites: Some rocky places to camp. Plenty of firewood.

Survey Notes:

'95 fish were average to fat. No fish found in #45, #46, or #46b. Do fish move here from downstream? 2012 FWP survey NO fish caught in gill net or angling.

Silver Run Lake #47

DRAINAGE: Rock Creek ELEV: 9600
Location: 45.12934, -109.48257 ACREAGE: 2.5
Section: 8518E14CB DEPTH: 10 FT
Marcuson's Code: 47

Access: Take Trail #12 up Timberline Creek -2.75 miles then #8 to the left. The lakes are located just under the silver run plateau. There are 5 lakes.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Timberline	5.5	(4.5)	+1,900	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained

Last sample: 2012

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2012	Brook Trout	11	10.1	8.7-11.6
2005	Brook Trout	24	10.7	9.5-12

Stocking History

Stocking Plan

Comments: #47 may be the Only Lake here that can overwinter fish. The fish may have come from timberline or gertrude lakes. No planting records. Possible/probable spawning in outlet and inlet.

Camp sites: Few campsites. Some firewood.

Survey Notes:

'89 creel cards - 5 eb 8-12" range. '95 fish were average to very thin. No fish found in #45, #46, or #46b. 2012 FWP survey 5 hr net set caught 11 EB. This is the lake that is best of all in this group of lakes and probably stocks the others.

Sliderock Lake

DRAINAGE: Rock Creek ELEV: 10480
Location: 45.03843, -109.51297 ACREAGE: 81.0
Section: 9518E16 DEPTH: 245FT
Marcuson's Code: 30

Access: Hike from Jeep Trail on hellroaring plateau. The lake is at the head of Hellroaring Creek. 4 mile hike.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Hellroaring Plateau	3	(2)	+1,200	-480

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Brook Trout	6	7.3	5.7-9.3
2004	Brook Trout	17	11.2	9.8-12.8

Stocking History

Stocking Plan

1938: Brook Trout (1560 fish)
1933: Brook Trout (13600 fish)

Comments: This is the deepest lake in the beartooths.

Camp sites: Above timberline. No real campsites. No firewood.

Survey Notes:

In 2013 the low number of fish sampled likely was a result of a poor net set.

Smethurst Lake (aka. Hellroaring Lake #10)

DRAINAGE: Rock Creek ELEV: 9580
Location: 45.04134, -109.47033 ACREAGE: 4.6
Section: 9518E14 DEPTH: 4 FT
Marcuson's Code: 26

Access: Hike up Hellroaring Creek from the Jeep Trail #3004. NW down a steep grassy slope from the trailhead.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Hellroaring Plateau	1.5	(1)	+280	-460

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2011

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2011	Brook Trout	1	12.2	-
2011	Yellowstone Cutthroat	23	8.1	2.2-11.9

Stocking History

Stocking Plan

Comments: Good spawning area. This lake is a shallow wide spot in Hellroaring Creek. Most of shoreline is marshy. Prospector Melvin Martin may have planted these cutts in 1901-05.

Camp sites: Good campsites. Firewood is available.

Survey Notes:

In 2014 Yellowstone cutthroat trout were sampled in the small marsh ponds south of Smethurst Lake.

Snowbank Lake (aka. Hellroaring Lake #3)

DRAINAGE: Rock Creek ELEV: 10040
Location: 45.03958, -109.49336 ACREAGE: 18.8
Section: 9518E15 DEPTH: 40 FT
Marcuson's Code: 19

Access: Easy hike from hellroaring Jeep Trail #3004.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Hellroaring Plateau	3	(2.5)	+480	-200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Brook Trout	77	9.8	6.5-11.9
2004	Brook Trout	8	9.5	8.2-10.4

Stocking History

Stocking Plan

Comments: Brook trout were in good condition and abundant. Legal harvest of brook trout is encouraged here. The fish were easily caught when angling.

Camp sites: Camping is better at lower lakes. Little firewood.

Survey Notes:

Brook trout were plentiful and in good condition.

Sundance Lake

DRAINAGE: Rock Creek ELEV: 9370
Location: 45.10915, -109.57725 ACREAGE: 2.9
Section: 8S17E24 DEPTH: 17 FT
Marcuson's Code: 50

Access: 8 miles up the Maintained Trail along the west fork of Rock Creek to the Sundance bridge, then cross & hike back downstream.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	9	(9)	+1,800	-250

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	0	-	-
2001	Yellowstone Cutthroat	3	10.7	8.1-12.6

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (290 fish) 2016: Yellowstone Cutthroat (290 fish)
2008: Yellowstone Cutthroat (290 fish)
2004: Yellowstone Cutthroat (290 fish)

Comments: It is hoped that Sundance, shadow, the 3 Silt Lakes, and the stream can support a fishery. Further investigation is needed. Use indicates the need for stocking with a larger number of fish ('90).

Camp sites: Few places to camp. Firewood scarce. Camp on the hill above.

Survey Notes:

'90 gill net set for 41.5 hours. Some fish were seen rising but none were taken in 2 days of netting. '95 - fish seem to be gone. Cutthroats planted in '80, '84, '88 '92, EB's in '33 & '34.

Timberline Lake

DRAINAGE: Rock Creek ELEV: 9660
Location: 45.13573, -109.50536 ACREAGE: 31.4
Section: 8S18E15,16 DEPTH: 85 FT
Marcuson's Code: 49

Access: Rigorous climb Up Trail #12 along Timberline Creek. 2/3 up is Trail #8 to the silver Run Lakes. Pass lake gertrude on the way.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Timberline	5	(5)	+2,100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Brook Trout	24	8.1	5.3-9.5
2005	Brook Trout	62	8	6.5-9.8

Stocking History

Stocking Plan

1934: Brook Trout (11200 fish)
1933: Brook Trout (24000 fish)
1932: Brook Trout (6000 fish)

Comments:

Camp sites: Some camping spots and firewood available.

Survey Notes:

The 2015 sample was obtained by angling for 1.5 hours. In 2015 the fish were brightly colored but some were in poor condition.

Triangle Lake

DRAINAGE: Rock Creek ELEV: 10440
Location: 45.11909, -109.59203 ACREAGE: 6.3
Section: 8S17E23A DEPTH: 35 FT
Marcuson's Code: 60

Access: West fork Rock Creek Trail #1 7 miles almost to Sundance pass. Then west uphill through one of two chutes. Up the outlet stream not recommended.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Fork Rock Creek	8	(6.5)	+2,600	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	1	20	20-20
2001	Yellowstone Cutthroat	0	-	-

Stocking History

Stocking Plan

2010: Yellowstone Cutthroat (630 fish) 2018: Yellowstone Cutthroat (630 fish)
2002: Yellowstone Cutthroat (630 fish)
1994: Yellowstone Cutthroat (630 fish)

Comments: Growth is good. In 1987 an angler brought in a 3.5 lb, 10 yr old ct. '93 net caught one 21" fish - fat, loaded with shrimp. One fish 3 lb seen. '94 net - 8.8 & 19.3".

Camp sites: Above timberline. Best to camp along the w fork of Rock Creek.

Survey Notes:

CT's first planted 1971, then 1977. Stocking at 100/acre every 8 years seems right on. No real spawning potential but 8.8" fish in '94 indicates some reproduction. '93 plant changed to '94 to help graduate study dealing With Lake productivity And stocking rates. Fin clipped '94 fish have not been found. Where are they? '81 survey - 14 CT's 12.2-15.5", ave. 13.3".

Triangle Lake

DRAINAGE: Rock Creek ELEV: 9730
Location: 45.01281, -109.55217 ACREAGE: 7.9
Section: 9S18E30D DEPTH: 35 FT
Marcuson's Code: 10

Access: 2 miles of Steep Trail to Glacier Lake. Triangle drains into the NW end of Glacier Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Glacier Lake	3	(2)	+1,170	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	11	14.8	13.4-16.
1999	Yellowstone Cutthroat	2	9.9	6-13.8

Stocking History

Stocking Plan

2009: Yellowstone Cutthroat (790 fish) 2017: Yellowstone Cutthroat (790 fish)
2001: Yellowstone Cutthroat (790 fish)
1993: Yellowstone Cutthroat (800 fish)

Comments: Stocking should be once every 8 years. This will yield adequate trout growth and sustain the zooplankton numbers. Lower stocking rate to 790, 100/acre in 2001. Water code #22-9489.

Camp sites: Camping sites are better at Glacier Lake.

Survey Notes:

Stocked every 8 years. '90 gill net set for 22.5 hours. Fish were thin. 99 fish were average. Gravel at snowmelt inlets looks good for spawning but none was known to occur until the 6" fish was taken in '99. First cutthroat plant in '69, next in '77.

Wild Bill Lake

DRAINAGE: Rock Creek

ELEV: 6719

Location: 45.15665, -109.36916

ACREAGE: 3.2

Section: 8S19E3

DEPTH: 8 FT

Marcuson's Code: 69

Access: Approximately 10 miles up the west fork of Rock Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Drive To Lake	0	(0)	+0	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Unknown	Self-Sustained
Rainbow Trout	Common	Stocked

Last sample:

<u>Stocking History</u>	<u>Stocking Plan</u>
2013: Rainbow Trout (6000 fish)	2016: Rainbow Trout (6000 fish)
2012: Rainbow Trout (6000 fish)	
2011: Rainbow Trout (6000 fish)	

Comments: Lake is stocked four times a year prior to holidays from may to september with catchable sized rainbow. Lake is handicapped accessible.

Camp sites: Parking lot.

Survey Notes:

Heather Lake

DRAINAGE: Slough Creek ELEV: 9275
Location: 45.17469, -110.07265 ACREAGE: 4.4
Section: 7513E35D DEPTH: 4 FT
Marcuson's Code: 6

Access: At lake abundance Take Trail #24 down the Stillwater to Trail #34 up Horseshoe Creek past lake of the woods. Cross divide past peace then n up creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Abundance	17	(16.25)	+2,800	-2,000

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	10	12.2	6.7-15.4
2002	Yellowstone Cutthroat	10	9.6	8-11.2

Stocking History

Stocking Plan

Comments: True native cutthroat. CT from wounded Man Creek can move into the lake. ****must protect this fisheries native status****

Camp sites: Many good camping spots. Lots of firewood available.

Survey Notes:

Very good spawning area in inlet. Good elk country. '95 - fish were thin to fat. Fish as small as 2" observed. '02 fish were fat. Peace and Heather are the only known indigenous (native) Yct Lake populations in region 5. 2012 FWP survey caught 10 net set 4 hrs. Genetic samples taken. 1 Col. Sp. Frog seen.

Horseshoe Lake

DRAINAGE: Slough Creek ELEV: 9180
Location: 45.14256, -110.08981 ACREAGE: 5.0
Section: 8513E10,15 DEPTH: 13 FT
Marcuson's Code: 2

Access: 4x4's can drive to independence and drop into Slough Creek, Lake abundance Creek Trail-rock creek-outlet creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Abundance	14	(13.5)	+1,940	-1,162
Independence	15	(14.5)	+2,214	-2,634

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Rare	Stocked

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	0		-
1989	Yellowstone Cutthroat	0		-

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (1000 fish) 2016: Yellowstone Cutthroat (1000 fish)
2000: Yellowstone Cutthroat (1000 fish)
1992: Yellowstone Cutthroat (1000 fish)

Comments: Lake provides recreation for elk hunters. Much of this area was burned in 1988. '89 net set for 5 hours in the afternoon. 1,300 CT's planted in '76.

Camp sites: Firewood is available. Lots of 'junk' Around Lake.

Survey Notes:

Stocked every 8 years. Not very 'pristine'. '88 fire may have hurt fishery. Let this one go till scheduled 1992 plant. 2012 FWP survey 12.5 hr. net set 0 YCT caught or observed.

Lake Abundance

DRAINAGE: Slough Creek ELEV: 8400
Location: 45.08917, -110.01165 ACREAGE: 17.2
Section: 8514E32 DEPTH: 37 FT
Marcuson's Code: 1

Access: 4x4 Jeep Trail from daisy pass north of cooke city or hike in by trail from Slough Creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Abundance	.25	(.25)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	10	10.1	6-14
1997	Yellowstone Cutthroat	11	10.3	6.3-16.3

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (1000 fish)
2008: Yellowstone Cutthroat (1000 fish)
2005: Yellowstone Cutthroat (1000 fish)

Comments: Reproduction occurs but harvest exceeds recruitment so the lake is stocked every 3 yrs. Fishing pressure is heavy in winter. Fish were very fat and healthy in 1989.

Camp sites: Camping is excellent w/ firewood. Some garbage present.

Survey Notes:

Stocked every 3 years. Heavily Used Lake. Much of the area burned in '88 but most of shoreline is intact for a few yards. CT's stocked '38, '39, '42, '47, '70, '72, '77, '84, '87, '90, '93, '96.
2012 FWP survey 2 nets 4.5 hrs & 2 angled 3hrs caught 10 YCT.

Peace Lake

DRAINAGE: Slough Creek ELEV: 8725
Location: 45.16348, -110.0645 ACREAGE: 4.7
Section: 8513E1,2 DEPTH: 4 FT
Marcuson's Code: 5

Access: Headwaters of wounded Man Creek, a tributary of slough creek, or hike up horseshoe creek, a tributary of the Stillwater.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Independence	14	(14)	+1,125	-2,000
Lake Abundance	16	(16)	+2,025	-1,700

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	28	7.8	5.1-10
2002	Yellowstone Cutthroat	10	7.9	7.1-9.3

Stocking History

Stocking Plan

Comments: One of Two Lakes in the a-b wilderness with indigenous cutthroat. Management should be to protect the status of the fishery. The fish in '89 were small but very healthy looking.

Camp sites: Firewood available. Much of this area burned in '88.

Survey Notes:

One of only Two Lakes in the beartooths with indigenous cutthroat. May need special protection.
'02 fish were angled easily. 2012 FWP survey 4.5 hr net set + 2 anglers caught 28 YCT.3 Col. Spot. Frogs observed.

Anvil Lake

DRAINAGE: Stillwater ELEV: 9440
Location: 45.10014, -109.96271 ACREAGE: 10.1
Section: 8514E26,27 DEPTH: 45 FT
Marcuson's Code: 36
Access: Good Trail up the Stillwater to Goose Creek then cross country or hike west from Goose Lake Jeep trail 2.5 miles (cross country).

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	3.5	(0)	+400	-800

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	No Fish Captured	0	-	-
2008	Yellowstone Cutthroat	0	-	-

Stocking History Stocking Plan

2009: Yellowstone Cutthroat (750 fish)

2002: Yellowstone Cutthroat (758 fish)

1993: Yellowstone Cutthroat (1000 fish)

Comments: Stocked every 8 years. Reproduction seems to be occurring here. Altering plant. '01 plant missed. Will stock 75/acre every 8 years beginning in '02.

Camp sites: Plenty of firewood. About 70% of shoreline burned in 1988.

Survey Notes:

2008 survey was 5hr net set. In 2008 an angler fished 2.5 days no rises, no fish caught. No fish captured in 2013 survey thus stocking moved up to 2014.

Asteroid Lake

DRAINAGE: Stillwater ELEV: 9380
Location: 45.2715, -110.0152 ACREAGE: 3.2
Section: 6514E32BA DEPTH: 40 FT
Marcuson's Code: 80
Access: Headwaters of Flood Creek drainage. Hike on trails to lake surrender then cross country SE 3 miles. No trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Initial Creek	22	(22)	+4,000	-1,200
Woodbine	13	(7)	+4,100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Stocked

Last sample: 2001

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2001	Golden Trout	0	-	-
1994	Golden Trout	18	8.4	6-12.6

Stocking History Stocking Plan

2012: Golden Trout (320 fish)

2017: Golden Trout (320 fish)

2005: Golden Trout (320 fish)

1992: Golden Trout (209 fish)

Comments: Intent of plant is to allow GT to move downstream. Good outlet for spawning, nice gravel. Good food base, lots of aquatic invertebrates. Fish planted in '91 were .9" 0's and 4.7" age 1's.

Camp sites: Fair firewood. Good camping.

Survey Notes:

2.5 hour net set in daylight in '01. Water level was low. 1982 plant apparently did not take. Ralph Saunders reported no fish in 1987 and netting in '91 failed to show any survival. Glen Owens 7/99 - no fish. Access is both long and difficult. The lake plateau can be reached from any of 4 Trailheads, Woodbine, west stillwater, upsidedown and box canyon.

Aufwuchs Lake

DRAINAGE: Stillwater ELEV: 8650
Location: 45.21603, -110.04684 ACREAGE: 30.0
Section: 7513E13,24 DEPTH: 28 FT
Marcuson's Code: 54
Access: Tough hike off Of Trail #23 on wounded Man Creek. About 15 miles from Woodbine. 3700' up, 300' down.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Woodbine	15	(13)	+3,700	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 1992

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1992	Yellowstone Cutthroat	4	14.6	8.9-20.3
1979	Yellowstone Cutthroat	2	14.3	14-14.5

Stocking History Stocking Plan

1969: Yellowstone Cutthroat (7020 fish)

Comments: Tough to get to this lake. Last two miles are very difficult with a backpack. Looks like this lake could stand some harvest.

Camp sites: Decent camping with plenty of firewood.'92 no signs of any use.

Survey Notes:

'92 -40 fish angled by crew in 1.5 hours. 15 measured ave. 15.4". Many seen cruising and rising, all sizes up to 20". Most fish were thin, some emaciated. Good gravel in outlet bay. Two tiny inlets had sand substrate. Fish are over reproducing although there is not much potential spawning area. K. Latterell and B. Leshner caught 35 YCT 7-18" early July 2010. Skinny to avg. weight.

Barrier Lake

DRAINAGE: Stillwater ELEV: 8150
Location: 45.25081, -110.05406 ACREAGE: 42.4
Section: 7513E1 DEPTH: 130FT
Marcuson's Code: 66
Access: Long hike from any Trailhead. The excellent Initial Creek trail gets you near wounded Man Lake. From this lake it's an arduous 1.5 m climb down.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Stillwater	19.5	(17)	+3,300	-1,700
Box Canyon	17.5	(15)	+3,100	-1,600

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout X Golden Trout	Common	Self-Sustained

Last sample: 1997

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1997	Rainbow Trout X Golden Trout	10	10.3	8.4-13.5
1986	Golden Trout Hybrid	2	11.5	8.5-14.5

Stocking History Stocking Plan

Comments: Origin of these fish is unknown. The 2 fish in the '86 survey were caught angling. Numerous fish were seen rising.

Camp sites: Tough camping. May be best at the outlet. Lots of firewood.

Survey Notes:

Low use. Very steep sides/shorelines - rocky.

Beauty Lake

DRAINAGE: Stillwater ELEV: 9200
Location: 45.10568, -109.97096 ACREAGE: 5.9
Section: 8514E27DBB DEPTH: 55 FT
Marcuson's Code: 34

Access: 1 mile north of Goose Creek, a tributary of the Stillwater near Lulu Pass. Hike west from Goose Lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	4	(0)	+500	-1,100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	10	9.6	7-11.9
1999	Yellowstone Cutthroat	11	10.6	8.7-13.9

Stocking History Stocking Plan

1968: Yellowstone Cutthroat (2080 fish)
1967: Yellowstone Cutthroat (1000 fish)

Comments: Periodic surveillance needed to see if fishery remains self-sustaining. Marcuson fished here in 1978 and found lots of fish. Report of 6.0-13.0" fish in 1987.

Camp sites: Great camping, much firewood, untouched by the burn of 1988.

Survey Notes:

D. Arneson 8/87 found medium numbers of 6-10" cutthroats. Greg Aldrich 8/92 reports lots of fish of all sizes up to 12". Dennis Hagenston 8/93 reports cutts 8-12". Bob Wiltshire 9/99 - abundant 10-12" cutts in good condition. Survey crew angled in 08, 10 fish ave. Health.

Bill Lake

DRAINAGE: Stillwater ELEV: 8380
Location: 45.29593, -110.00389 ACREAGE: 10.4
Section: 6514E20AD DEPTH: 28 FT
Marcuson's Code: 76

Access: From Woodbine 5 Trail miles to flood crk. Climb! 4 miles up the crk (no trail). Flood crk drainage is basically impassable. Do not attempt unless you enjoy torture! Use Box Canyon, Upsidedown or West Fork Stillwater trailheads.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Woodbine	9	(5)	+3,130	-0
Box Canyon Trail	22.5	(22.5)	+2,900	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout X Golden Trout	Common	Self-Sustained
Yellowstone Cutthroat Trout X G	Common	Self-Sustained
Yellowstone Cutthroat Trout X R	Common	Self-Sustained

Last sample: 2002

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2002	Yellowstone Cutthroat Trout X Golden Tr	13	9	5.4-11
1991	Unknown Hybrid	3	9.5	9.3-9.8

Stocking History Stocking Plan

Comments: Inlet and outlet provide excellent spawning areas. Ralph Saunders reports 14.0" cutthroat in 1983. Fish are also in the stream. Beautiful Lake to fish and camp. Not much use.

Camp sites: Good camping, plenty of firewood.

Survey Notes:

Gil longmire 8/89 - lots of gt's 8-12", 1 CT 12", 2 rb's 8-10". All fish observed were hybrids of gt, ct, rb. Larger fish, in fairly high #s were observed cruising (6-15"). Fish were in good condition, very fat. Catch one on every cast. Glenn Rickett and crew were here in '05. Fish were healthy and willing - up to 14". Coming up from below was very, very rough. One day fishing here and at Cimmerian Lake - 4 guys - 120 fish.

Cataract Lake

DRAINAGE: Stillwater ELEV: 8751
Location: 45.27998, -109.89691 ACREAGE: 9.7
Section: 6S15E29 DEPTH: 45 FT
Marcuson's Code: 8

Access: Easy hike from Woodbine to sioux charley. Cross river. Work south through burn -1 mi to Falls Creek. Steep x-country climb up creek. Stay to left.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Woodbine	8	(4)	+3,800	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Rare	Stocked

Last sample: 1997

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1997	Yellowstone Cutthroat	1	17	17-17
1990	Yellowstone Cutthroat	0		-

Stocking History Stocking Plan

2007: Yellowstone Cutthroat (485 fish)
1999: Yellowstone Cutthroat (485 fish)
1991: Yellowstone Cutthroat (485 fish)

Comments: Trophy fishery is the goal here. Poor spawning grounds. 8-year cycle at 50/acre. Leave as is. Good fishery potential, lots of feed, but no fish left from the '77 plant.

Camp sites: Few good campsites but lots of firewood.

Survey Notes:

Access is very difficult. Use by fishermen would be very limited. Little sign of use. The outlet of the lake is burned. '97 fish weighed 2.3 lbs. Lots of caddis. '90 gill net set for 5 hours by volunteer crew. Ralph Saunders 9/5&6/04 - 10 hours each way with 25lb packs. Treacherous - burned downfall with thick regrowth. Jump log to log. Will get worse before better. Weird 14" CT's - blood red, high fat. Survey at some future date.

Chrome Lake

DRAINAGE: Stillwater ELEV: 8412
Location: 45.35056, -109.79683 ACREAGE: 3.6
Section: 5S16E31 DEPTH: 17 FT
Marcuson's Code: 1

Access: Reached via the benbow mine road. The lake is outside the absaroka-beartooth wilderness. Marginal for 2 wheel drives. Advisable to walk down.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Benbow Mine Road	ALL	ROAD	--	--

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Common	Stocked
Yellowstone Cutthroat	Common	Stocked

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	13	14.6	12.7-16.
2008	Arctic Grayling	8	12.1	11.7-12.

Stocking History Stocking Plan

2012: Arctic Grayling (360 fish) 2018: Arctic Grayling (360 fish)
2009: Yellowstone Cutthroat (360 fish)
2009: Arctic Grayling (110 fish)

Comments: Easy access. Plants need to be evaluated. Mineral runoff from mines may be tough on fish. No inlet. Outlet mostly silt - some sand. Probably ephemeral.

Camp sites: Plenty of firewood and some campsites on south side Of Lake.

Survey Notes:

First stocked with grayling in 1985, then '91& '92. CT '32, eb '43, RB '49. Determine status. Restock when grayling are available. '98 - no sign of '97 plant but they would be too small to net. Large shrimp (1") and many leeches present. 2 nets set in '04 for 4 hours. Aquatic bugs were plentiful. Net in '89 caught nothing. Surveyed 08 both species seem to be doing good.

Cimmerian Lake

DRAINAGE: Stillwater ELEV: 8580
Location: 45.2955, -110.02731 ACREAGE: 18.8
Section: 6S14E19,20 DEPTH: 30 FT
Marcuson's Code: 85

Access: Located on Flood Creek which is near impassable avoid!. Best access is from the lake plateau down Flood Creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	19.5	(19.5)	+3,100	-1,200
Initial Creek	21.5	(21.5)		
SPECIES PRESENT	ABUNDANCE	STATUS		
Rainbow Trout	Common	Self-Sustained		
Rainbow Trout X Golden Trout	Common	Self-Sustained		
Yellowstone Cutthroat	Common	Self-Sustained		

Last sample: 2001

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2001	Rainbow Trout X Golden Trout	4	10.5	8.5-17
2001	Yellowstone Cutthroat Hybrid	32	8.6	6-15

Stocking History

Stocking Plan

Comments: A good fishery with a lot of colorful hybrids. Fish also occupy the creek. The substrate is small cobble and gravel. Fair spawning potential in the inlet.

Camp sites: Campsites and plenty of firewood available.

Survey Notes:

Glenn Ricket and FWP crew sampled 2005 fish were healthy & willing -14" hiking up from flood creek is not advised. 1 day fishing here and Bill lake 4 anglers / 120 fish.

Courthouse Lake

DRAINAGE: Stillwater ELEV: 10000
Location: 45.12649, -109.95588 ACREAGE: 18.8
Section: 8S14E23B DEPTH: 205FT
Marcuson's Code: 21

Access: Can reach via Goose Lake Jeep Trail. Hike west from Goose Lake. Just below courthouse mountain.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	6	(0)	+1,600	-1,000
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Common	Stocked		

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Yellowstone Cutthroat	6	19.9	19.1-20.
1999	Yellowstone Cutthroat	2	21.7	21-22.3

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (1880 fish) 2019: Yellowstone Cutthroat (1880 fish)

2003: Yellowstone Cutthroat (1880 fish)

1995: Yellowstone Cutthroat (1880 fish)

Comments: 8/83 beno sheridan caught 16-17" cutthroat. D Arneson 8-87 saw, caught no fish. The last plant 8 years previous may have aged out.

Camp sites: Few campsites. Scarce firewood.

Survey Notes:

First planted in 1971, then 1979. Stocked every 8 years. 4-6 lb fish present in '87 - '88 ?? '90 gill net set for 24 hours. Fish were fat. Stocking seems right on. Check scales for ages and reproduction. D Fischer 8/91 nice 16-17.5" CT's. Hot/cold Lake. Nice fish. Orange plankton D. Shoshone present in '10.

Diaphanous Lake

DRAINAGE: Stillwater ELEV: 9631
Location: 45.28411, -110.08645 ACREAGE: 9.2
Section: 6S13E26,27 DEPTH: 25 FT
Marcuson's Code: 73

Access: 12 miles up Usfs Trail #90 on the west fork of the Stillwater. Several trails From Lake plateau serve the lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Initial Creek	16	(16)	+3,100	-0
SPECIES PRESENT	ABUNDANCE	STATUS		
Rainbow Trout	Unknown	Unknown		

Last sample: 2003

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2003	Rainbow Trout	0		-
1993	Rainbow Trout	7	13.6	11.8-15

Stocking History

Stocking Plan

1980: Rainbow Trout (1608 fish)

Comments: '83 other fish were observed ranging in size from 7-12". The lake appeared to have a good self-sustaining population even though there seems to be no good place to spawn. Will plant in future with eggs taken from wounded Man Lake.

Camp sites: Excellent camping but firewood is somewhat picked over.

Survey Notes:

Desmet rainbows stocked in 1980. '93 - large bodies, healthy fish. All show some CT characters, large spots, red slashes under gills. Heavy use area. Monitor self-sustaining population closely. In '93 we found 3 sets of campers there at once, -25 people. Hagenston & Nyberg caught two fish here in 2002. Five days of netting in '03 produced no fish for a whirling disease study.

Dreary Lake

DRAINAGE: Stillwater ELEV: 9040
Location: 45.27839, -110.06291 ACREAGE: 15.5
Section: 6S13E25C DEPTH: 12 FT
Marcuson's Code: 88

Access: Access best from the lake plateau. The lake is in the Flood Creek drainage. 4 ways in - initial Creek/Woodbine/upsidedown Trail/box canyon. (upsidedown or box canyon are best).

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Initial Creek	20	(20)	+3,100	-700
Box Canyon Trail	19	(19)	+3,540	-1,900
SPECIES PRESENT	ABUNDANCE	STATUS		
Rainbow Trout X Golden Trout	Abundant	Self-Sustained		

Last sample: 1994

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1994	Rainbow Trout X Golden Trout	18	8.3	6.4-12.9
1986	Golden Trout Hybrid	24	8.8	6.3-11.5

Stocking History

Stocking Plan

Comments: Hybrids showed more GT characteristics in 1986 but more rainbow characters in 1994. Spawning areas in outlet are excellent.

Camp sites: Lots of firewood, mountains, and trees.

Survey Notes:

On lake plateau - heavily used area. '94 fish appeared fairly healthy. Could use angler reports from this lake.

Dryad Lake

DRAINAGE: Stillwater ELEV: 9090
Location: 45.28489, -110.02532 ACREAGE: 5.1
Section: 6S14E30A DEPTH: 45 FT
Marcuson's Code: 84

Access: Access difficult. Headwaters of Flood Creek. Hike on trails to lake surrender then x-country southeast 1.5 miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Woodbine	12	(6)	+4,050	-0
Box Canyon Trail	22	(20)	+3,500	-1,100
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Golden Trout	Common	Stocked		

Last sample: 2001

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2001	Golden Trout	0		-
1994	Golden Trout	19	10.6	6.3-15.5

Stocking History

Stocking Plan

2012: Golden Trout (510 fish)

2017: Golden Trout (510 fish)

2005: Golden Trout (510 fish)

1992: Golden Trout (333 fish)

Comments: 1440 gt's planted in '82, 765 in '91. The '91 plants were age 0 and 1 fish. '01 net set for 19.5 hours. Long hike from anywhere. Glen Owens 7/99 found no goldens.

Camp sites: Only a few flat spots (near inlet). Plenty of firewood.

Survey Notes:

Replant when possible. Decent food base, some shrimp and lots of aquatic insects. Nice Lake. No spawning potential in the outlet - all large rocks 1 foot or better in diameter. Deep inlet stream has decent potential. It is sandy with some gravel. '94 fish in good general health. Stomachs full of shrimp.

Favonius Lake

DRAINAGE: Stillwater ELEV: 9410
Location: 45.21834, -110.09706 ACREAGE: 25.5
Section: 7S13E15 DEPTH: 15 FT
Marcuson's Code: 56

Access: Trail #27 up e. Fork of the boulder Past Lake kathleen and up Rainbow Creek. Take the right fork, cross the creek to columbine pass then down.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	12.3	(12.3)	+3,300	-700

SPECIES PRESENT

ABUNDANCE

STATUS

Yellowstone Cutthroat

Common

Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	9	11.9	7.9-16
1998	Yellowstone Cutthroat	7	9.2	6.7-11.3

Stocking History

Stocking Plan

Comments: '85 fish were caught by hook and line. Young of the year were in the outlet to Pentad Lake. 24 (3-14") observed from shore.

Camp sites: Lots of campsites but firewood is a little picked over.

Survey Notes:

Fish are obviously spawning successfully. Gil longmire 8/89 - 2 CT's -17" and a few 8-10". '98 fish were thin to average, ripe and spent. Other fish seen rising 6-12". Surveyed 08 fish in good condition good fighters, netted and angled 5.5 hrs.

Fly Lake

DRAINAGE: Stillwater ELEV: 9760
Location: 45.11983, -109.96908 ACREAGE: 2.5
Section: 8S14E22DB DEPTH: 38 FT
Marcuson's Code: 25

Access: Hike cross country from Goose Lake for 3 miles. One can drive to Goose Lake with a 4x4 truck.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	5	(0)	+1,300	-1,200

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Abundant

Self-Sustained

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Brook Trout	14	10.5	8.8-12
1999	Brook Trout	39	9.1	6.1-10.7

Stocking History

Stocking Plan

Comments: No fish data existed prior to 1989 except for marcuson's observations from shore. There used to be lots of trout here and they were larger and healthier than those in Nearby Lakes.

Camp sites: Camping on NE shore. Adequate firewood. Little use.

Survey Notes:

Less shoal area than Nearby Lakes. Little sign of '88 fire. The 2010 sample was obtained using angling.

Glacier Green Lake (aka. Glacier Creek Lake)

DRAINAGE: Stillwater ELEV: 8920
Location: 45.14387, -109.92425 ACREAGE: 16.3
Section: 8S14E12 DEPTH: 47 FT
Marcuson's Code: 17

Access: Leave the end of the Goose Lake Jeep Trail and take trail around e. Side to little goose. Then x-country NW to incisor lake, then down the creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	4	(3)	+240	-1,200

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Abundant

Self-Sustained

Last sample: 1995

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1995	Brook Trout	138	7.9	5.7-13.3
1974	Brook Trout	21	8.5	7.2-9.4

Stocking History

Stocking Plan

1937: Yellowstone Cutthroat (6900 fish)

Comments: Overcrowded with brookies. Anglers should feel free to eat a fish supper here.

Camp sites: Firewood and campsites available.

Survey Notes:

Greg Aldrich reports lots of EB's up to 12", 3/4 lb 8/92. Golden trout seen In Creek 1/2 mile below Incisor Lake - dave hergenrider. '95 fish were average to thin. Zillions of them. These fish were not just rising, they were boiling. The one big fish, 13.3", 1.25 lbs had fish bones in its stomach.

Goose Lake

DRAINAGE: Stillwater ELEV: 9830
Location: 45.11656, -109.91377 ACREAGE: 102.0
Section: 8S15E19,30 DEPTH: 130FT
Marcuson's Code: 42

Access: Goose Lake 4x4 Jeep Trail from cooke city. From the end of the jeep road, follow the hiking trail over the hill, north to Goose Lake 1/4 mile.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	.25	(.25)	+50	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 1998

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
1998	Yellowstone Cutthroat	29	8.7	4.9-11.2
1997	Yellowstone Cutthroat	18	9.7	8.8-11.7

Stocking History

Stocking Plan

Comments: Origin of fish unknown. Test neg. For whirling disease in '97. 1-2" fish in inlet & outlet. Without a 4wd it's an 8-10 mile hike to get here. Brood stock eggs are taken from here, disease testing done '08, eggs take in '07, '08 & '09.

Camp sites: Many places to camp but firewood is scarce. Above tree line.

Survey Notes:

Popular lake. 18 CT in '89 5.9-13.0" ave 8.2". '89 creel cards - 16 CT <8-<16". Fish were thin in '95 (due to late ice?) 1969-sparse zooplankton populations (essentially one species) and a rather limited benthos.

What little energy there is must get to the fish rather directly. K w cummins. Fish condition tends to be very thin to average.

Huckleberry Lake

DRAINAGE: Stillwater ELEV: 9520
Location: 45.08739, -109.92464 ACREAGE: 15.3
Section: 8S14E36D DEPTH: 49 FT
Marcuson's Code: 46

Access: Short 1 mile cross country hike from Goose Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	.5	(0)	+160	-160

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Unknown

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Yellowstone Cutthroat	14	9.2	6.9-11.9
2012	Yellowstone Cutthroat	10	10	9-11

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (2300 fish)

2010: Yellowstone Cutthroat (2300 fish)

2009: Yellowstone Cutthroat (2500 fish)

Comments: Rotenone project to remove brook trout in 2007 and 2008. There were 200 8-inch YCT planted in 2009. Fingerlings planted 2009-2011 to establish self sustaining population.

Camp sites: Firewood limited.

Survey Notes:

Lake was surveyed after treatment and no fish were caught in 47 hour net set. YCT observed in 2010, should continue to monitor recovery. In 2012 in 2 hrs an angler caught 10 YCT 9-11". In 2013 redds were observed in gravel at outlet.

Imelda Lake

DRAINAGE: Stillwater ELEV: 9750
Location: 45.1663, -109.91112 ACREAGE: 32.4
Section: 8S15E6AB DEPTH: 75 FT
Marcuson's Code: 13

Access: From Lake abundance Take Trail #24 down the Stillwater to Clarks Creek opposite horseshoe creek & Trail #34. Difficult 4 mile x-country up Clarks Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Lake Abundance	14	(10)	+2,800	-1,600

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 1995

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
1995	Brook Trout	62	7.6	6.2-9
1975	Brook Trout	35	8.4	6.3-10.3

Stocking History

Stocking Plan

Comments: Any route you choose to this lake it is a ball buster. A. Hag. Agrees '95. Only fair spawning potential in inlet but the brookies make the most of it.

Camp sites: Rocky terrain provides marginal camping. Firewood scarce.

Survey Notes:

Greg Aldrich reports lots of small EB's up to 10" 8/92. '95 - fish were in average condition.

Incisor Lake

DRAINAGE: Stillwater ELEV: 9640
Location: 45.13481, -109.91286 ACREAGE: 5.9
Section: 8S15E18CA DEPTH: 32 FT
Marcuson's Code: 18

Access: No Trail. Best access is from Goose Lake via the Goose Lake jeep trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	3	(2)	+240	-440

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Golden Trout	Abundant	Stock, with some natural repr

Last sample: 2010

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2010	Golden Trout	34	8.9	5.9-16.5
2001	Golden Trout	4	11.3	6.5-14

Stocking History

Stocking Plan

2011: Golden Trout (1000 fish)

2017: Golden Trout (590 fish)

2009: Golden Trout (600 fish)

2007: Golden Trout (500 fish)

Comments: Good spawning area in the outlet. Keep an eye on the goldens planted in '84. One 10" fish seen in '00, none in net. D Fischer 8/91 2 GT 4&7" in pond Below Lake & 8" in lake. Saw 12-13" in outlet. Next plant will depend on availability.

Camp sites: Few campsites. Some firewood.

Survey Notes:

Doug baronick saw fry in '87. G Aldrich '92? - reports 6-8" gt's - some in potholes Below Lake. Outlet goes underground before reaching Glacier Creek lake. '90 gill net set for 23.5 hours. Fish were in average condition. Gt's were doing well in '90. Fish were seen attempting to spawn in the outlet stream. '94 & '01 - 1-7" in outlet stream.

Jasper Lake (aka. Tumble Lake)

DRAINAGE: Stillwater ELEV: 9080
Location: 45.34577, -110.04113 ACREAGE: 53.2
Section: 6S14E6B DEPTH: 77 FT
Marcuson's Code: 100
Access: No Trail exists from Trail #90 on the west fork of the Stillwater. Follow East side of Tumble Creek. It's a steep climb, large boulders and deadfall.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Initial Creek	6.5	(4)	+2,600	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	27	10.8	6.4-14.6
2003	Yellowstone Cutthroat	8	13.1	11.5-14.

Stocking History

Stocking Plan

1977: Yellowstone Cutthroat (5000 fish)
1968: Yellowstone Cutthroat (5074 fish)

Comments: Lake is also referred to as tumble lake.

Camp sites: Nice campsite, plenty of firewood.

Survey Notes:

The 2003 sample was obtained by angling.

Jay Lake

DRAINAGE: Stillwater ELEV: 9600
Location: 45.30647, -110.06692 ACREAGE: 23.7
Section: 6S13E14D DEPTH: 35 FT
Marcuson's Code: 93
Access: Best access is from the Boulder lake plateau. The lake is in the Flood Creek drainage which is basically impassable.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Woodbine	15	(6)	+4,530	-0
W.F.Stillwater	22	(19.5)	+4,200	-1,000

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2005

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2005	Yellowstone Cutthroat	14	13.4	9.3-15.5
1991	Yellowstone Cutthroat	20	13.4	11.6-14.

Stocking History

Stocking Plan

1977: Yellowstone Cutthroat (2300 fish)

Comments: Golden trout are in surrounding lakes downstream. Was planted in '77 with cutthroat. Saunders caught 15" CT in 1983. Only adult spawners were sampled in '91.

Camp sites: Unsheltered area. Lots of flat spots. Some firewood .

Survey Notes:

Mike poore reports anglers catching many large fish in '86. Fish were spawning in the outlet 7/24/91. Fish were healthy but not fat. This lake is doing fine on its own.

Jeff Lake

DRAINAGE: Stillwater ELEV: 9210
Location: 45.08944, -109.93577 ACREAGE: 1.3
Section: 8S14E36CB DEPTH: 4 FT
Marcuson's Code: 48
Access: Accessible from the Goose Lake Jeep Trail. Outside of the a-b wilderness.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	2	(1)	+0	-640

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Unknown

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	11	10.8	7.9-12.7
2003	Brook Trout	9	5.1	3.5-6.2

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (325 fish)
2010: Yellowstone Cutthroat (790 fish)
2009: Yellowstone Cutthroat (325 fish)

Comments: Rotenone project to remove brook trout in 2007 & 2008. YCT planted in 2009 and 2010.

Camp sites: Some firewood and campsites available.

Survey Notes:

Jeff Lake has a good inlet flow most of which comes from sheep mtn. The outlet drops -60 ft and flows into Mutt Lake. Numerous YCT observed in 2010. The 2013 sample was obtained using angling for 2 hours.

Jordan Lake

DRAINAGE: Stillwater ELEV: 8970
Location: 45.23496, -110.0781 ACREAGE: 14.7
Section: 7S13E11 DEPTH: 35 FT
Marcuson's Code: 62
Access: Trail #27 e fork of main boulder-l kathleen-rainbow cr-l columbine-columbine pass-between favonius & pentad, then 2 miles down & up to jordan.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	14	(14)	+3,400	-1,400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	14	9.4	6.5-12.2
1998	Yellowstone Cutthroat	8	11.3	8.5-14.4

Stocking History

Stocking Plan

Comments: In 1969 it was felt this lake needed increased harvest. Seemed to be a well used lake. Fishing was good. '86 net was set in fairly shallow water, but observed lots of fish.

Camp sites: Some campsites along the east shore with plenty of firewood.

Survey Notes:

Gil longmire 8/89 caught lots of CT's 10-14". Fished for -1 hour - great action. '98 net and hook & line for 2.5 hours. Fish were thin. Other fish 1-12" observed. Surveyed 08 3.75 hr. Netset + angled, fish were thin.

Lake Aries

DRAINAGE: Stillwater ELEV: 9570
Location: 45.11214, -109.96665 ACREAGE: 3.8
Section: 8514E27AA DEPTH: 32 FT
Marcuson's Code: 29

Access: Hike cross country from Goose Lake. One can reach Goose Lake with a 4x4 truck or hike NE from beauty lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	4.5	(0)	+1,000	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Brook Trout	27	7.5	5.1-8.9
1999	Brook Trout	18	7.9	6.1-9.5

Stocking History

Stocking Plan

Comments: No additional management suggested. Little use.

Camp sites: Camping is fair, some firewood. Little sign of '88 fire.

Survey Notes:

The 2013 sample was obtained using angling for 1 hour.

Lake Of The Woods

DRAINAGE: Stillwater ELEV: 8675
Location: 45.16149, -110.04553 ACREAGE: 7.9
Section: 8514E6 DEPTH: 16 FT
Marcuson's Code: 49

Access: Take Trail #24 down the Stillwater from the lake abundance trailhead. At Horseshoe Creek Take Trail #34 to lake of the woods.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Lake Abundance	15	(15)	+1,700	-1,500

SPECIES PRESENT	ABUNDANCE	STATUS
Woodbine, Independence		
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Yellowstone Cutthroat	38	8.6	4.5-12.4
2002	Yellowstone Cutthroat	10	8.2	5.8-11.6

Stocking History

Stocking Plan

Comments: Indigenous cutthroat. These fish may have been transplanted from Peace Lakes. Dr.Benke confirmed the pureness of these fish. Inlet has good spawning potential, outlet only fair. Genetic samples taken in '02.

Camp sites: Many campsites, plenty of firewood. Area is burned only a few live trees.

Survey Notes:

'95 fish were average to fat. 2002 fish were angled. 2012 FWP survey 38 YCT caught net set 12.5 hrs.

Lake Pinchot

DRAINAGE: Stillwater ELEV: 9260
Location: 45.27979, -110.0734 ACREAGE: 53.9
Section: 6S13E26 DEPTH: 30 FT
Marcuson's Code: 91

Access: Best access is from the lake plateau. Avoid the Flood Creek drainage like the plague! Basically impassable!

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Creek	16	(16)	+3,750	-1,000
Box Canyon	18	(18)	+2,950	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout X Golden Trout	Common	Self-Sustained

Last sample: 2002

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2002	Rainbow Trout X Golden Trout	10	10.5	7.5-13.4
1993	Unknown Hybrid	30	10.3	6.1-14.8

Stocking History

Stocking Plan

1939: Golden Trout (12000 fish)

Comments: Rainbow origin not known. Spawning success is evident. Any combination of GT x CT x RB is possible. The interesting hybrids provide a good fishery. Fish in '02 looked like rainbows.

Camp sites: Excellent camping, lots of Firewood. Lake receives a lot of use.

Survey Notes:

Gill netted in 1986? Gil longmire 8/89 caught a few 8-10"ers '89 creel cards 11 RB -8-12", 8 ct?? (gt?) 8-12 ". '93 all fish seemed healthy. Anglers were catching no fish in 2001 so we will sample in 2002. '02 fish were angled in two hours. Fish from 3-10"s seen in '02. Little kern golden trout can look like a 'rainbow' trout.

Lake Surrender

DRAINAGE: Stillwater ELEV: 8625
Location: 45.29614, -110.03663 ACREAGE: 9.1
Section: 6S14E19B DEPTH: 40 FT
Marcuson's Code: 86

Access: Best access is from the lake plateau. The lake is in the Flood Creek drainage which is basically impassable.. From wounded man follow a Poor Trail past Pinchot & Raven.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	19	(19)	+3,100	-1,100
West Stillwater	21	(21)	+3,300	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout X Golden Trout	Common	Self-Sustained
Yellowstone Cutthroat Trout X G	Common	Self-Sustained
Yellowstone Cutthroat Trout X R	Common	Self-Sustained

Last sample: 1997

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1997	Yellowstone Cutthroat Hybrid	9		8.6-16.7
1997	Yellowstone Cutthroat Hybrid	8	11.6	8-14.5

Stocking History

Stocking Plan

Comments: Lake is full of colorful hybrids. Mosquitoes will drive you crazy in July. Access is both long and difficult. CT x GT x RB hybrids and everything in between.

Camp sites: Some nice camping spots. Plenty of firewood.

Survey Notes:

Sampled in 1986?? 4-17" fish observed in '97. Fish in average condition. Net set -1 hour, most fish were hook and lined.

Lake Wilderness

DRAINAGE: Stillwater ELEV: 9481
Location: 45.27896, -109.84123 ACREAGE: 19.0
Section: 6S15E26,27 DEPTH: 120FT
Marcuson's Code: 2

Access: If going up Woodbine Creek, downfall and thick lodgepole. Best to cross stillwater plateau from near the benbow mine. Partial Trails.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Near Chrome Lake	7	(2)	+1,500	-1,100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Yellowstone Cutthroat	14	14.7	10-16
2004	Yellowstone Cutthroat	16	12.1	10-14.3

Stocking History Stocking Plan

1984: Yellowstone Cutthroat (3000 fish)

1976: Yellowstone Cutthroat (540 fish)

Comments: Good spawning area in outlet.

Camp sites: Many campsites. Firewood is available.

Survey Notes:

The 2013 sample was obtained using angling.

Lightning Lake

DRAINAGE: Stillwater ELEV: 9340
Location: 45.33478, -110.07024 ACREAGE: 61.3
Section: 6S13E2 DEPTH: 122FT
Marcuson's Code: 102

Access: Up Trail #90 from Initial Creek to east side of tumble creek or east side of lightning creek. May be best from near mouth of divide creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Initial Creek	9.5	(5)	+2,950	-200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Golden Trout	Common	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Golden Trout	39	10.7	6.3-19.8
2003	Golden Trout	16	9.4	6.9-16.3

Stocking History Stocking Plan

1956: Golden Trout (10310 fish)

Comments: Fish were progeny of Sylvan Lake stock. Golden spawn in the outlet. Offspring spend time in Little Lightning, then move back into Lightning.

Camp sites: Nice sites. Plenty of wood but picked over between lakes.

Survey Notes:

Multiple fire rings. Heavy use. The 2003 sample was obtained using angling.

Little Goose Lake

DRAINAGE: Stillwater ELEV: 9835
Location: 45.12585, -109.90686 ACREAGE: 8.1
Section: 8S15E19A DEPTH: 23 FT
Marcuson's Code: 43

Access: Hike 1 mile up Goose Creek from Goose Lake. One can reach Goose Lake with a 4x4 vehicle.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	1.5	(1.5)	+100	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2000

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2000	Yellowstone Cutthroat	15	11.1	7.8-13.9
1990	Yellowstone Cutthroat	22	10.4	6.8-17.3

Stocking History Stocking Plan

Comments: No planting records. Fish may have come from the clarks fork river.

Camp sites: Firewood scarce. Used often.

Survey Notes:

Reproduction is occurring at a healthy rate. Monitor periodically. '90 gill net set for 26.5 hours. Fish were in ave. Condition. 16 other CT's 6-10" caught with hook and line. Spawning observed in outlet. Outlet water level was down 1-3 feet in 2001.

Little Lightning Lake

DRAINAGE: Stillwater ELEV: 9280
Location: 45.33811, -110.06733 ACREAGE: 6.9
Section: 6S13E2DA DEPTH: 12 FT
Marcuson's Code: 102

Access: Up Trail #90 from Initial Creek to east side of tumble creek or east side of lightning creek. May be best from near mouth of Divide Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Initial Creek	9.25	(5)	+2,900	-200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Golden Trout	Abundant	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Golden Trout	14	9	6.9-15.1
2003	Golden Trout	16	9.4	6.9-16.2

Stocking History Stocking Plan

Comments: Fish from Lightning Lake spawn in the outlet. Emerging fry drift into Little Lightning. Over time some of these move back into Lightning.

Camp sites: Nice places to camp but firewood is picked over between lakes.

Survey Notes:

The 2003 sample was obtained by angling.

Martes Lake

DRAINAGE: Stillwater ELEV: 9150
Location: 45.24941, -110.08534 ACREAGE: 17.5
Section: 7513E2,3 DEPTH: 33 FT
Marcuson's Code: 65

Access: Accessed from box Canyon Trail, upsidedown trail, or Woodbine trail the lake is north of the middle fork of wounded Man Creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon Trail #27	18.5	(18)	+3,600	-900
Woodbine	19.5	(19)	+4,200	-0
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Common	Stocked		

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	22	14	12.4-15
2002	Yellowstone Cutthroat	2	15.7	15-16.3

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (875 fish) 2019: Yellowstone Cutthroat (875 fish)
2003: Yellowstone Cutthroat (875 fish)
1995: Yellowstone Cutthroat (875 fish)

Comments: Martes produces large fish. First CT plant '69, then '79. Stock every eight years to maintain the trophy fishery. We cut the numbers of the '95 plant to 50/acre to boost growth rates.

Camp sites: Some good camp spots at east end Of Lake with plenty of fuel.

Survey Notes:

Jack robertson reports 1.5 - 2.5 lb CT's in 1990. No longer trophies in 1994, 7 year olds are 15" long. Dave Fischer reports slow fishing for 12-13" CT's in 1999. '02 fish were 'big and fat'.
Very little use.

Mountain View Lake

DRAINAGE: Stillwater ELEV: 6750
Location: 45.38711, -109.90126 ACREAGE: 4.0
Section: 5515E20 DEPTH: 13.0
Marcuson's Code:

Access: Access off forest service road 846 near nye behind stillwater mine. First (gated) road 45.410 n /109.879 w on your left when you get to horseman flats. Bushwack No Trail. Recommend using gps to help you find it.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Horseman Flats	2.0	NO		

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Unknown	Unknown
White Sucker	Abundant	Self-Sustained

Last sample: 1989

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1989	White Sucker	31	8.1	6.5-11.1
1989	Brook Trout	3	7.1	6.4-8

Stocking History

Stocking Plan

Comments: Outside a-b wilderness on private mining claims. Brook trout, suckers and chubs.

Camp sites:

Survey Notes:

Lake chubs present '89.

Mouse Lake

DRAINAGE: Stillwater ELEV: 9650
Location: 45.20934, -110.09574 ACREAGE: 6.9
Section: 7513E22AC DEPTH: 30 FT
Marcuson's Code: 55

Access: Trail #27 up east fork of main boulder-lake Kathleen-rainbow Creek-lake columbine-columbine pass. Then around unnamed lake to east then se.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	13.5	(12.5)	+3,650	-500
Woodbine	22.5	(21.5)	+3,850	-0
SPECIES PRESENT	ABUNDANCE	STATUS		
Yellowstone Cutthroat	Abundant	Stock, with some natural repr		

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	22	14.6	12.3-15.
1998	Yellowstone Cutthroat	23	12	7.5-14.3

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (300 fish) 2016: Yellowstone Cutthroat (345 fish)
2000: Yellowstone Cutthroat (690 fish)
1992: Yellowstone Cutthroat (690 fish)

Comments: In 1979 4"-10" fish were observed below the s.E. Outlet. No trout observed or netted in 1992. 582 CT's planted in 1970.

Camp sites: There are flat areas (rocky) near the lake with firewood.

Survey Notes:

Some reproduction seems to be taking place in years of excessive snowmelt in a tiny inlet with a gravel substrate. '92 - there was a lot of evidence of use. Check before '08 plant - consider cutting plant to 50/acre every 8 years.
'98 - other fish 4-13" seen rising. Surveyed 08, nice fish, suggest camping at favonius or pentad.
'08 plant cut to 300. Monitor before 2016 to assess stocking rate.
Mostly frozen and snowing early July 2010. K. Latterell & B. Leshar observed one 12-13" fish.

Mutt Lake

DRAINAGE: Stillwater ELEV: 9190
Location: 45.09167, -109.93656 ACREAGE: 1.5
Section: 8514E36BC DEPTH: 3.5FT
Marcuson's Code: 47

Access: Mutt is accessible from the Goose Lake Jeep Trail. Outside the a-b wilderness.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	2	(1)	+0	-640

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Unknown

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	18	8.1	3.3-10.7
2008	Brook Trout	0		-

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (375 fish) 2017: Yellowstone Cutthroat (375 fish)
2011: Yellowstone Cutthroat (375 fish)
2010: Yellowstone Cutthroat (375 fish)

Comments: Rotenone project to remove brook trout from 2007-2009. Outlet flows into Goose Creek which has excellent spawning gravel and permanent flows. Fish can probably move between Goose Creek and the lake at high flows.

Camp sites: Some campsites. Scarce firewood.

Survey Notes:

The inlet stream from Jeff Lake has excellent spawning gravel and flow. In the 2013 survey 13 of the 18 sampled fish were sampled using angling.

North Picket Pin Lake

DRAINAGE: Stillwater ELEV: 8825
Location: 45.43064, -110.04095 ACREAGE: 5.3
Section: 5S14E6AC DEPTH: 20 FT
Marcuson's Code: 105

Access: Picket pin 4x4 road #140 from the West Fork Stillwater River.
Access road to lake is not marked but head east just before the Brass Monkey Mine.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Picket Pin Road	0	0	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	5	14.8	10.6-13.
1998	Yellowstone Cutthroat	2	16.1	14.9-17.

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (530 fish)

2007: Yellowstone Cutthroat (530 fish)

2003: Yellowstone Cutthroat (530 fish)

Comments: The lake receives a lot of angling pressure because of its accessibility.

Camp sites: Many campsites and lots of firewood available.

Survey Notes:

Stocked every 4 years. A poor net set during the 2015 survey is suspected to be the culprit for the low catch rates. Yellowstone Cutthroat Trout abundance is likely higher than the 2015 net sampling suggests.

One of the 4 fish sample in 2015 was collected with 0.75 hrs of angling.

Owl Lake

DRAINAGE: Stillwater ELEV: 9541
Location: 45.27588, -110.10009 ACREAGE: 14.4
Section: 6S13E27C DEPTH: 30 FT
Marcuson's Code: 71

Access: Approximately 12 Trail miles from the trailhead on the west fork of the Stillwater.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Trail	14	(14)	+3,700	-700

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat Trout X R	Common	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Unknown Hybrid	0		-
2003	Yellowstone Cutthroat Trout X Rainbow	15	11.5	9.5-13.2

Stocking History

Stocking Plan

Comments: R.Saunders reports numerous 10" fish in 1983.

Camp sites: Too wet & rocky, some places are ok. Firewood nearby.

Survey Notes:

'93 - no changes needed. Fish And Lake are doing fine. Fish were average in all respects. Obviously hybrids. Fish were trying to spawn in the inlets and outlet. They must be successful. Angler reports lots of 14" fish in 1999.

Pentad Lake

DRAINAGE: Stillwater ELEV: 9362
Location: 45.2245, -110.10187 ACREAGE: 40.7
Section: 7S13E15 DEPTH: 58 FT
Marcuson's Code: 59

Access: Trail #27 up east fork of main boulder-lake Kathleen-rainbow Creek-lake columbine-columbine pass. Then downhill to favonius and pentad lakes.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	12.5	(12.5)	+3,300	-700

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Yellowstone Cutthroat	8	9.5	6.4-11.6
1998	Yellowstone Cutthroat	31	11.4	8-14.4

Stocking History

Stocking Plan

Comments: Origin of these fish unknown. Natural reproduction occurring. There is interaction with Favonius Lake upstream.

Camp sites: Plenty of campsites but firewood is a little picked over.

Survey Notes:

Gil longmire 8/89 caught lots of CT's 8-12". Surveyed 08, fish in average shape.

Pipit Lake

DRAINAGE: Stillwater ELEV: 9580
Location: 45.27283, -110.10509 ACREAGE: 7.0
Section: 6S13E34BB DEPTH: 25 FT
Marcuson's Code: 70

Access: Access is served by Several Trails to the lake plateau between the boulder and stillwater drainages.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Upsidedown Trail	14	(14)	+3,700	-700

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat Trout X R	Common	Self-Sustained

Last sample: 2007

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2007	Yellowstone Cutthroat Hybrid	7	9.82	7-11.25
2003	Yellowstone Cutthroat Hybrid	10	12.7	10.2-16.

Stocking History

Stocking Plan

Comments: Origin of the fish unknown. Frank kolschefsky caught 3 rb/ct by hook and line in 1983. Sizes ranged from 6.3-16.5" avg = 11.0".

Camp sites: Nice places to camp. Plenty of firewood.

Survey Notes:

Excellent Trail all the way. Pipit is between the Rainbow Lakes and wounded Man Lake. '93 fish were spawning in the inlets and outlet. All were obvious hybrids, nice and healthy. Seems to be doing fine on its own.
Fwp sampled 07,6.5 hour set+angling,fat fish.

Raven Lake

DRAINAGE: Stillwater ELEV: 8750
Location: 45.28811, -110.05421 ACREAGE: 10.0
Section: 6S13E24,25 DEPTH: 46 FT
Marcuson's Code: 87

Access: Best access is from the lake plateau. The lake is in the Flood Creek drainage which is basically impassable. From wounded man follow a Poor Trail past pinchot.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	18	(18)	+3,300	-800
West Stillwater	20	(20)	+3,300	-900

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout X Golden Trout	Common	Self-Sustained
Yellowstone Cutthroat Trout X G	Common	Self-Sustained
Yellowstone Cutthroat Trout X R	Common	Self-Sustained

Last sample: 1997

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1997	Unknown Hybrid	7	9	5.8-11.2
1983	Unknown Hybrid	32		7.2-14.6

Stocking History

Stocking Plan

Comments: Colorful hybrids. Ralph Saunders caught 13" CT in 1983. Access is long and difficult.

Camp sites: Nice campsites with plenty of firewood available.

Survey Notes:

8/89 gil longmire caught lots of small gt's 6-10", 1 CT ~14". '97 - fish were average to thin. 6 of 7 fish were hook and lined.

Saderbalm Lake (aka. Sodderholm Lake)

DRAINAGE: Stillwater ELEV: 8980
Location: 45.34246, -110.01747 ACREAGE: 7.4
Section: 6S14E5B DEPTH: 29 FT
Marcuson's Code: 98

Access: Hike up Saderbalm Creek, a tributary of the west fork of the Stillwater. No Trail exists from #90 on the west fork.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Initial Creek	6	(2)	+2,400	-0
Horseman Flats	9	(7)	+3,600	-900

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Stocked

Last sample: 2003

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2003	Arctic Grayling	0		-
1990	Arctic Grayling	0		-

Stocking History

Stocking Plan

2009: Arctic Grayling (740 fish) 2017: Arctic Grayling (740 fish)

1997: Arctic Grayling (775 fish)

1992: Arctic Grayling (740 fish)

Comments: This lake And Creek are called sodderholm on old forest service maps and in marcusons original files. Good food supply. Spawning potential in outlet. 2009 plant depends on availability.

Camp sites: No campsites. Lots of firewood.

Survey Notes:

The 500 grayling planted in 1985 did not take. '90 gill net set for 2.5 hours by volunteer crew. This is a Tough Lake to get to. Tom mcgillvray fished for ~1.5 hours in '94. Saw no sign of fish. Lake appeared to have lots of food. Very pretty spot.

Grayling will be put on an eight year schedule starting in 2009.

Sioux Charley Lake

DRAINAGE: Stillwater ELEV: 5630
Location: 45.33164, -109.93082 ACREAGE: 3.6
Section: 6S14E12AB DEPTH: 3.5FT
Marcuson's Code: 7

Access: An easy 3 miles from the trailhead at Woodbine campground on the Stillwater river. Great trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Woodbine	3	(3)	+350	-50

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Rainbow Trout	Rare	Self-Sustained

Last sample: 1996

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
1996	Brook Trout	27	7.9	5.4-9.7
1974	Brook Trout	32	8.4	6.3-10.2

Stocking History

Stocking Plan

1951: Rainbow Trout (2750 fish)

1947: Yellowstone Cutthroat (7365 fish)

Comments: No additional management needed. CT's planted '31, '37, '40, '41. Rb's in '33, '34, '36, '40, '48, '49.

Camp sites: Many places to camp but firewood is picked over.

Survey Notes:

'96 fish were in average condition. '89 creel cards - 188 eb <8-12", 1 >16". 56 RB <8-12", 3 12-16" range. 4 CT <8".

Sourdough Lake

DRAINAGE: Stillwater ELEV: 9520
Location: 45.11418, -109.96807 ACREAGE: 2.6
Section: 8S14E22DC DEPTH: 22 FT
Marcuson's Code: 24

Access: Best access is from Goose Lake via the Goose Lake Jeep Trail. From Goose Lake hike cross country 3 miles west.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	4.5	(0)	+1,000	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Brook Trout	15		-
1999	Brook Trout	10	8	6.1-9

Stocking History

Stocking Plan

1967: Yellowstone Cutthroat (1000 fish)

Comments: 99 fish were caught with hook & line in one hour.

Camp sites: Camping is fair but not much firewood. No evidence of '88 fire

Survey Notes:

South Picket Pin Lake

DRAINAGE: Stillwater
Location: 45.42641, -110.04695
Section: 5514E6CA
Marcuson's Code: 104

ELEV: 9025
ACREAGE: 5.0
DEPTH: 19 FT

Access: Picket pin 4x4 road #140 from the West Fork Stillwater River.
Access road to Picket Pin Lakes is not marked but head east just before the Brass Monkey Mine.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Picket Pin Road	0	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2015

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2015	Yellowstone Cutthroat	24	10.4	6.4-14.4
2008	Yellowstone Cutthroat	6	13.1	12.3-14.

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (625 fish)
2009: Yellowstone Cutthroat (825 fish)
2005: Yellowstone Cutthroat (625 fish)

Comments: The lake receives a fair amount of angling pressure because of its accessibility. Most of the shoreline is vegetated marsh land.

Camp sites: Many campsites. Lots of firewood available.

Survey Notes:

Stocked every 4 years.

Spider Lake

DRAINAGE: Stillwater
Location: 45.11896, -109.96589
Section: 8514E22DA
Marcuson's Code: 26

ELEV: 9750
ACREAGE: 6.3
DEPTH: 28 FT

Access: Hike 3 miles cross country from Goose Lake. One can drive to Goose Lake with a 4x4 truck. NE of sourdough lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Goose Lake Jeep Trail	5	(0)	+1,300	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2010

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2010	Brook Trout	20	8.2	6.7-10.2
1999	Brook Trout	23	8.7	6.2-11.9

Stocking History

Stocking Plan

Comments: Lake is overcrowded with fish and has little fishing pressure.

Camp sites: A few rocky camp spots. Little firewood. No sign of '88 fire.

Survey Notes:

D. Arneson 8/87 found perhaps too many 6-10" EB's. Dennis Hagenston 8/93 found 9-12" brookies in good shape.

Sundown Lake

DRAINAGE: Stillwater
Location: 45.23307, -110.10294
Section: 7513E10C
Marcuson's Code: 61

ELEV: 9500
ACREAGE: 5.2
DEPTH: ?????

Access: Box Canyon Trail - columbine pass from the boulder 16 miles or from Woodbine up stillwater & wounded man 21 miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon	16	(15)	+3,500	-500
Woodbine	21	(20)	+3,700	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2009

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2009	Yellowstone Cutthroat	1	19.6	19.6-19.
1992	Yellowstone Cutthroat	0	-	-

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (520 fish)
2003: Yellowstone Cutthroat (520 fish)
1995: Yellowstone Cutthroat (520 fish)

Comments: Trophy fishery is the intent here and 1985 results were encouraging. All fish were in excellent condition. Small heads and large bodies. No fish seen cruising or rising in '92, none taken in net

Camp sites: Excellent campsite with firewood. Beautiful Lake.

Survey Notes:

Stocked every 8 years starting in 1979. There is no regular inlet, and the outlet is rock or silt with no good substrate for spawning. Although there is No Trail, horses can access the lake (and have). It shows use from foot travel and horses. D Fischer '99 - slow fishing for 16" CT's.

Sunken Rock Lake

DRAINAGE: Stillwater
Location: 45.24555, -110.09159
Section: 7513E3DC
Marcuson's Code: 64

ELEV: 9250
ACREAGE: 11.0
DEPTH: 30 FT

Access: Trail #27 e fork of main boulder-l Kathleen-rainbow Creek-l columbine-columbine pass-between favonius & pentad-e side Jordan Lake-up inlet then west.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Box Canyon Trail	15.5	(14.5)	+3,700	-1,400
Woodbine	20	(19)	+4,275	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Stocked

Last sample: 2008

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2008	Golden Trout	35	12.3	9.6-15.3
1998	Golden Trout	5	9.5	7.6-10.2

Stocking History

Stocking Plan

2011: Golden Trout (1000 fish)
2005: Golden Trout (1100 fish)
1992: Golden Trout (718 fish)

Comments: ct were not doing well so golden trout planted in '84. Marginal spawning areas in outlet were not usable 8/9/90. CT were stocked in 1969. '98 fish taken from pond below. Appear ss. Survey 4-5 years after next plant. 2011 plant depends on availability.

Camp sites: Beautiful place to camp. Plenty of firewood.

Survey Notes:

Nice Lake with good potential. Some use indicated in '90. Gt's stocked in '84 not found in 17 hour gill net set in '90. No gt's taken in 16 hr net set in '94 or 20 hr set in '98. Golden are present in the small pond below

We may wish to plant this lake on an 8 yr cycle with GT or CT at 100/acre. We could use angler reports. Surveyed 08, fish seem to be doing good, may have some reproduction because of size range caught.

Wood Lake

DRAINAGE: Stillwater ELEV: 9690
Location: 45.27511, -109.8343 ACREAGE: 12.0
Section: 6S15E26C DEPTH: 38 FT
Marcuson's Code: 3

Access: Access tough up Woodbine Creek, downfall and thick lodgepole.
Best to cross the Stillwater plateau from near the benbow
mine. Partial Trails.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Near Chrome Lake	8	(2)	+1,700	-1,100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Yellowstone Cutthroat	2	15.6	14.8-16.
2004	Yellowstone Cutthroat	7	12.9	10.5-14

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (1200 fish) 2021: Yellowstone Cutthroat (1200 fish)
2005: Yellowstone Cutthroat (1200 fish)
1997: Yellowstone Cutthroat (1200 fish)

Comments: Limited use. Limited spawning success might be possible in the silty
inlet. Outlet is all boulder/cobble.

Camp sites: Questionable campsites. Best at lake wilderness.

Survey Notes:

Fish here are fat. In 2013 the sample was obtained using angling for 3 hours. Water
was a "milky" color.

Wounded Man Lake

DRAINAGE: Stillwater ELEV: 9248
Location: 45.27206, -110.08635 ACREAGE: 50.2
Section: 6S13E34A DEPTH: 55 FT
Marcuson's Code: 72

Access: Popular lake on the lake plateau near wounded Man Creek.
Several Trails serve the area.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Box Canyon	15	(15)	+3,100	-500
West Stillwater	17	(17)	+3,300	-600

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout	Common	Self-Sustained

Last sample: 2003

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2003	Rainbow Trout	8	7.8	8.5-12.5
1997	Rainbow Trout	16	10.3	7.8-13.2

Stocking History

Stocking Plan

1946: Yellowstone Cutthroat (19890 fish)
1938: Yellowstone Cutthroat (40190 fish)

Comments: No record of the origin of the rb's. This is a popular fishing spot.
High use area. First stop up the west Fork Trail.

Camp sites: A lot of camping sites. Some firewood is available.

Survey Notes:

'89 creel cards - 1 ct??(rb?) <8". Gil longmire 8/89 caught lots of 8-10"ers. '97 fish
were thin. '02 fish angled. -50 fish observed on redds in inlet. Fish in excellent
condition.

Wrong Lake

DRAINAGE: Stillwater ELEV: 9000
Location: 45.13688, -109.96311 ACREAGE: 20.6
Section: 8S14E15A DEPTH: 116FT
Marcuson's Code: 20

Access: Head west from the end of the Goose Lake Jeep Trail past anvil
and beauty lakes, lake aries, sourdough, spider, fly and
courthouse lakes.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Goose Lake Jeep Trail	6.5	(0)	+1,600	-2,100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Yellowstone Cutthroat	21	12.6	8.8-14.6
1999	Yellowstone Cutthroat	13	10.7	9.5-11.9

Stocking History

Stocking Plan

2009: Yellowstone Cutthroat (2060 fish)
2001: Yellowstone Cutthroat (2060 fish)
1993: Yellowstone Cutthroat (2060 fish)

Comments: 25% of shoreline was burned in 1988. Very little use here.

Camp sites: Camping is good with lots of firewood on the south shore.

Survey Notes:

First planted with cutthroats in 1970, next in 1979. Some natural reproduction is
occurring here.

Arrapooash Lake

DRAINAGE: West Rosebud
Location: 45.24614, -109.8475
Section: 7S15E3D
Marcuson's Code: 32

ELEV: 9637
ACREAGE: 9.1
DEPTH: 25 FT

Access: Access is from the Island Lake Trail 3/4 along Island Lake.
Follow outlet stream up west side -2 miles - no trail. Stay near stream. Steep.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic Lake #19	10	(7)	+3,300	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	18	12.8	9.3-15.1
1997	Yellowstone Cutthroat	29	12.9	7.7-14.6

Stocking History

Stocking Plan

Comments: The lakes in this cirque were fishless when surveyed in 1975 and 1978. Good inlet flow. Glacial silt may limit repro. Movement of fish between the 5 Lakes in this cirque is doubtful due to stream gradients where these fish came from is a mystery.

Camp sites: Camping is in alpine limber pine. Plenty of firewood.

Survey Notes:

Avalanche Lake

DRAINAGE: West Rosebud
Location: 45.18211, -109.81114
Section: 7S15E36
Marcuson's Code: 11

ELEV: 9750
ACREAGE: 62.2
DEPTH: 135FT

Access: Access begins at Mystic Lake Trailhead. Up Huckleberry Creek just below granite peak. Trail fades in & out above huckleberry lake. Boulder hopping.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic Lake	9.5	(8)	+3,800	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	13	14.5	13.1-15.
2005	Yellowstone Cutthroat	16	11.8	10.8-15

Stocking History

Stocking Plan

2009: Yellowstone Cutthroat (10000 fish)
2000: Yellowstone Cutthroat (10000 fish)
1992: Yellowstone Cutthroat (10000 fish)

Comments: Fishery is visited by granite peak climbers. Catch rates are high. One of the Storm Lakes.

Camp sites: Campsites are few, rocky. Scarce firewood. Fairly high use.

Survey Notes:

The 2013 sample was obtained by angling for 3 hours

Beckwourth Lake

DRAINAGE: West Rosebud
Location: 45.21164, -109.89509
Section: 7S15E20B
Marcuson's Code: 26

ELEV: 9230
ACREAGE: 6.2
DEPTH: 9 FT

Access: Head up the Mystic Lake Trail (#19) to Silver Lake. A path heads west from the outlet end of Silver Lake uphill and x-country and may disappear.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic - West Rosebud	11	(8)	+3,300	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat	10	10.6	7.8-13.6
2004	Yellowstone Cutthroat	11	9.5	6.5-12

Stocking History

Stocking Plan

Comments: No planting record exists. Some fish come from frengo. Spawning areas in outlet obviously allow good reproduction.

Camp sites: Good camping. Lots of firewood.

Survey Notes:

D Fischer - '88 10-15" CT - good shape. D Hagenston 7/5/91 CT's 8-12" larger fish in good condition. Smaller ones snakey. G. Aldrich reports 4-14" CT's on every cast 8/92, not heavy. '94 netted fish were healthy looking with good thickness. Arlen lundberg 1996 found the fish to be skinny. '04 fish were in average shape. Lots of fish rising.

Crater Lake

DRAINAGE: West Rosebud
Location: 45.31448, -109.64785
Section: 6S17E16
Marcuson's Code: 38

ELEV: 6660
ACREAGE: 2.3
DEPTH: 36 FT

Access: Headwaters of Fiddler Creek, a tributary of west rosebud creek. Access by Jeep Trail through private land. Also off of BLM land on West Rosebud road

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Private Road	0	0	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Rainbow Trout	15	10.3	6.8-17.1
1990	Rainbow Trout	0		-

Stocking History

Stocking Plan

2012: Rainbow Trout (350 fish)
2009: Rainbow Trout (350 fish)
2004: Rainbow Trout (400 fish)

Comments: No RB spawning potential. No inlet, outlet. Lots of minnows and some algae, a few lily pads.

Camp sites: Campsites and firewood available.

Survey Notes:

On state land.

Eedica Lake

DRAINAGE: West Rosebud
Location: 45.18987, -109.89904
Section: 7S15E29C
Marcuson's Code: 23

ELEV: 9720
ACREAGE: 8.9
DEPTH: 40 FT

Access: Isolated Lake between big and little park mountains. Good Trail exists just past silver lake. Tough hike/climb

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Mystic Lake	12.0	(8.0)	+3,900	-300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Yellowstone Cutthroat	20	11.2	6.4-14.3
2012	Yellowstone Cutthroat	20	10.5	8-13

<u>Stocking History</u>	<u>Stocking Plan</u>
2008: Yellowstone Cutthroat (890 fish)	2016: Yellowstone Cutthroat (450 fish)
2000: Yellowstone Cutthroat (890 fish)	
1992: Yellowstone Cutthroat (890 fish)	

Comments: Access is difficult. Good spawning area at outlet, but success not certain. Eedica is crow meaning far away.

Camp sites: Campsites at treeline. Firewood is limited.

Survey Notes:

Began stocking 890 Yct every 8 years beginning in 1992. In 2013 sample 10 of the 20 fish sample was obtained using angling.

Emerald Lake

DRAINAGE: West Rosebud
Location: 45.25651, -109.69475
Section: 7S16E1
Marcuson's Code: 1

ELEV: 6310
ACREAGE: 28.5
DEPTH: 4 FT

Access: Access by car on west Rosebud Creek. Outside the a-b wilderness.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
West Rosebud	DRIVE	TO LAKE		

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained
Brown Trout	Common	Self-Sustained
Rainbow Trout	Common	Stocked

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Brown Trout	21	14.2	11.5-15.
2014	Rainbow Trout	4	8	7.7-8.3

<u>Stocking History</u>	<u>Stocking Plan</u>
2012: Rainbow Trout (1864 fish)	2016: Rainbow Trout (1800 fish)
2011: Rainbow Trout (1814 fish)	2017: Rainbow Trout (1800 fish)
2010: Rainbow Trout (2010 fish)	

Comments: McBride cutthroat were planted in 1986 and it was hoped that the population would become self sustaining. That did not happen so rainbows were planted starting in 1990. This lake gets stocked annually with rb.

Camp sites: USFS campground fee charged.

Survey Notes:

Grayling were stocked as unallocated fish from a hatchery study. Red Meadow Lake fish. This lake is primarily a self-sustaining brown trout and mountain whitefish and stocked rainbow fishery. 9 Longnose suckers and 3 mountain whitefish sampled in 2014
3 plants, 6" rb's, 600 each - late may, late june, late july. One net set in 2014 sample

Frenco Lake

DRAINAGE: West Rosebud
Location: 45.21327, -109.88425
Section: 7S15E20AA
Marcuson's Code: 27

ELEV: 9115
ACREAGE: 13.9
DEPTH: 28 FT

Access: 10 miles From Trailhead at Mystic Lake power plant. Last 2 miles steep terrain and unmaintained trail from north end of silver lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Mystic Lake	10.25	(8)	+3,200	-300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2011

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2011	Yellowstone Cutthroat	21	10.7	9.2-12
2004	Yellowstone Cutthroat	8	10.4	8.5-11

<u>Stocking History</u>	<u>Stocking Plan</u>
1950: Yellowstone Cutthroat (9540 fish)	

Comments: Only Lake on the west bench of west Rosebud Creek that had fish at the time of the 1st survey. Outlet does have some small gravel. D Fischer - '88 8-10" ct. Ponds produced 4-8" CT -every cast.

Camp sites: Good camping, abundant firewood.

Survey Notes:

Ralph Saunders says frenco was planted ~1947 by earl nott and boy scouts from columbus and absarokee & produced 5 lb fish in the '50's d Hagenston 7/4/91 CT's 7-9" skinny. G. Townsend - great fishing for 14-16" CT's 8/92.
G Aldrich reports lots of 6-12"ers 8/92. '94 fish appeared healthy. '96 arlen lundberg reports 10" ave. Good cond.

Huckleberry Lake

DRAINAGE: West Rosebud
Location: 45.20958, -109.80594
Section: 7S15E25,26
Marcuson's Code: 5

ELEV: 8380
ACREAGE: 8.0
DEPTH: 8 FT

Access: 6 miles of Good Trail, then 1 mile of steep cross country hiking south of Mystic Lake.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Mystic Lake	7	(7)	+2,400	-300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout	Common	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Rainbow Trout	11	10.1	7.4-13.9
2005	Rainbow Trout	1	11.5	11.5-11.

<u>Stocking History</u>	<u>Stocking Plan</u>
1949: Rainbow Trout (3570 fish)	

Comments: Lake provides fishery for granite peak hikers. Lake is self-sustaining.

Camp sites: Few campsites, lots of firewood.

Survey Notes:

Shallow Lake with lots of algae. Good gravels in inlet for spawning. In 2013 the sample was obtained using angling for 4 hours.

Island Lake

DRAINAGE: West Rosebud ELEV: 6030
Location: 45.37707, -109.71037 ACREAGE: 3.5
Section: 5S16E23,26 DEPTH: 26 FT
Marcuson's Code: 48

Access: Trail Head on the Benbow Jeep/ATV Trail. Or approximately a 3.5 mile hike in from the start of the Jeep Trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Benbow Jeep Trail	1.5			
	3.5			

SPECIES PRESENT	ABUNDANCE	STATUS
Brown Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	1	14.1	14.1-14.
2014	Brown Trout	1	12.8	12.8-12.

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (1000 fish)

2010: Yellowstone Cutthroat (1302 fish)

2009: Yellowstone Cutthroat (1100 fish)

Comments: Spawning habitat improvement and YCT stocking beginning 2009.
Hope to establish self sustaining YCT pop here.

Camp sites: Campsites and firewood are available.

Survey Notes:

The 2014 sample was obtained using a 4.25 hr daytime gill net. Angling was also used for 1 hr but collected 0 fish. Multiple fish were observed rising. During the survey we visited with an angler who caught 2 brown trout between 11-13 inches.

Island Lake

DRAINAGE: West Rosebud ELEV: 7717
Location: 45.22162, -109.8229 ACREAGE: 144.0
Section: 7S15E13,14 DEPTH: 40 FT
Marcuson's Code: 14

Access: 6 miles from the trailhead at mystic hydroelectric plant. Good trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic Lake	6	(6)	+1,800	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Rainbow Trout	14	9	3.8-17.5
2000	Rainbow Trout	16	10.9	6-15.6

Stocking History

Stocking Plan

1950: Rainbow Trout (4934 fish)

1949: Rainbow Trout (42840 fish)

1941: Yellowstone Cutthroat (5000 fish)

Comments: Reproduction is more than adequate to maintain the fishery.

Camp sites: Beautiful place to camp. Lots of cover, flat spots, & firewood

Survey Notes:

Fish (and campers) were congregated around the inlets and the outlet. In 2013 the sample was obtained using angling for 3.5 hours.

Lily Pad Lake

DRAINAGE: West Rosebud ELEV: 6412
Location: 45.31091, -109.64008 ACREAGE: 3.1
Section: 6S17E16 DEPTH:
Marcuson's Code:

Access: Headwaters of Fiddler Creek, a tributary of west rosebud creek.
Access by Jeep Trail through private land. Also off of BLM land on West Rosebud road

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
------------	-----------	--------	---------	-----------

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Brook Trout	12	8	5.4-13

Stocking History

Stocking Plan

Comments: On state land.

Camp sites: Campsites and firewood available.

Survey Notes:

The 2013 sample was obtained using angling for 2 hours.

Little Face Lake

DRAINAGE: West Rosebud ELEV: 9980
Location: 45.24512, -109.85441 ACREAGE: 8.4
Section: 7S15E3C DEPTH: 55 FT
Marcuson's Code: 33

Access: Access is from the Island Lake Trail 3/4 along Island Lake.
Follow outlet stream up west side -2 miles - no trail. Stay near stream. Steep.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic Lake	10	(7)	+3,600	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Rare	Unknown

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	No Fish Captured	0	-	-
1997	Yellowstone Cutthroat	6	10.1	9.7-10.6

Stocking History

Stocking Plan

Comments: The lakes in this cirque were fishless when surveyed in 1975 and 1978.

Camp sites: Questionable, rocky campsites, some firewood. Very pretty.

Survey Notes:

No potential spawning areas. Small outlet flows only during early summer. The possibility of fish movement between the 5 Lakes in this cirque exists but is doubtful due to stream gradients.
A fish might hardly survive the drop out of here let alone be able to invade from below. No indication of fish here during 2013 survey.

Lower Storm Lake

DRAINAGE: West Rosebud ELEV: 9839
Location: 45.18367, -109.82079 ACREAGE: 17.8
Section: 7S15E35,36 DEPTH: 95 FT
Marcuson's Code: 10

Access: Start from Mystic Lake. Trail to Huckleberry Creek, then cross country. 2 miles of steep terrain.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic Lake	9.25	(8)	+3,900	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Yellowstone Cutthroat	19	12.8	7.6-19.3
2001	Yellowstone Cutthroat	10	12.1	9.8-13.4
2001	Yellowstone Cutthroat	12	14.2	9.5-16.8

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (890 fish)
2003: Yellowstone Cutthroat (890 fish)
1995: Yellowstone Cutthroat (890 fish)

Comments: Management is for a trophy fishery. Decreased number stocked to 890 in 1995 to increase growth.

Camp sites: Campsites are limited. Scarce firewood. Above treeline.

Survey Notes:

Stocked every 8 years. Poor spawning potential. Little use.

Mystic Lake

DRAINAGE: West Rosebud ELEV: 7673
Location: 45.22191, -109.78589 ACREAGE: 435.0
Section: 7S16E7,8,9 DEPTH: 220FT
Marcuson's Code: 4

Access: 3 miles of Good Trail from the end of the West Rosebud road.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic Lake	3	(3)	+1,300	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

Last sample: 2012

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2012	Rainbow Trout	141		5.9-16.7
1984	Rainbow Trout	23	10.2	6-13.6

Stocking History

Stocking Plan

1951: Rainbow Trout (2750 fish)
1950: Rainbow Trout (2000 fish)
1949: Rainbow Trout (15000 fish)

Comments: Largest Lake in the a-b wilderness. One of the few lakes with self-sustaining rainbow trout. Rb's first stocked 1941. Cutthroat planted once in 1944.

Camp sites: Lake receives a lot of use. Campsites and firewood available.

Survey Notes:

Sampled with PPL Montana in 2012.

Nemidji Lake (aka. Memidji Lake)

DRAINAGE: West Rosebud ELEV: 9595
Location: 45.22745, -109.8711 ACREAGE: 13.7
Section: 7S15E16B DEPTH: 25 FT
Marcuson's Code: 29

Access: Mystic Lake Trail to silver lake. Then north -1.5 miles. Fairly steep. Trail leads off at first sight of silver to the west then north once you reach the bench. .

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic Lake	9.5	(8)	+3,700	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat	19	13.7	10.9-15.
2004	Yellowstone Cutthroat	17	11.8	9.5-12.8

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (1370 fish)
2005: Yellowstone Cutthroat (1370 fish)
2001: Yellowstone Cutthroat (1370 fish)

Comments: Excellent fishing, high catchability was maintained by high stocking numbers. A beautiful spot but hard to get to. D. Fischer '88 8-15" CT ave. 12". G. Aldrich '92 - 12" & 15-17" good shape. Will change to an eight year stocking rotation '05.

Camp sites: No good camping at lake but within 1/4 mile with firewood.

Survey Notes:

Density lowered to 100/acre from 300/acre in '94 and changed to a 4 year schedule starting in 1997. No real inlet or outlet for spawning. Most of substrate is rock. In aug '91 fish were healthy but not fat.

D Hagenston 7/5/91 CT's 9-14" smaller ones snakey. R saunders 8/96 caught tons 4-16". Netting looked on track-'96. Lundberg '96-whoppers. CT plants '79, '84,'89, '94. '87 26 CT 8.4-14.1" ave. 11.7".

Nugget Lake

DRAINAGE: West Rosebud ELEV: 9340
Location: 45.20672, -109.89709 ACREAGE: 8.3
Section: 7S15E20C DEPTH: 30 FT
Marcuson's Code: 25

Access: 8 miles to Silver Lake on Good Trail. Then follow a primitive trail west from the north end of Silver Lake for 3.5 miles.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
West Rosebud (mystic)	11.5	(8)	+3,400	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat	25	10.4	6.6-17.9
2004	Yellowstone Cutthroat	10	13.1	12.2-14

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (415 fish)
2000: Yellowstone Cutthroat (415 fish)
1992: Yellowstone Cutthroat (830 fish)

Comments: Good growth rates. Lake is managed as a trophy fishery. Stocked every 8 years. Possibility of some reproduction occurring. We tweaked numbers back to 50/acre in 2000. 1,660 planted 1976.

Camp sites: Some campsites with an abundance of firewood available.

Survey Notes:

D Fischer '88 found on and off hot fishing for 10-16" CT's. Dennis Hagenston 7/5/91 CT's 12-14" nice chunky fish. Greg Aldrich reports heavy 16-17"ers 8/92. Not a lot but worth the trouble. A lundberg 8/93 6 fish 15-18". 12-14"ers in inlet area. In '96 a few fat ones and some smaller we'll try growing some real whoppers in here. '86 34 CT 6.9-16.3" ave. 8.7".

Princess Lake

DRAINAGE: West Rosebud ELEV: 9080
Location: 45.19778, -109.81337 ACREAGE: 25.0
Section: 7S15E25 DEPTH: 35 FT
Marcuson's Code: 6

Access: Good Trail to Huckleberry Creek at the upper end of Mystic Lake. Path up w side of Huckleberry Creek fades in & out for 1 mile then improves.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Mystic Lake	8	(8)	+3,100	-300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Yellowstone Cutthroat	29	11.5	9.9-13.1
2005	Yellowstone Cutthroat	20	11	6.5-15.3

Stocking History

Stocking Plan

1997: Arctic Grayling (2608 fish)
1992: Arctic Grayling (2500 fish)
1984: Arctic Grayling (1344 fish)

Comments: Some good gravels around the 3 or 4 inlet. '98 - looks like CT have come down from above.

Camp sites: Good camping here - lots of fuel and shelter.

Survey Notes:

Very Pretty Lake. Used by goats. Located along the access route to granite lake, this lake sees some use.

Ram Lake

DRAINAGE: West Rosebud ELEV: 9580
Location: 45.26942, -109.76598 ACREAGE: 14.4
Section: 6S16E33BD DEPTH: 29 FT
Marcuson's Code: 35

Access: Headwaters of Chicken Creek, a tributary of west rosebud creek west of west Rosebud Lake. No Trail exists. Tough x-country.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
West Rosebud	3.5	(0)	+3,376	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2001

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2001	Yellowstone Cutthroat	12	11.6	6.6-15.4
1981	Yellowstone Cutthroat	1	15.5	15.5-15.

Stocking History

Stocking Plan

1983: Yellowstone Cutthroat (1455 fish)
1975: Yellowstone Cutthroat (2000 fish)

Comments: Hard Lake to hike to but the rewards are great. Age-3 fish averaged 13 inches. 1990 - growth is down. Lots of fish and fry. Fish were fairly easy to catch. Excellent spawning potential in outlet.

Camp sites: Many campsites. Little use. Lots of firewood is available.

Survey Notes:

Had been stocked every 8 years. Cancel '91 plant. '90 gill net set for 4.5 hours. Fish in average condition. 9/18/89 Ralph Saunders fished the entire perimeter for 3 fish, 14" 1 lb., 12", 11". Good condition. Some fish survive the waterfall and end up in Ewe Lake. Marcuson says "it hurts to get there". 7/26/08 kim latteral angled 16 Yct 9-15" and observed approx. 75 near outlet, 5.75 hour hike in and 4.5 out.

Silver Lake

DRAINAGE: West Rosebud ELEV: 7820
Location: 45.20995, -109.8541 ACREAGE: 72.6
Section: 7S15E22 DEPTH: 21 FT
Marcuson's Code: 15

Access: 8 miles of Good Trail from the Mystic Lake hydroelectric plant on west Rosebud Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Mystic Lake	8	(8)	+1,900	-300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout	Common	Self-Sustained

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Rainbow Trout	8	11.9	8.5-15.4
2000	Rainbow Trout	4	10.3	6-15.5

Stocking History

Stocking Plan

1949: Rainbow Trout (28560 fish)
1948: Rainbow Trout (25440 fish)
1947: Rainbow Trout (25440 fish)

Comments: Heavy use. Gravel present in both inlets and outlet, with decent spawning potential.

Camp sites: Plenty of campsites and firewood.

Survey Notes:

The 2013 sample was obtained by angling for 3 hours. Observed fry near outlet during 2013 survey.

Star Lake

DRAINAGE: West Rosebud ELEV: 8640
Location: 45.16873, -109.86305 ACREAGE: 23.5
Section: 8S15E4A DEPTH: 15 FT
Marcuson's Code: 16

Access: 12 miles from the Mystic Lake power plant on west Rosebud Creek <last 3 miles No Trail>. Tough access.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Mystic Lake	12	(9)	+2,700	-300

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Unknown	Stocked

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	No Fish Captured	0	-	-
2006	Yellowstone Cutthroat	-	-	-

Stocking History

Stocking Plan

2009: Yellowstone Cutthroat (3000 fish)
2008: Yellowstone Cutthroat (3000 fish)
1980: Yellowstone Cutthroat (825 fish)

Comments: No fish captured during survey in 2013. Moved stocking up to 2014.

Camp sites: Some campsites & wood at the inlet end but access difficult.

Survey Notes:

This lake is beautiful. Clear water. The outlet has various sizes of gravel suitable for spawning. Lots of feed present. Difficult access. MFWP survey 06 no fish netted or observed. In 2013 used gill net and angling to survey but no indication of fish.

Twin Lakes

DRAINAGE: West Rosebud
Location: 45.37356, -109.71176
Section: 5S16E26
Marcuson's Code: 47

ELEV: 6050
ACREAGE: 0.3
DEPTH: 11 FT

Access: Trail Head on the Benbow Jeep/ATV Trail. Or approximately a 3.5 mile hike in from the start of the Jeep Trail.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Private	1.5			
	3.5			
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout	Common	Self-Sustained		

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Brook Trout	5	9.9	8-14.9
1970	Brown Trout	8	11	6.7-18

Stocking History Stocking Plan

1950: Rainbow Trout (4136 fish)
1950: Yellowstone Cutthroat (3180 fish)

Comments: Old headgate and irrigation structure recently improved. On forest service land but outside wilderness. Short, easy hike from benbow Atv Trail.

Camp sites: Campsites and firewood are available.

Survey Notes:

The 2014 sample was obtained using a gill net set for 1.5 hrs. Two anglers also angled for 1 hour and caught 0 brook trout.

W Fishtail Cr Lk #40

DRAINAGE: West Rosebud
Location: 45.29841, -109.8002
Section: 6S15E24AD
Marcuson's Code: 40

ELEV: 9375
ACREAGE: 1.1
DEPTH: 4 FT

Access: From Chrome Lake it's all cross country, forested, steep, rocky, thick and difficult until you hit the creek, then it's easy on the w side.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Benbow Mine-chrome Lk	5	(0)	+1,600	-600
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Golden Trout	Common	Self-Sustained		

Last sample: 2008

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2008	Golden Trout	4	11.9	9.4-13.2

Stocking History Stocking Plan

Comments: Fish have made it down here from plants in the lakes above. Good spawning in inlet, ok in outlet. Great looking stream section ~1 mile below.

Camp sites: Good campsites. Plenty of firewood. Just below timberline.

Survey Notes:

'98 - 2-5" fish observed. Obvious reproduction here. '98 fish were very fat. In 2004 9-11" fish were observed. Very spooky fish were seen in the creek below the lake. They may winter here as the lake is very shallow.

W Fishtail Cr Lk #41

DRAINAGE: West Rosebud
Location: 45.2942, -109.80722
Section: 6S15E24DB
Marcuson's Code: 41

ELEV: 9690
ACREAGE: 7.3
DEPTH: 40 FT

Access: From Chrome Lake it's all cross country, forested, steep, rocky, thick and difficult until you hit the creek, then it's easy on the w side.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Benbow Mine-chrome Lk	5.5	(0)	+2,000	-600
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Golden Trout	Common	Stocked		

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Golden Trout	38	7.8	6.3-10
2004	Golden Trout	0		-

Stocking History Stocking Plan

2011: Golden Trout (1000 fish)
1992: Golden Trout (477 fish)
1991: Golden Trout (750 fish)

Comments: Inlet is boulder/silt, no gravel. Outlet has marginal gravel for spawning.

Camp sites: Few rocky/boggy campsites. No firewood. Above timberline.

Survey Notes:

Doubtful if fish from below can move up into #41.

W Fishtail Cr Lk #41a

DRAINAGE: West Rosebud
Location: 45.29534, -109.80964
Section: 6S15E24AC
Marcuson's Code: 41A

ELEV: 9715
ACREAGE: 2.0
DEPTH: 12 FT

Access: From Chrome Lake it's all cross country, forested, steep, rocky, thick and difficult until you hit the creek, then it's easy on the w side.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Benbow Mine-chrome Lk	5.5	(0)	+2,000	-600
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>		
Golden Trout	Rare	Stocked		

Last sample: 2013

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2013	Golden Trout	1	7.3	7.3-7.3
2004	Golden Trout	0		-

Stocking History Stocking Plan

1992: Golden Trout (130 fish)
1991: Golden Trout (206 fish)
1982: Golden Trout (3360 fish)

Comments: Inlet is sand/silt, no gravel. Outlet is silt/boulders, no gravel.

Camp sites: Few campsites. Rocky and boggy. No firewood.

Survey Notes:

Doubtful if fish from below can move up into #41a. In 2013 only sampled one Golden Trout in the gill net that was set for 13 hours, fish present but very low abundance.

W Fishtail Cr Lk #43

DRAINAGE: West Rosebud
Location: 45.30138, -109.80496
Section: 6S15E24AB
Marcuson's Code: 43

ELEV: 9588
ACREAGE: 4.2
DEPTH: 24 FT

Access: From Chrome Lake it's all cross country, forested, steep, rocky, thick and difficult until you hit the creek, then it's easy on the w side.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Benbow Mine-chrome Lk	5.25	(0)	+1,700	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Self-Sustained

Last sample: 2013

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2013	Golden Trout	8	12.1	9.3-14
2004	Golden Trout	10	13.2	10.3-14.

Stocking History

Stocking Plan

1992: Golden Trout (275 fish)
1991: Golden Trout (440 fish)
1982: Golden Trout (3250 fish)

Comments: Access is difficult. Very little use - one old fire ring.

Camp sites: Some campsites present. Plenty of firewood.

Survey Notes:

Poor looking spawning in the outlet, little gravel. In 2013 the sample was obtained using angling for 6 hours.

Weeluna Lake

DRAINAGE: West Rosebud
Location: 45.23389, -109.86949
Section: 7S15E9
Marcuson's Code: 30

ELEV: 9694
ACREAGE: 10.2
DEPTH: 30 FT

Access: 8 miles of Good Trail from Mystic Lake hydro plant then north from silver lake for 2 miles. Fairly steep. No trail

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Mystic Lake	10	(8)	+3,800	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2011

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2011	Yellowstone Cutthroat	34	14	8.9-16.3
2004	Yellowstone Cutthroat	17	14.1	9.6-16.5

Stocking History

Stocking Plan

2005: Yellowstone Cutthroat (765 fish)
1989: Yellowstone Cutthroat (1275 fish)
1980: Yellowstone Cutthroat (1297 fish)

Comments: This lake was managed as a trophy fishery. Was stocked every 8 years alternately with nemidji lake which had received more fish to provide a more highly catchable population. '91 chunky 9-18" CT's.

Camp sites: Campsites & wood. D Fischer '88 lots of 12-16" 1.5-2.5 lb ct

Survey Notes:

Was stocked every 8 yrs trophy fishery. Plant density was to be lowered from 125/acre to 75/acre in '97. '91 wide range of sizes may mean reproduction. Further plants canceled because of reproduction. No real inlet, seasonal outlet. Lots of gravel along spring fed west side. G Aldrich 8/92 lots of 15-17"ers. R saunders '96 8-9" and 16" nice, not fat. 16 CT '87 11.5-14.4" ave. 13.1".

West Rosebud Lake

DRAINAGE: West Rosebud
Location: 45.25002, -109.71069
Section: 7S16E2
Marcuson's Code: 2

ELEV: 6387
ACREAGE: 19.0
DEPTH: 6 FT

Access: Approximately 45 miles south of columbus, mt. Accessible by two wheel drive vehicle.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Drive To	0	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Brown Trout	Common	Self-Sustained
Rainbow Trout	Common	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	2	10	9.6-10.3
2014	Rainbow Trout	8	9.4	7.3-12.1
2014	Brown Trout	37	13	9.6-22.2
2014	Brook Trout	40	11.5	9.5-13.4

Stocking History

Stocking Plan

2013: Rainbow Trout (3000 fish)
2012: Rainbow Trout (3000 fish)
2011: Rainbow Trout (3000 fish)
2016: Rainbow Trout (3000 fish)

Comments: Both rainbows and cutthroats have been planted in the past. 3 plants annually of 6" rb's, 1,000 each - late may, late june, late july.

Camp sites: Has USFS campground near outlet.

Survey Notes:

Surveyed every other year. Mountain whitefish and longnose suckers also present. Sampled with 3 gill nets in 2014.

2015 CRAZY MOUNTAINS SECTION



Upper Twin Lake

Blue Lake

DRAINAGE: Big Timber Creek ELEV: 7900
Location: 46.03307, -110.28942 ACREAGE: 10.1
Section: 3N12E6CC DEPTH: 42 FT
Marcuson's Code: 9

Access: Follow Trails #119 & 118 from the half moon trailhead for 4 miles along big Timber Creek. The trail is nice and provides easy access.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Big Timber Creek	4	(4)	+1,100	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout	Common	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Rainbow Trout	16	9.4	6.9-13
1997	Rainbow Trout	18	9.5	8.3-11.4

Stocking History Stocking Plan
1930: Rainbow Trout

Comments: Blue and Thunder Lakes are the most visited lakes in the Crazy Mountains. Blue Lake and Thunder Lake are connected with a very short creek that allows fish to easily move between the two locations. The shoreline is 95% timbered.

Camp sites: There are good campsites. Firewood is available but not abundant.

Survey Notes:

It is believed that rainbow trout were stocked by Druckmiller (a galena and sulfite miner) in the late 1930's.

Crazy Lake

DRAINAGE: Big Timber Creek ELEV: 8700
Location: 46.00896, -110.28537 ACREAGE: 16.9
Section: 3N12E18 DEPTH: 58 FT
Marcuson's Code: 4

Access: Trails #119/118 from half moon to Blue Lake. Then cross country over talus rock to the lake. Very difficult.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Big Timber Creek	7	(4)	+3,000	-1,000
Beley Lakes	8	(0)	+2,300	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Yellowstone Cutthroat	49	14.9	13.7-16.
1997	Yellowstone Cutthroat	18	9.7	6.8-12.7

Stocking History Stocking Plan

2006: Yellowstone Cutthroat (1690 fish)

1998: Yellowstone Cutthroat (2535 fish)

1994: Yellowstone Cutthroat (2535 fish)

Comments: This cirque lake sits well above timberline.

Camp sites: Few rocky campsites. No firewood.

Survey Notes:

Yellowstone cutthroat trout were abundant at time of 2014 survey.

Druckmiller Lake

DRAINAGE: Big Timber Creek ELEV: 8500
Location: 46.03115, -110.30918 ACREAGE: 24.2
Section: 3N11E1 DEPTH: 97 FT
Marcuson's Code: 12

Access: Take the trail at half moon campground to Granite Lake. Then continue along big Timber Creek to the divide.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Big Timber Creek	4.5	(4)	+1,800	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout	Common	Stocked

Last sample: 2006

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2006	Rainbow Trout	8	12.4	10.8-14.
2001	Rainbow Trout	12	14	10.5-18

Stocking History Stocking Plan
2011: Yellowstone Cutthroat (2420 fish) 2019: Yellowstone Cutthroat (2420 fish)
2003: Rainbow Trout (2420 fish)
1995: Rainbow Trout (2412 fish)

Comments: Eagle Lake rainbow were planted in 1987 at 165/acre. Density and strain should be assessed before the 2003 stocking.

Camp sites: Some firewood. Lake surrounded by talus rock and snowfields.

Survey Notes:

No spawning areas present. Ron carlson reports good, heavy 16-18" rainbows 8/89. '90 fish were feeding primarily on red zooplankton. A few caddis larvae were also consumed. 7/12/99 - Lake was totally ice covered. Eb planted in '33, RB in '35, '36, '37, '76, '78, '84. Reassess rainbow plants in the crazies. MFWP survey 06, good numbers and good health.

Granite Lake

DRAINAGE: Big Timber Creek ELEV: 7900
Location: 46.03456, -110.29345 ACREAGE: 13.4
Section: 3N11E1 DEPTH: 95 FT
Marcuson's Code: 10

Access: Follow Trail #119/118 from the half moon trailhead for 4 miles along big Timber Creek. Easy access.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Big Timber Creek	4	(4)	+1,100	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Rainbow Trout	Common	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Rainbow Trout	11	9.8	6.9-12.9
1997	Rainbow Trout	6	9.6	7.3-13.2

Stocking History Stocking Plan

1930: Rainbow Trout

Comments: Granite Lake receives its fair share of visitors. A small creek flows from Granite Lake into Blue Lake.

Camp sites: A few campsites. Firewood has been picked over near the heavily used campsites.

Survey Notes:

It is believed that rainbow trout were stocked by Druckmiller (a galena and sulfite miner) in the late 1930's.

Lower Twin Lake

DRAINAGE: Big Timber Creek ELEV: 7650
Location: 46.04524, -110.30769 ACREAGE: 10.6
Section: 4N11E36C DEPTH: 7 FT
Marcuson's Code: 13

Access: Take the trail at half moon campground. The lake is below timberline. Good trail

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Big Timber Creek	4	(4)	+900	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained
Yellowstone Cutthroat Trout X R	Unknown	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Rainbow Trout	14	10.9	9.1-14.1
1999	Yellowstone Cutthroat Trout X Rainbow	3	12	12-12

Stocking History

Stocking Plan

1992: Arctic Grayling (1060 fish)
1944: Rainbow Trout (7776 fish)
1936: Brook Trout (5004 fish)

Comments: Lower Twin Lake is a shallow lake that has a defined creek channel running through it.

Camp sites: There are many campsites and firewood is available.

Survey Notes:

Pear Lake

DRAINAGE: Big Timber Creek ELEV: 8450
Location: 46.02408, -110.30561 ACREAGE: 39.8
Section: 3N11E12 DEPTH: 185FT
Marcuson's Code: 11

Access: Follow the trail from the half moon campground to Blue Lake. Then hike cross country to the lake.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Big Timber Creek	4.5	(4)	+1,700	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	28	11.9	9.7-13.6
2006	Rainbow Trout	2	17.5	17-18

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (3980 fish) 2019: Yellowstone Cutthroat (3980 fish)
2008: Rainbow Trout (3980 fish)
2000: Rainbow Trout (3980 fish)

Comments: Beautiful lake above timberline that was still 1/3 ice covered when surveyed on 7/23/14.

Camp sites: No firewood. Shoreline is 98% talus rock and rock ridges.

Survey Notes:

In 2012, 12 of the 28 fish sample was obtained by angling for 4 hours.

Thunder Lake (aka. Lower Blue Lake)

DRAINAGE: Big Timber Creek ELEV: 7900
Location: 46.03372, -110.286 ACREAGE: 3.2
Section: 3N12E6CD DEPTH: 7 FT
Marcuson's Code: 8

Access: Four miles from the half Moon Trailhead along big Timber Creek. Easy access.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Big Timber Creek	4.5	(4)	+1,000	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Rainbow Trout	16		-
2001	Rainbow Trout	8	9.5	6.1-11.1

Stocking History

Stocking Plan

1930: Rainbow Trout

Comments: With blue, the most Visited Lakes in the Crazy Mountains. Thunder lake is connected to Blue and Granite lakes.

Camp sites: Campsites and firewood available. Shoreline is 90% timbered.

Survey Notes:

Thunder has the same rainbow trout population as Blue Lake. In 2014, 2 hours of angling effort at Thunder Lake resulted in 0 fish sampled.

Upper Twin Lake

DRAINAGE: Big Timber Creek ELEV: 7700
Location: 46.04242, -110.31447 ACREAGE: 6.8
Section: 3N11E2AA DEPTH: 6 FT
Marcuson's Code: 14

Access: Take the trail at Half Moon campground. The lake is below timberline.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Big Timber Creek	4.5	(4.5)	+1,000	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained
Yellowstone Cutthroat Trout X R	Unknown	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Rainbow Trout	7	12	10.6-14.
1999	Yellowstone Cutthroat Trout X Rainbow	4	10.9	7.4-13.2

Stocking History

Stocking Plan

1992: Arctic Grayling (680 fish)
1991: Arctic Grayling (680 fish)

Comments: Upper Twin Lake is a shallow lake that has a defined creek channel running through it.

Camp sites: Firewood available. Shoreline 10% talus, 65% timber, 25% grass

Survey Notes:

Cottonwood Lake

DRAINAGE: Cottonwood Creek
Location: 46.03825, -110.34113
Section: 3N11E3A
Marcuson's Code: 28

ELEV: 8550
ACREAGE: 9.2
DEPTH: 36 FT

Access: The access to Cottonwood Lake is across private land. Follow a maintained trail up Cottonwood Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Cottonwood Creek	4	(4)	+2,000	-200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Yellowstone Cutthroat	12	11.8	7.6-16.9
1990	Yellowstone Cutthroat	35	8.7	6.5-15.7
1990	Yellowstone Cutthroat			-

Stocking History

2012: Yellowstone Cutthroat (920 fish)
2008: Yellowstone Cutthroat (920 fish)
2004: Yellowstone Cutthroat (920 fish)

Stocking Plan

2016: Yellowstone Cutthroat (920 fish)

Comments: Cottonwood Lake is a beautiful lake located at timberline. The area receives moderate amount of use.

Camp sites: Campsites and firewood available.

Survey Notes:

Forest Lake

DRAINAGE: Cottonwood Creek
Location: 46.244, -110.43425
Section: 6N10E26D
Marcuson's Code: 33

ELEV: 8000
ACREAGE: 23.5
DEPTH: 30 FT

Access: Follow rough forest service road on the middle fork of Cottonwood Creek

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Drive To				

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 1972

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
1972	Yellowstone Cutthroat		9.7	-

Stocking History

1961: Arctic Grayling (4800 fish)
1959: Yellowstone Cutthroat (250 fish)
1955: Yellowstone Cutthroat (3456 fish)

Stocking Plan

Comments: The lake is in region four. Great falls headquarters may have current info. RB planted in '51, grayling in '61, CT's in '31, '32, '34, '52, '54, '55, '59. Self-sustaining CT's since.

Camp sites: Firewood available.

Survey Notes:

'90 - angler reports lots of 1.5-2 lb cutts. Leroy gibson aug. '96 - caught many 8-9"ers, 3 were 1.5-2 lbs.

Rock Lake

DRAINAGE: Rock Creek
Location: 46.02084, -110.32978
Section: 3N11E11
Marcuson's Code: 31

ELEV: 8550
ACREAGE: 50.0
DEPTH: 90 FT

Access: Headwaters of Rock Creek. Follow the Maintained Trail up Rock Creek.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Rock Creek	6	(6)	+1,900	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Yellowstone Cutthroat	23	12.9	7.4-15.2
2001	Yellowstone Cutthroat	26	11.6	9.6-13.8

Stocking History

Stocking Plan

2013: Yellowstone Cutthroat (2500 fish) 2019: Yellowstone Cutthroat (2500 fish)
2007: Yellowstone Cutthroat (2500 fish)
2001: Yellowstone Cutthroat (2500 fish)

Comments: Rock Lake sits above timberline, is mostly talus rock and is the largest lake in the Crazy Mountains. It is the only lake in the Crazy Mountains that has a significant island at full pool.

Camp sites: There are plenty of campsites but firewood is limited.

Survey Notes:

There was a large sheet of ice still floating in lake during the 7/23/2014 survey.

Smeller Lake

DRAINAGE: Rock Creek
Location: 46.00424, -110.30181
Section: 3N11E13
Marcuson's Code: 32

ELEV: 8800
ACREAGE: 22.0
DEPTH: 110FT

Access: Follow the trail up Smeller Creek. You must cross private land to access the trailhead.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Rock Creek	6	(6)	+2,200	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Yellowstone Cutthroat	26	12.9	7.4-17.5
2001	Yellowstone Cutthroat	35	14	10.1-18.

Stocking History

Stocking Plan

2012: Yellowstone Cutthroat (1100 fish) 2016: Yellowstone Cutthroat (1100 fish)
2008: Yellowstone Cutthroat (1100 fish)
2004: Yellowstone Cutthroat (1100 fish)

Comments: Smeller Lake is a cirque lake that has a shoreline that is nearly all talus and solid rock. It receives very little sunlight due to the surrounding mountains. The lake sits on private land and sees few visitors.

Camp sites: Very limited firewood and campsites. Limited use.

Survey Notes:

The flesh of the fish sampled was a bright orange color as a result of their diet.

Hidden Lake (aka. Fish Lake)

DRAINAGE: Swamp Creek
Location: 45.97691, -110.27528
Section: 3N12E30D

ELEV: 8910
ACREAGE: 5.0
DEPTH: 63 FT

Marcuson's Code: 2

Access: Across private property near Beley Lakes. Then up south fork of Swamp Creek. Some Trail and easy x-country hiking. Access across the public land is tough.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Beley Lakes	3	(2)	+1,900	-200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Unknown	Unknown

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Yellowstone Cutthroat	0	-	-
1995	Yellowstone Cutthroat	6	12.1	7.8-17.3

Stocking History

Stocking Plan

1982: Yellowstone Cutthroat (1012 fish)
1978: Yellowstone Cutthroat (1000 fish)
1974: Yellowstone Cutthroat (960 fish)

Comments: This cirque lake sits above timberline and the surrounding mountain is all talus rock. Yellowstone cutthroat trout were self-sustaining for many years here however no fish were sampled during the 2014 survey.

Camp sites: No firewood. Camping is better below.

Survey Notes:

No fish sampled during the 2014 survey.

Swamp Lake

DRAINAGE: Swamp Creek
Location: 45.96654, -110.27511
Section: 3N12E31

ELEV: 8350
ACREAGE: 22.2
DEPTH: 61 FT

Marcuson's Code: 1

Access: Private road on the Grosfield ranch. Access from the Big Timber Creek ranger station is difficult. Using only public lands to access the area would require many difficult miles of hiking.

<u>TRAILHEAD:</u>	<u>DISTANCE:</u>	<u>TRAIL:</u>	<u>ELEVUP:</u>	<u>ELEVDOWN:</u>
Grosfield Ranch Pvt.	3	(3)	+1,300	-200

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

Last sample: 2014

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2014	Brook Trout	81	9.5	6.7-12
1990	Brook Trout	19	10	8-12.6

Stocking History

Stocking Plan

1959: Brook Trout (9900 fish)
1954: Brook Trout (9000 fish)

Comments: Swamp Lake is not your typical "swamp"lake. It is a deep cold lake that that has mostly a talus shoreline with only few stunted conifers in the area. The best access is across private land.

Camp sites: Limited wood and campsites at lake.

Survey Notes:

Brook trout are very abundant here.

Campfire Lake (aka. Hindu Lake)

DRAINAGE: Sweet Grass Creek ELEV: 8250
Location: 46.06914, -110.40026 ACREAGE: 35.4
Section: 4N11E30 DEPTH: 30 FT
Marcuson's Code: 23

Access: Good trail across private ground to Trail #122 then #123. 15 miles, up 2,200 ft, down 200.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Sweet Grass Creek	15	(15)	+2,200	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	3	14.9	10.4-19.
2001	Yellowstone Cutthroat	60	7.5	5.7-8.7

Stocking History

Stocking Plan

2008: Yellowstone Cutthroat (5310 fish) 2016: Yellowstone Cutthroat (5310 fish)
2000: Yellowstone Cutthroat (5310 fish)
1992: Yellowstone Cutthroat (5310 fish)

Comments: This pretty lake that sits just below timberline is located on a bench above Moose Lake. It receives a moderate number of visitors.

Camp sites: Campsites & firewood available.

Survey Notes:

A poor net set may have resulted in the low number of fish sampled during the 2014 survey.

Cascade Lake

DRAINAGE: Sweet Grass Creek ELEV: 8856
Location: 46.06537, -110.26181 ACREAGE: 6.8
Section: 4N12E29 DEPTH: 25 FT
Marcuson's Code: 16

Access: Access is difficult. From half moon campground up over the ridge takes 5.5 hours. The outlet looks bad for access.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Big Timber Creek	3.5		+3,310	-925

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural repr

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	22	14.5	12.3-17.
1999	Yellowstone Cutthroat	8	19.5	17.3-21.

Stocking History

Stocking Plan

2011: Yellowstone Cutthroat (340 fish) 2019: Yellowstone Cutthroat (340 fish)
1982: Yellowstone Cutthroat (1012 fish)
1978: Yellowstone Cutthroat (1000 fish)

Comments: Cascade Lake sits well above timberline in a narrow cirque basin that receives limited sunlight and receives very little use. It is no surprise there is very little use as the access is very tough.

Camp sites: No firewood. The lake is surrounded by talus rock mountains.

Survey Notes:

Cave Lake

DRAINAGE: Sweet Grass Creek ELEV: 8250
Location: 46.0697, -110.32268 ACREAGE: 15.5
Section: 4N11E26 DEPTH: 41 FT
Marcuson's Code: 18

Access: Head up Milly Creek ~4 miles from the Maintained Trail up sweet grass creek (Trail #122). Access to #122 is across private land.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Sweet Grass Creek	8	(4)	+2,600	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Self-Sustained
Golden Trout Hybrid	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Golden Trout	8	17.8	13.4-22.
2001	Golden Trout	18	13.5	6.1-18.3

Stocking History

Stocking Plan

1992: Golden Trout (1012 fish)
1984: Golden Trout (5000 fish)
1980: Golden Trout (1300 fish)

Comments: Cave Lake is a beautiful lake in an open basin with a few scattered trees. The shoreline is 75% talus rock with the other 25% being timber and grass.

Camp sites: There are a few campsites and some firewood available.

Survey Notes:

Hybridization of this golden trout population was detected in 2003.

Moose Lake

DRAINAGE: Sweet Grass Creek ELEV: 7550
Location: 46.06746, -110.38696 ACREAGE: 13.1
Section: 4N11E29 DEPTH: 11 FT
Marcuson's Code: 21

Access: Maintained trail up the Middle Fork of Sweet Grass Creek, or from Porcupine Ranger Station. Good trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Sweet Grass Creek	14	(14)	+1,500	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Rainbow Trout	19	10.2	7-13.7
2006	Rainbow Trout	4	10.3	6.3-14

Stocking History

Stocking Plan

1941: Yellowstone Cutthroat (3492 fish)
1931: Yellowstone Cutthroat (7040 fish)

Comments: This stunning lake is located in a timbered valley at the upper end of the Middle Fork of Sweet Grass Creek. There is sign of moderate to light use here. The lake sits on private land.

Camp sites: There are many campsites and firewood is plentiful.

Survey Notes:

North Fork Lake

DRAINAGE: Sweet Grass Creek
Location: 46.11105, -110.37945
Section: 4N11E8A
Marcuson's Code: 25

ELEV: 8150
ACREAGE: 4.5
DEPTH: 6 FT

Access: Up north fork of sweet Grass Creek Via Trail from sweet Grass Creek. Good trail.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Sweet Grass Creek	13	(13)	+2,100	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	7	8.5	4.9-12.7
2001	Yellowstone Cutthroat	28	10.5	6.4-12.9

Stocking History

Stocking Plan

1949: Rainbow Trout (10000 fish)
1938: Yellowstone Cutthroat (22350 fish)

Comments: North Fork Lake is a shallow lake that supports a self-sustaining Yellowstone cutthroat trout population. The lake sits just below Sunlight Lake.

Camp sites: Campsites & firewood available.

Survey Notes:

The gill net captured 7 Yellowstone cutthroat trout but the crew did not observe any other fish in this shallow lake.

Sunlight Lake

DRAINAGE: Sweet Grass Creek
Location: 46.10975, -110.38967
Section: 4N11E8
Marcuson's Code: 26

ELEV: 8500
ACREAGE: 8.0
DEPTH: 34 FT

Access: Follow the Cattle Trail up the north fork -3 1/2 miles from the maintained trail up sweet Grass Creek.

TRAILHEAD:	DISTANCE:	TRAIL:	ELEVUP:	ELEVDOWN:
Sweet Grass Creek	13.5	(13.5)	+2,500	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

Last sample: 2014

Year	Species Caught	# of fish	Ave Length(in)	Range(in)
2014	Yellowstone Cutthroat	53	9.4	7.6-12.2
2001	Yellowstone Cutthroat	13	13.9	13-15

Stocking History

Stocking Plan

2010: Yellowstone Cutthroat (1000 fish)
2002: Yellowstone Cutthroat (1000 fish)
1994: Yellowstone Cutthroat (1000 fish)

Comments: The lake sits just above timberline in an open basin. The shoreline is roughly 60% rock and 40% grass. The lake was about 1/2 covered with ice during the 7/23/14 survey.

Camp sites: Campsites available close below the lake. Wood is scarce.

Survey Notes:

Yellowstone cutthroat trout were doing well and very abundant when surveyed in 2014.